

For more information about these tables contact the [Health Statistics Section](#) of the Colorado Department of Public Health and Environment at 303.692.2160.

Arapahoe County Vital Statistics 1999

Selected birth characteristics with 95% confidence limit: Arapahoe County residents, 1999	2
Selected birth characteristics by age group of mother: Arapahoe County residents, 1999	3
Selected birth characteristics by race/ethnicity of mother: Arapahoe County residents, 1999	4
Live births and fertility rates with 95% confidence limits by age of mother: Arapahoe County residents, 1999	5
Vital statistics summary: Arapahoe County residents, 1989, 1995-1999	6
Deaths from selected causes by race/ethnicity: Arapahoe County residents, 1999	7
Deaths and crude death rates with 95% confidence limits by age group: Arapahoe County residents, 1999	8
Deaths and crude death rates from selected causes by age group: Arapahoe County residents, 1999	9
Deaths, crude death rates and age-adjusted death rates with 95% confidence limits from selected causes: Arapahoe County residents, 1999	10
Appendix: Conversion Table of ICD-9 to ICD-10 Codes for Disease Mortality Used in Report	11

Selected birth characteristics with 95% confidence limit: Arapahoe County residents, 1999

CHARACTERISTIC	NUMBER	PERCENT	LOWER LIMIT	UPPER LIMIT
Total Live Births	6,779	100.0	100.0	100.0
Age of Mother				
10-17	202	3.0	2.6	3.4
18-19	420	6.2	5.6	6.8
20-29	3,443	50.8	49.6	52.0
30+	2,714	40.0	38.9	41.2
Low Weight Births (<2,500 Grams)	566	8.4	7.7	9.0
Very Low Weight Births (<1,500 Grams)	85	1.3	1.0	1.5
Prenatal Care Later than 1st Trimester	853	12.7	11.9	13.5
No Prenatal Care	64	1.0	0.7	1.2
Preterm Births (<37 Weeks)	580	8.6	7.9	9.2
Education of Mother <12 Years	1,047	15.6	14.7	16.5
Live Births to Unmarried Women	1,445	21.3	20.3	22.3
Smoking During Pregnancy	689	10.2	9.5	10.9

*Fewer than three events in the category. Sums may not add to total due to cases with age of mother unknown. Percentages are of total births, excluding cases with specific characteristics unknown. See the technical notes of Colorado Vital Statistics Annual Report for definitions of data items and explanation of confidence limits. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

Selected birth characteristics by age group of mother: Arapahoe County residents, 1999

CHARACTERISTIC	ALL AGES		10-17		18-19		20-29		30+	
	N	%	N	%	N	%	N	%	N	%
Total Live Births	6,779	100.0	202	100.0	420	100.0	3,443	100.0	2,714	100.0
Race/Ethnicity of Mother										
White/Non-Hispanic	4,412	65.1	86	42.6	199	47.4	2,065	60.0	2,062	76.0
White/Hispanic	1,352	19.9	79	39.1	133	31.7	838	24.3	302	11.1
Black	631	9.3	32	15.8	71	16.9	345	10.0	183	6.7
Other	384	5.7	5	2.5	17	4.0	195	5.7	167	6.2
Low Weight Births (<2,500 Grams)	566	8.4	26	12.9	39	9.3	282	8.2	219	8.1
Very Low Weight Births (<1,500 Grams)	85	1.3	6	3.0	7	1.7	50	1.5	22	0.8
Prenatal Care Started after 1st Trimester	853	12.7	58	28.9	119	28.7	499	14.6	177	6.6
No Prenatal Care	64	1.0	9	4.5	10	2.4	32	0.9	13	0.5
Preterm Births (<37 Weeks)	580	8.6	22	10.9	32	7.6	291	8.5	235	8.7
Education of Mother <12 Years	1,047	15.6	169	84.5	169	41.1	561	16.4	148	5.5
Births to Unmarried Women	1,445	21.3	166	82.2	245	58.3	822	23.9	212	7.8
Mother Smoked During Pregnancy	689	10.2	29	14.6	73	17.5	410	11.9	177	6.6

*Fewer than three events in the category. Sums may not add to total due to cases with age of mother unknown. Percentages are of total births, excluding cases with specific characteristics unknown. See the technical notes of Colorado Vital Statistics Annual Report for definition of data items and explanation of confidence limits. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

Selected birth characteristics by race/ethnicity of mother: Arapahoe County residents, 1999

CHARACTERISTIC	WHITE/ NON-HISPANIC		WHITE /HISPANIC		BLACK		ASIAN		AMERICAN INDIAN	
	N	%	N	%	N	%	N	%	N	%
Total Live Births	4,412	100.0	1,352	100.0	631	100.0	335	100.0	49	100.0
Age of Mother										
10-17	86	1.9	79	5.8	32	5.1	3	0.9	*	*
18-19	199	4.5	133	9.8	71	11.3	10	3.0	7	14.3
20-29	2,065	46.8	838	62.0	345	54.7	164	49.0	31	63.3
30+	2,062	46.7	302	22.3	183	29.0	158	47.2	9	18.4
Low Weight Births (<2,500 Grams)	341	7.7	108	8.0	83	13.2	31	9.3	3	6.1
Very Low Weight Births (<1,500 Grams)	46	1.0	16	1.2	18	2.9	3	0.9	*	*
Prenatal Care Later than 1st Trimester	326	7.4	360	26.9	118	18.9	43	13.1	6	12.2
No Prenatal Care	25	0.6	25	1.9	11	1.8	3	0.9	*	*
Preterm Births (<37 Weeks)	368	8.3	111	8.2	66	10.5	33	9.9	*	*
Education of Mother <12 Years	337	7.7	589	44.0	81	13.1	24	7.3	16	32.7
Live Births to Unmarried Women	702	15.9	380	28.1	309	49.0	37	11.0	17	34.7
Mother Smoking During Pregnancy	542	12.3	53	3.9	73	11.7	9	2.7	12	24.5

*Fewer than three events in the category. Sums may not add to total due to cases with age or race/ethnicity of mother unknown or not presented. Percentages are of total births of each race/ethnicity group, excluding cases with specific characteristics unknown. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

Live births and fertility rates with 95% confidence limits by age of mother: Arapahoe County residents, 1999

	BIRTHS	POPULATION	FERTILITY RATE	LOWER LIMIT	UPPER LIMIT
ALL AGES	6,779	112,525	60.2	58.8	61.6
ALL AGE GROUPS					
13-14	*	7,018	*	*	*
15-17	200	10,229	19.6	16.8	22.3
18-19	420	6,676	62.9	57.0	68.8
10-17	202	27,708	7.3	6.3	8.3
10-19	622	34,384	18.1	16.7	19.5
ALL AGE GROUPS					
10-14	*	17,479	*	*	*
15-19	620	16,905	36.7	33.8	39.5
20-24	1,541	16,160	95.4	90.8	99.9
25-29	1,902	15,942	119.3	114.2	124.4
30-34	1,635	17,853	91.6	87.3	95.8
35-39	881	22,644	38.9	36.4	41.4
40-49	198	44,560	4.4	3.8	5.1

*Fewer than three events in the category. Sums may not add to total due to cases with age of mother unknown. Rates are live births per 1,000 female population in each age group. Population data for "all ages" are females aged 15-44. See the technical notes of Colorado Vital Statistics Annual Report for explanation of confidence limits. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

Vital statistics summary: Arapahoe County residents, 1989, 1995-1999

	1989	1995	1996	1997	1998	1999	1995-1999 ANNUAL AVERAGE
TOTAL POPULATION	389,548	446,204	455,517	464,322	478,574	488,366	466,597
Total Births							
Number	6,200	6,140	6,115	6,175	6,595	6,779	6,361
Birth Rate	15.9	13.8	13.4	13.3	13.8	13.9	13.6
General Fertility Rate	63.5	56.5	55.9	56.2	59.0	60.2	57.6
Age of Mother 10-17							
Number	162	187	192	171	218	202	194
Percent of Total Births	2.6	3.0	3.1	2.8	3.3	3.0	3.1
Fertility Rate	7.4	7.4	7.4	6.5	8.0	7.3	7.3
Low Weight Births (<2,500 Grams)							
Number	476	562	586	571	608	566	579
Percent	7.7	9.2	9.6	9.2	9.2	8.4	9.1
Prenatal Care Later Than 1st Trimester							
Number	1,015	795	763	631	784	853	765
Percent	16.4	13.2	12.6	10.3	12.2	12.7	12.2
Births To Unmarried Women							
Number	953	1,300	1,327	1,265	1,498	1,445	1,367
Percent	15.4	21.2	21.7	20.5	22.7	21.3	21.5
Mother's Education <12 Years							
Number	585	623	710	729	857	1,047	793
Percent	9.5	10.3	11.8	12.0	13.4	15.6	12.7
Infant Deaths							
Number	55	44	41	44	51	48	46
Rate	8.9	7.2	6.7	7.1	7.7	7.1	7.2
Neonatal Deaths							
Number	36	35	28	29	40	34	33
Rate	5.8	5.7	4.6	4.7	6.1	5.0	5.2
Underlying Cause of Death All Causes							
Number	1,712	2,193	2,372	2,393	2,600	2,572	2,426
Crude Rate	439.5	491.5	520.7	515.4	543.3	526.7	519.9
Age-Adjusted Rate	728.4	756.4	806.1	779.9	800.6	774.8	783.9
Cardiovascular Disease							
Number	607	776	836	851	872	839	835
Age-Adjusted Rate	296.0	294.6	310.4	301.6	295.7	273.5	294.6
Heart Disease							
Number	462	581	610	602	622	592	601
Age-Adjusted Rate	221.2	213.7	222.0	209.3	208.9	188.6	207.9
Cerebrovascular Disease							
Number	89	135	155	170	169	155	157
Age-Adjusted Rate	46.3	56.0	60.2	62.1	58.3	53.3	57.9
Malignant Neoplasms							
Number	455	500	524	545	617	602	558
Age-Adjusted Rate	175.3	157.3	161.9	162.3	171.3	164.0	163.7
Lung Cancer							
Number	115	94	127	127	136	134	124
Age-Adjusted Rate	43.1	27.7	38.5	38.1	38.1	36.9	36.1
Breast Cancer							
Number	49	52	58	40	48	62	52
Age-Adjusted Rate	31.8	27.4	29.7	18.5	22.2	28.1	25.2
Total Unintentional Injuries							
Number	85	120	130	136	147	119	130
Age-Adjusted Rate	25.3	31.7	36.0	36.0	37.7	29.8	34.2
Motor Vehicle							
Number	46	56	44	54	58	34	49
Age-Adjusted Rate	12.7	13.1	10.3	12.4	12.2	7.3	11.0
All Other Unintentional Injuries							
Number	39	64	86	82	89	85	81
Age-Adjusted Rate	12.7	18.6	25.7	23.6	25.4	22.4	23.2
Chronic Obstructive Pulmonary Disease							
Number	99	109	140	114	157	151	134
Age-Adjusted Rate	43.0	39.9	49.0	38.5	48.2	46.5	44.5
Suicide							
Number	46	65	69	55	59	62	62
Age-Adjusted Rate	12.3	15.7	16.1	12.8	12.6	13.0	13.9
Homicide and Legal Intervention							
Number	7	20	19	16	22	19	19
Age-Adjusted Rate	1.8	4.7	4.0	3.3	4.5	3.9	4.1
Work-Related Injury							
Number	*	7	10	8	5	3	7
Age-Adjusted Rate	*	1.7	2.1	1.6	0.9	0.6	1.3

*Fewer than three events in the category. Birth rates are per 1,000 total population. General fertility rates are births per 1,000 females aged 15-44. Fertility rates for mothers age 10-17 are births per 1,000 females of this age group. Infant and neonatal mortality rates are per 1,000 live births. Other death rates are per 100,000 population. Age-adjusted rates are adjusted to the 2000 U.S. population using the direct method applied to 10-year age groups. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

Deaths from selected causes by race/ethnicity: Arapahoe County residents, 1999

CAUSE OF DEATH (ICD-10)	ALL RACES		WHITE/ NON-HISPANIC		WHITE /HISPANIC		BLACK		ASIAN		AMERICAN INDIAN	
	N	%	N	%	N	%	N	%	N	%	N	%
	<hr/>											
TOTAL	2,572	100.0	2,307	100.0	96	100.0	118	100.0	40	100.0	11	100.0
Cardiovascular Disease	839	32.6	776	33.6	20	20.8	32	27.1	8	20.0	3	27.3
Heart Disease	592	23.0	551	23.9	13	13.5	20	16.9	6	15.0	*	*
Cerebrovascular Disease	155	6.0	141	6.1	6	6.3	6	5.1	*	2.5	*	*
Atherosclerosis	45	1.7	44	1.9	*	*	*	*	*	*	*	*
Malignant Neoplasms	602	23.4	541	23.5	15	15.6	28	23.7	14	35.0	4	36.4
Lung Cancer	134	5.2	123	5.3	*	*	6	5.1	*	*	3	27.3
Breast Cancer	62	2.4	53	2.3	4	4.2	4	3.4	*	*	*	*
Chronic Obstructive Pulmonary Disease	151	5.9	144	6.2	3	3.1	*	*	*	*	*	*
Unintentional Injuries	119	4.6	97	4.2	7	7.3	10	8.5	3	7.5	*	*
Motor Vehicle	34	1.3	22	1.0	4	4.2	6	5.1	*	*	*	*
All Other	85	3.3	75	3.3	3	3.1	4	3.4	*	*	*	*
Pneumonia and Influenza	81	3.1	75	3.3	*	*	3	2.5	*	*	*	*
Suicide	62	2.4	48	2.1	7	7.3	4	3.4	3	7.5	*	*
Diabetes Mellitus	53	2.1	45	2.0	3	3.1	5	4.2	*	*	*	*
HIV Infection	9	0.3	4	0.2	4	4.2	*	*	*	*	*	*
Chronic Liver Disease and Cirrhosis	30	1.2	26	1.1	3	3.1	*	*	*	*	*	*
Alzheimer's Disease	112	4.4	110	4.8	*	*	*	*	*	*	*	*
Nephritis, Nephrosis, Nephrotic Syndrome	24	0.9	21	0.9	*	*	*	*	*	*	*	*
Homicide and Legal Intervention	19	0.7	9	0.4	6	6.3	*	*	*	*	*	*
Septicemia	21	0.8	18	0.8	*	*	*	*	*	*	*	*
Congenital Anomalies	17	0.7	15	0.7	*	*	*	*	*	*	*	*
Perinatal Period Conditions	22	0.9	11	0.5	6	6.3	4	3.4	*	*	*	*
All Other	411	16.0	367	15.9	16	16.7	21	17.8	6	15.0	*	*
Injury by Firearms	41	1.6	32	1.4	5	5.2	4	3.4	*	*	*	*
Drug-Induced Deaths	33	1.3	26	1.1	3	3.1	*	0.8	*	5.0	*	9.1
Alcohol-Induced Deaths	39	1.5	34	1.5	3	3.1	*	0.8	*	*	*	9.1
Work Related Injury (Y/N Check Death Certificate)	3	0.1	*	0.1	*	*	*	*	*	2.5	*	*

*Fewer than three events in the category. Percentages are of total deaths of each race/ethnicity category. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

Deaths and crude death rates with 95% confidence limits by age group: Arapahoe County residents, 1999

AGE GROUP	DEATHS	POPULATION	AGE-SPECIFIC DEATH RATE	LOWER LIMIT	UPPER LIMIT
ALL AGES	2,572	488,366	5.3	5.1	5.5
INFANT	48	6,779	7.1	5.0	9.2
NEONATAL	34	6,779	5.0	3.3	6.8
1-4	6	26,254	0.2	0.0	0.4
5-9	5	35,366	0.1	0.0	0.3
10-14	6	35,830	0.2	0.0	0.3
15-19	18	34,796	0.5	0.3	0.8
20-24	23	32,821	0.7	0.4	1.0
25-29	27	32,056	0.8	0.5	1.2
30-34	41	34,355	1.2	0.8	1.6
35-39	55	43,766	1.3	0.9	1.6
40-44	64	44,606	1.4	1.1	1.8
45-49	93	41,353	2.2	1.8	2.7
50-54	95	35,501	2.7	2.1	3.2
55-59	129	24,363	5.3	4.4	6.2
60-64	133	17,286	7.7	6.4	9.0
65-69	198	13,580	14.6	12.5	16.6
70-74	244	11,699	20.9	18.2	23.5
75-79	330	9,147	36.1	32.2	40.0
80-84	378	5,291	71.4	64.4	78.5
85+	679	3,582	189.6	176.6	202.5
1-14	17	97,450	0.2	0.1	0.3
15-24	41	67,617	0.6	0.4	0.8
25-64	637	273,286	2.3	2.1	2.5
65+	1,829	43,299	42.2	40.3	44.1

*Fewer than three events in the category. Infant death is death in the first year of life. Neonatal death is death occurring prior to the 28th day of life. Infant and neonatal mortality rates are per 1,000 live births. Other death rates are per 1,000 population of the age group. Population figures for infant and neonatal groups are live births. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

Deaths and crude death rates from selected causes by age group: Arapahoe County residents, 1999

CAUSE OF DEATH (ICD-10)	<1		1-14		15-24		25-44		45-64		65+	
	N	RATE	N	RATE	N	RATE	N	RATE	N	RATE	N	RATE
TOTAL	48	7.1	17	0.2	41	0.6	187	1.2	450	3.8	1,829	42.2
Cardiovascular Disease	*	*	*	*	*	*	25	0.2	121	1.0	689	15.9
Heart Disease	*	*	*	*	*	*	22	0.1	93	0.8	474	10.9
Cerebrovascular Disease	*	*	*	*	*	*	*	*	19	0.2	133	3.1
Atherosclerosis	*	*	*	*	*	*	*	*	*	*	44	1.0
Malignant Neoplasms	*	*	*	*	*	*	35	0.2	179	1.5	384	8.9
Lung Cancer	*	*	*	*	*	*	*	*	38	0.3	96	2.2
Breast Cancer	*	*	*	*	*	*	6	0.1	21	0.3	35	1.4
Chronic Obstructive Pulmonary Disease	*	*	*	*	*	*	*	*	17	0.1	131	3.0
Unintentional Injuries	*	*	6	0.1	15	0.2	36	0.2	15	0.1	46	1.1
Motor Vehicle	*	*	4	0.0	10	0.1	12	0.1	3	0.0	5	0.1
All Other	*	*	*	*	5	0.1	24	0.2	12	0.1	41	0.9
Pneumonia and Influenza	*	*	*	*	*	*	*	*	9	0.1	68	1.6
Suicide	*	*	*	*	9	0.1	29	0.2	14	0.1	10	0.2
Diabetes Mellitus	*	*	*	*	*	*	3	0.0	12	0.1	37	0.9
HIV Infection	*	*	*	*	*	*	7	0.0	*	*	*	*
Chronic Liver Disease and Cirrhosis	*	*	*	*	*	*	4	0.0	13	0.1	13	0.3
Alzheimer's Disease	*	*	*	*	*	*	*	*	*	*	110	2.5
Nephritis, Nephrosis, Nephrotic Syndrome	*	*	*	*	*	*	*	*	3	0.0	19	0.4
Homicide and Legal Intervention	*	*	*	*	6	0.1	11	0.1	*	*	*	*
Septicemia	*	*	*	*	*	*	*	*	4	0.0	15	0.3
Congenital Anomalies	9	1.3	3	0.0	*	*	*	*	*	*	*	*
Perinatal Period Conditions	21	3.1	*	*	*	*	*	*	*	*	*	*
All Other	13	1.9	*	*	4	0.1	30	0.2	57	0.5	305	7.0
Injury by Firearms	*	*	*	*	7	0.1	19	0.1	9	0.1	6	0.1
Drug-Induced Deaths	*	*	*	*	*	*	20	0.1	9	0.1	*	*
Alcohol-Induced Deaths	*	*	*	*	*	*	7	0.0	25	0.2	7	0.2
Work Related Injury (Y/N Check Death Certificate)	*	*	*	*	*	*	*	*	*	*	*	*

*Fewer than three events in the category. Crude death rates are calculated without age adjustment. Infant (<1 year) mortality rates are per 1,000 live births. Other rates are deaths per 1,000 population of the age group. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

Deaths, crude death rates and age-adjusted death rates with 95% confidence limits from selected causes: Arapahoe County residents, 1999

CAUSE OF DEATH (ICD-10)	DEATHS	CRUDE RATE	AGE-ADJUSTED DEATH RATE		
			RATE	LOWER LIMIT	UPPER LIMIT
TOTAL	2,572	526.7	774.8	745.3	804.3
Cardiovascular Disease	839	171.8	273.5	254.8	292.1
Heart Disease	592	121.2	188.6	173.1	204.2
Cerebrovascular Disease	155	31.7	53.3	44.7	61.9
Atherosclerosis	45	9.2	16.5	11.6	21.5
Malignant Neoplasms	602	123.3	164.0	150.5	177.6
Lung Cancer	134	27.4	36.9	30.5	43.4
Breast Cancer	62	24.8	28.1	20.9	35.2
Chronic Obstructive Pulmonary Disease	151	30.9	46.5	38.9	54.1
Unintentional Injuries	119	23.8	29.1	23.5	34.7
Motor Vehicle	34	7.0	7.3	4.8	9.8
All Other	85	17.4	22.4	17.4	27.5
Pneumonia and Influenza	81	16.6	27.7	21.5	33.9
Suicide	62	12.7	13.0	9.7	16.3
Diabetes Mellitus	53	10.9	14.4	10.4	18.4
HIV Infection	9	1.8	1.6	0.6	2.7
Chronic Liver Disease and Cirrhosis	30	6.1	7.1	4.5	9.7
Alzheimer's Disease	112	22.9	42.0	34.1	49.8
Nephritis, Nephrosis, Nephrotic Syndrome	24	4.9	7.5	4.4	10.5
Homicide and Legal Intervention	19	3.9	3.9	2.1	5.6
Septicemia	21	4.3	6.3	3.5	9.1
Congenital Anomalies	17	3.5	3.7	1.9	5.6
Perinatal Period Conditions	22	4.5	4.5	2.6	6.4
All Other	411	84.8	129.9	117.0	142.8
Injury by Firearms	41	8.4	8.5	5.9	11.2
Drug-Induced Deaths	33	6.8	6.5	4.3	8.7
Alcohol-Induced Deaths	39	8.0	8.0	5.5	10.6
Work Related Injury (Y/N Check Death Certificate)	3	0.6	0.6	0.0	1.2

*Fewer than three events in the category. Rates are deaths per 100,000 population. Crude death rates are calculated without age adjustment. Age-adjusted rates are adjusted to the 2000 U.S. standard population using the direct method applied to 10-year age groups. Age-adjusted rates provide a better basis for comparison among different geographical areas or time periods. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

Appendix: Conversion Table of ICD-9 to ICD-10 Codes for Disease Mortality Used in Report

The *International Classification of Diseases (ICD)* is a classification system developed collaboratively between the World Health Organization (WHO) and 10 international centers so that the medical terms reported by physicians, medical examiners, and coroners on death certificates can be grouped together for statistical purposes. The purpose of the ICD and of WHO sponsorship is to promote international comparability in the collection, classification, processing, and presentation of mortality statistics. New revisions of the ICD are implemented periodically so that the classification reflects advances in medical science. Since 1900, the ICD has been modified about once every 10 years, except for the 20-year interval between the last two revisions, ICD-9 and ICD-10. Effective with deaths occurring in 1999, the United States began using the ICD-10, replacing ICD-9 used with 1979-98 data. Publications showing mortality data under ICD-10 will differ substantially from those under ICD-9 because of changes in coding rules, changes in category names and ICD numbers, and changes in the tabulation lists used to produce mortality data. The following table shows the ICD-9 and ICD-10 codes for diseases and injuries reported in this document. Data users should be mindful of the huge impact of the ICD-10 on mortality statistics and are encouraged to contact National Center for Health Statistics or the Health Statistics Section of the Colorado Department of Public Health and Environment (303-692-2160) for assistance in using the ICD-10 and data interpretation.

CAUSE	ICD-9	ICD-10
Cardiovascular Disease	390-434,436-448	I00-I78
Heart Disease	390-398,402,404,410-429	I00-I09,I11,I13,I20-I51
Cerebrovascular Diseases	430-434,436-438	I60-I69
Atherosclerosis	440	I70
Malignant Neoplasms	140-208	C00-C97
Lung Cancer	162	C33-C34
Breast Cancer	174-175	C50
Chronic Obstructive Pulmonary Disease	490-494,496	J40-J47
Unintentional Injuries	E800-E869,E880-E929	V01-X59, Y85-Y86
Motor Vehicle	E810-E825	V02-V04, V09.0, V90.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2
All Other Unintentional Injuries	E800-E809, E826-E869, E880-E929	V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.6-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9, V90-V99, W00-X59, Y85-Y86
Pneumonia And Influenza	480-487	J10-J18
Suicide	E950-E959	X60-X84, Y87.0
Diabetes Mellitus	250	E10-E14
Human Immunodeficiency Virus Infection	042-044	B20-B24
Chronic Liver Disease And Cirrhosis	571	K70, K73-K74
Alzheimer's Disease	331.0	G30
Nephritis, Nephrosis, Nephrotic Syndrome	580-589	N00-N07, N17-N19, N25-N27
Homicide And Legal Intervention	E960-E978	X85-Y09, Y35, Y87.1, Y89.0
Septicemia	038	A40-A41
Congenital Anomalies	740-759	Q00-Q99
Perinatal Period Conditions	760-771.2, 771.4-779	P00-P96
Injury By Firearms	E922, E955.0-E955.4, E965.0-E965.4, E970, E985.0-E985.4	W32-W34, X72-X74, X93-X95, Y22-Y24, Y35.0
Drug-Induced Deaths	292, 304, 305.2-305.9, E850-E858, E950.0-E950.5, E962.0, E980.0-E980.5	F11.0-F11.5, F11.7-F11.9, F12.0-F12.5, F12.7-F12.9, F13.0-F13.5, F13.7-F13.9, F14.0-F14.5, F14.7-F14.9, F15.0-F15.5, F15.7-F15.9, F16.0-F16.5, F16.7-F16.9, F17.0, F17.3-F17.5, F17.7-F17.9, F18.0-F18.5, F18.7-F18.9, F19.0-F19.5, F19.7-F19.9, X40-X44, X60-X64, X85, Y10-Y14
Alcohol-Induced Deaths	291, 303, 305.0, 357.5, 425.5, 535.3, 571.0-571.3, 790.3, E860	F10, G31.2, G62.1, 42.6, K29.2, K70, R78.0, X45, X65, Y15