

For more information about these tables contact the [Health Statistics Section](#) of the Colorado Department of Public Health and Environment at 303.692.2160.

Denver County Births and Deaths 1999

Selected birth characteristics with 95% confidence limit: Denver County residents, 1999	2
Selected birth characteristics by age group of mother: Denver County residents, 1999	3
Selected birth characteristics by race/ethnicity of mother: Denver County residents, 1999	4
Live births and fertility rates with 95% confidence limits by age of mother: Denver County residents, 1999	5
Vital statistics summary: Denver County residents, 1989, 1995-1999	6
Deaths from selected causes by race/ethnicity: Denver County residents, 1999	7
Deaths and crude death rates with 95% confidence limits by age group: Denver County residents, 1999	8
Deaths and crude death rates from selected causes by age group: Denver County residents, 1999	9
Deaths, crude death rates and age-adjusted death rates with 95% confidence limits from selected causes: Denver County residents, 1999	10
Appendix: Conversion Table of ICD-9 to ICD-10 Codes for Disease Mortality Used in Report	11

Selected birth characteristics with 95% confidence limit: Denver County residents, 1999

CHARACTERISTIC	NUMBER	PERCENT	LOWER LIMIT	UPPER LIMIT
Total Live Births	10,155	100.0	100.0	100.0
Age of Mother				
10-17	651	6.4	5.9	6.9
18-19	947	9.3	8.8	9.9
20-29	5,422	53.4	52.4	54.4
30+	3,133	30.9	30.0	31.8
Low Weight Births (<2,500 Grams)	937	9.2	8.7	9.8
Very Low Weight Births (<1,500 Grams)	137	1.3	1.1	1.6
Prenatal Care Later than 1st Trimester	2,649	26.5	25.6	27.3
No Prenatal Care	160	1.6	1.3	1.8
Preterm Births (<37 weeks)	987	9.7	9.1	10.3
Education of Mother <12 Years	3,630	36.3	35.4	37.3
Live Births to Unmarried Women	3,547	34.9	34.0	35.9
Smoking During Pregnancy	1,001	9.9	9.3	10.5

*Fewer than three events in the category. Sums may not add to total due to cases with age of mother unknown. Percentages are of total births, excluding cases with specific characteristics unknown. See the technical notes of Colorado Vital Statistics Annual Report for definitions of data items and explanation of confidence limits. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

Selected birth characteristics by age group of mother: Denver County residents, 1999

CHARACTERISTIC	ALL AGES		10-17		18-19		20-29		30+	
	N	%	N	%	N	%	N	%	N	%
Total Live Births	10,155	100.0	651	100.0	947	100.0	5,422	100.0	3,133	100.0
Race/Ethnicity of Mother										
White/Non-Hispanic	3,610	35.6	91	14.0	191	20.2	1,588	29.3	1,740	55.5
White/Hispanic	4,948	48.7	459	70.5	592	62.5	2,928	54.0	968	30.9
Black	1,139	11.2	85	13.1	136	14.4	642	11.8	276	8.8
Other	457	4.5	16	2.5	28	3.0	263	4.9	149	4.8
Low Weight Births (<2,500 Grams)	937	9.2	67	10.3	120	12.7	467	8.6	283	9.0
Very Low Weight Births (<1,500 Grams)	137	1.3	15	2.3	16	1.7	70	1.3	36	1.1
Prenatal Care Started after 1st Trimester	2,649	26.5	282	43.9	342	36.6	1,519	28.4	505	16.3
No Prenatal Care	160	1.6	17	2.6	24	2.6	90	1.7	28	0.9
Preterm Births (<37 Weeks)	987	9.7	65	10.0	113	11.9	477	8.8	332	10.6
Education of Mother <12 Years	3,630	36.3	579	91.6	540	57.9	1,916	35.9	595	19.3
Births to Unmarried Women\	3,547	34.9	551	84.6	605	63.9	1,913	35.3	477	15.2
Mother Smoked During Pregnancy	1,001	9.9	71	10.9	127	13.4	517	9.6	286	9.1

*Fewer than three events in the category. Sums may not add to total due to cases with age of mother unknown. Percentages are of total births, excluding cases with specific characteristics unknown. See the technical notes of Colorado Vital Statistics Annual Report for definition of data items and explanation of confidence limits. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

Selected birth characteristics by race/ethnicity of mother: Denver County residents, 1999

CHARACTERISTIC	WHITE/ NON-HISPANIC		WHITE /HISPANIC		BLACK		ASIAN		AMERICAN INDIAN	
	N	%	N	%	N	%	N	%	N	%
Total Live Births	3,610	100.0	4,948	100.0	1,139	100.0	328	100.0	129	100.0
Age of Mother										
10-17	91	2.5	459	9.3	85	7.5	5	1.5	11	8.5
18-19	191	5.3	592	12.0	136	11.9	12	3.7	16	12.4
20-29	1,588	44.0	2,928	59.2	642	56.4	184	56.3	79	61.2
30+	1,740	48.2	968	19.6	276	24.2	126	38.5	23	17.8
Low Weight Births (<2,500 Grams)	313	8.7	418	8.4	162	14.2	30	9.1	14	10.9
Very Low Weight Births (<1,500 Grams)	35	1.0	65	1.3	33	2.9	*	*	*	*
Prenatal Care Later than 1st Trimester	356	10.0	1,896	38.9	282	25.4	69	21.2	46	35.7
No Prenatal Care	31	0.9	97	2.0	23	2.1	4	1.2	5	3.9
Preterm Births (<37 Weeks)	353	9.8	447	9.0	141	12.4	33	10.1	13	10.1
Education of Mother <12 Years	378	10.6	2,877	59.1	264	23.8	59	18.3	52	40.6
Live Births to Unmarried Women	792	21.9	1,943	39.3	692	60.8	49	14.9	70	54.3
Mother Smoking During Pregnancy	437	12.1	344	7.0	184	16.3	11	3.4	25	19.4

*Fewer than three events in the category. Sums may not add to total due to cases with age or race/ethnicity of mother unknown or not presented. Percentages are of total births of each race/ethnicity group, excluding cases with specific characteristics unknown. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

Live births and fertility rates with 95% confidence limits by age of mother: Denver County residents, 1999

	BIRTHS	POPULATION	FERTILITY RATE	LOWER LIMIT	UPPER LIMIT
ALL AGES	10,155	114,679	88.6	86.9	90.2
TEENAGE GROUP					
13-14	30	6,584	4.6	2.9	6.3
15-17	621	9,522	65.2	60.2	70.2
18-19	947	7,027	134.8	126.7	142.8
10-17	651	27,175	24.0	22.1	25.8
10-19	1,598	34,202	46.7	44.5	49.0
ALL AGE GROUPS					
10-14	30	17,653	1.7	1.1	2.3
15-19	1,568	16,549	94.7	90.3	99.2
20-24	2,804	17,138	163.6	158.0	169.2
25-29	2,618	16,042	163.2	157.4	168.9
30-34	1,973	17,329	113.9	109.1	118.6
35-39	923	23,743	38.9	36.4	41.4
40-49	237	44,188	5.4	4.7	6.1

*Fewer than three events in the category. Sums may not add to total due to cases with age of mother unknown. Rates are live births per 1,000 female population in each age group. Population data for "all ages" are females aged 15-44. See the technical notes of Colorado Vital Statistics Annual Report for explanation of confidence limits. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

Vital statistics summary: Denver County residents, 1989, 1995-1999

	1989	1995	1996	1997	1998	1999	1995-1999 ANNUAL AVERAGE
TOTAL POPULATION	472,831	500,541	509,547	517,199	521,644	532,068	516,200
Total Births							
Number	8,252	8,662	9,131	9,280	9,833	10,155	9,412
Birth Rate	17.5	17.3	17.9	17.9	18.9	19.1	18.2
General Fertility Rate	68.8	75.3	79.0	80.1	85.7	88.6	81.7
Age of Mother 10-17							
Number	493	617	586	642	615	651	622
Percent of Total Births	6.0	7.1	6.4	6.9	6.3	6.4	6.6
Fertility Rate	26.9	27.0	24.5	25.6	23.6	24.0	24.9
Low Weight Births (<2,500 Grams)							
Number	739	905	909	928	951	937	926
Percent	9.0	10.5	10.0	10.0	9.7	9.2	9.8
Prenatal Care Later Than 1st Trimester							
Number	2,525	2,352	2,287	2,170	2,268	2,649	2,345
Percent	30.8	27.7	25.4	23.6	23.3	26.5	25.3
Births To Unmarried Women							
Number	3,042	3,222	3,307	3,416	3,535	3,547	3,405
Percent	36.9	37.2	36.2	36.8	36.0	34.9	36.2
Mother's Education <12 Years							
Number	2,484	2,934	3,218	3,272	3,353	3,630	3,281
Percent	30.6	34.7	35.9	36.0	34.7	36.3	35.6
Infant Deaths							
Number	71	71	55	72	84	63	69
Rate	8.6	8.2	6.0	7.8	8.5	6.2	7.3
Neonatal Deaths							
Number	41	40	43	49	61	35	46
Rate	5.0	4.6	4.7	5.3	6.2	3.4	4.8
Underlying Cause of Death All Causes							
Number	4,415	4,905	4,914	4,692	4,753	4,668	4,786
Crude Rate	933.7	979.9	964.4	907.2	911.2	877.3	927.2
Age-Adjusted Rate	930.3	1,010.1	1,013.1	970.3	985.1	948.7	985.2
Cardiovascular Disease							
Number	1,701	1,738	1,707	1,652	1,620	1,554	1,654
Age-Adjusted Rate	360.0	361.5	355.8	345.8	340.4	320.5	344.7
Heart Disease							
Number	1,293	1,255	1,246	1,184	1,192	1,076	1,191
Age-Adjusted Rate	274.9	261.3	260.0	247.9	250.8	222.1	248.3
Cerebrovascular Disease							
Number	262	307	289	305	287	302	298
Age-Adjusted Rate	54.9	63.9	60.1	63.8	60.0	62.0	61.9
Malignant Neoplasms							
Number	929	988	984	968	955	927	964
Age-Adjusted Rate	199.1	207.4	206.6	203.4	201.5	191.9	202.0
Lung Cancer							
Number	199	231	226	222	211	215	221
Age-Adjusted Rate	42.9	49.0	47.6	47.0	45.0	45.1	46.6
Breast Cancer							
Number	83	88	67	85	83	73	79
Age-Adjusted Rate	30.6	32.1	24.6	30.7	31.5	25.9	29.0
Total Unintentional Injuries							
Number	182	261	262	258	273	285	268
Age-Adjusted Rate	37.3	52.6	51.9	51.0	54.4	55.6	53.1
Motor Vehicle							
Number	75	81	96	89	86	69	84
Age-Adjusted Rate	15.2	16.2	19.0	17.7	17.0	13.6	16.8
All Other Unintentional Injuries							
Number	107	180	166	169	187	216	184
Age-Adjusted Rate	22.1	36.3	32.8	33.3	37.3	42.0	36.4
Chronic Obstructive Pulmonary Disease							
Number	263	267	289	269	287	319	286
Age-Adjusted Rate	55.3	55.7	60.4	56.8	60.9	66.2	60.0
Suicide							
Number	106	117	110	80	74	68	90
Age-Adjusted Rate	20.6	23.2	21.9	16.0	14.8	13.2	17.8
Homicide and Legal Intervention							
Number	59	78	62	62	51	53	61
Age-Adjusted Rate	11.5	15.7	12.4	12.4	10.0	10.2	12.0
Work-Related Injury							
Number	4	14	5	11	14	18	12
Age-Adjusted Rate	0.7	2.9	1.0	2.1	2.7	3.6	2.5

*Fewer than three events in the category. Birth rates are per 1,000 total population. General fertility rates are births per 1,000 females aged 15-44. Fertility rates for mothers age 10-17 are births per 1,000 females of this age group. Infant and neonatal mortality rates are per 1,000 live births. Other death rates are per 100,000 population. Age-adjusted rates are adjusted to the 2000 U.S. population using the direct method applied to 10-year age groups. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

Deaths from selected causes by race/ethnicity: Denver County residents, 1999

CAUSE OF DEATH (ICD-10)	ALL RACES		WHITE/ NON-HISPANIC		WHITE /HISPANIC		BLACK		ASIAN		AMERICAN INDIAN	
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	4,668	100.0	3,272	100.0	695	100.0	598	100.0	59	100.0	24	100.0
Cardiovascular Disease	1,554	33.3	1,188	36.3	164	23.6	175	29.3	18	30.5	7	29.2
Heart Disease	1,076	23.1	816	24.9	115	16.5	128	21.4	10	16.9	5	20.8
Cerebrovascular Disease	302	6.5	239	7.3	29	4.2	28	4.7	4	6.8	*	*
Atherosclerosis	102	2.2	84	2.6	13	1.9	5	0.8	*	*	*	*
Malignant Neoplasms	927	19.9	646	19.7	122	17.6	139	23.2	17	28.8	*	*
Lung Cancer	215	4.6	157	4.8	19	2.7	37	6.2	*	*	*	*
Breast Cancer	73	1.6	53	1.6	6	0.9	13	2.2	*	*	*	*
Chronic Obstructive Pulmonary Disease	319	6.8	259	7.9	30	4.3	23	3.8	5	8.5	*	*
Unintentional Injuries	285	6.1	147	4.5	101	14.5	30	5.0	3	5.1	*	*
Motor Vehicle	69	1.5	23	0.7	35	5.0	6	1.0	*	*	*	*
All Other	216	4.6	124	3.8	66	9.5	24	4.0	*	*	*	*
Pneumonia and Influenza	138	3.0	110	3.4	14	2.0	12	2.0	*	*	*	*
Suicide	68	1.5	50	1.5	13	1.9	5	0.8	*	*	*	*
Diabetes Mellitus	114	2.4	70	2.1	20	2.9	21	3.5	3	5.1	*	*
HIV Infection	56	1.2	28	0.9	17	2.4	10	1.7	*	*	*	*
Chronic Liver Disease and Cirrhosis	81	1.7	39	1.2	30	4.3	9	1.5	*	*	*	*
Alzheimer's Disease	112	2.4	89	2.7	7	*	16	2.7	*	*	*	*
Nephritis, Nephrosis, Nephrotic Syndrome	75	1.6	44	1.3	17	2.4	13	2.2	*	*	*	*
Homicide and Legal Intervention	53	1.1	15	0.5	16	2.3	18	3.0	3	5.1	*	*
Septicemia	48	1.0	27	0.8	9	1.3	10	1.7	*	*	*	*
Congenital Anomalies	33	0.7	15	0.5	10	1.4	6	1.0	*	*	*	*
Perinatal Period Conditions	25	0.5	3	0.1	12	1.7	10	1.7	*	*	*	*
All Other	782	16.8	543	16.6	114	16.4	101	16.9	7	11.9	7	29.2
Injury by Firearms	65	1.4	31	0.9	16	2.3	16	2.7	*	*	*	*
Drug-Induced Deaths	106	2.3	61	1.9	27	3.9	17	2.8	*	*	*	*
Alcohol-Induced Deaths	112	2.4	59	1.8	40	5.8	9	1.5	*	*	3	12.5
Work Related Injury (Y/N Check Death Certificate)	18	0.4	8	0.2	8	1.2	*	*	*	*	*	*

*Fewer than three events in the category. Percentages are of total deaths of each race/ethnicity category. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

Deaths and crude death rates with 95% confidence limits by age group: Denver County residents, 1999

AGE GROUP	DEATHS	POPULATION	AGE-SPECIFIC DEATH RATE	LOWER LIMIT	UPPER LIMIT
ALL AGES	4,668	532,068	8.8	8.5	9.0
INFANT	63	10,155	6.2	4.6	7.8
NEONATAL	35	10,155	3.4	2.3	4.6
1-4	16	36,943	0.4	0.2	0.7
5-9	8	44,524	0.2	0.0	0.3
10-14	6	36,208	0.2	0.0	0.3
15-19	27	33,407	0.8	0.5	1.1
20-24	39	33,640	1.2	0.8	1.5
25-29	58	32,622	1.8	1.3	2.3
30-34	65	35,443	1.8	1.4	2.3
35-39	100	47,948	2.1	1.7	2.5
40-44	156	48,552	3.2	2.7	3.7
45-49	199	41,714	4.8	4.1	5.4
50-54	195	31,304	6.2	5.3	7.1
55-59	192	21,327	9.0	7.7	10.3
60-64	231	17,827	13.0	11.3	14.6
65-69	321	16,540	19.4	17.3	21.5
70-74	487	15,115	32.2	29.4	35.1
75-79	621	12,829	48.4	44.7	52.2
80-84	702	8,485	82.7	76.8	88.7
85+	1,182	7,642	154.7	146.5	162.8
1-14	30	117,675	0.3	0.2	0.4
15-24	66	67,047	1.0	0.7	1.2
25-64	1,196	276,737	4.3	4.1	4.6
65+	3,313	60,611	54.7	52.8	56.5

*Fewer than three events in the category. Infant death is death in the first year of life. Neonatal death is death occurring prior to the 28th day of life. Infant and neonatal mortality rates are per 1,000 live births. Other death rates are per 1,000 population of the age group. Population figures for infant and neonatal groups are live births. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

Deaths and crude death rates from selected causes by age group: Denver County residents, 1999

CAUSE OF DEATH (ICD-10)	<1		1-14		15-24		25-44		45-64		65+	
	N	RATE	N	RATE	N	RATE	N	RATE	N	RATE	N	RATE
TOTAL	63	6.2	30	0.3	66	1.0	379	2.3	817	7.3	3313	54.7
Cardiovascular Disease	*	*	*	*	3	0.0	45	0.3	189	1.7	1315	21.7
Heart Disease	*	*	*	*	3	0.0	30	0.2	153	1.4	888	14.7
Cerebrovascular Disease	*	*	*	*	*	*	12	0.1	23	0.2	267	4.4
Atherosclerosis	*	*	*	*	*	*	*	*	3	0.0	99	1.6
Malignant Neoplasms	*	*	4	0.0	3	0.0	38	0.2	206	1.8	676	11.2
Lung Cancer	*	*	*	*	*	*	*	*	53	0.5	161	2.7
Breast Cancer	*	*	*	*	*	*	3	0.0	20	0.4	50	1.4
Chronic Obstructive Pulmonary Disease	*	*	*	*	*	*	4	0.0	38	0.3	276	4.6
Unintentional Injuries	*	*	7	0.1	31	0.5	81	0.5	72	0.6	92	1.5
Motor Vehicle	*	*	3	0.0	22	0.3	17	0.1	17	0.2	9	0.1
All Other	*	*	4	0.0	9	0.1	64	0.4	55	0.5	83	1.4
Pneumonia and Influenza	*	*	*	*	*	*	7	0.0	20	0.2	109	1.8
Suicide	*	*	*	*	11	0.2	26	0.2	21	0.2	9	0.1
Diabetes Mellitus	*	*	*	*	*	*	4	0.0	17	0.2	93	1.5
HIV Infection	*	*	*	*	*	*	41	0.2	14	0.1	*	*
Chronic Liver Disease and Cirrhosis	*	*	*	*	*	*	20	0.1	47	0.4	14	0.2
Alzheimer's Disease	*	*	*	*	*	*	*	*	*	*	111	1.8
Nephritis, Nephrosis, Nephrotic Syndrome	*	*	*	*	*	*	3	0.0	13	0.1	59	1.0
Homicide and Legal Intervention	*	*	*	*	12	0.2	28	0.2	8	0.1	*	*
Septicemia	*	*	*	*	*	*	7	0.0	9	0.1	32	0.5
Congenital Anomalies	14	1.4	5	0.0	*	*	3	0.0	6	0.1	3	0.0
Perinatal Period Conditions	25	2.5	*	*	*	*	*	*	*	*	*	*
All Other	20	2.0	7	0.1	4	0.1	72	0.4	156	1.4	521	8.6
Injury by Firearms	*	*	*	*	13	0.2	32	0.2	13	0.1	7	0.1
Drug-Induced Deaths	*	*	*	*	5	0.1	57	0.3	40	0.4	4	0.1
Alcohol-Induced Deaths	*	*	*	*	*	*	30	0.2	65	0.6	16	0.3
Work Related Injury (Y/N Check Death Certificate)	*	*	*	*	*	*	5	0.0	8	0.1	3	0.0

*Fewer than three events in the category. Crude death rates are calculated without age adjustment. Infant (<1 year) mortality rates are per 1,000 live births. Other rates are deaths per 1,000 population of the age group. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

Deaths, crude death rates and age-adjusted death rates with 95% confidence limits from selected causes: Denver County residents, 1999

CAUSE OF DEATH (ICD-10)	DEATHS	CRUDE RATE	AGE-ADJUSTED DEATH RATE		
			RATE	LOWER LIMIT	UPPER LIMIT
TOTAL	4,668	877.3	948.7	922.3	975.1
Cardiovascular Disease	1,554	292.1	320.5	304.8	336.2
Heart Disease	1,076	202.2	222.1	209.0	235.2
Cerebrovascular Disease	302	56.8	62.0	55.0	69.0
Atherosclerosis	102	19.2	21.0	16.9	25.1
Malignant Neoplasms	927	174.2	191.9	179.5	204.2
Lung Cancer	215	40.4	45.1	39.0	51.1
Breast Cancer	73	27.1	25.9	19.9	31.8
Chronic Obstructive Pulmonary Disease	319	60.0	66.2	59.0	73.5
Unintentional Injuries	285	52.6	54.6	48.1	61.0
Motor Vehicle	69	13.0	13.6	10.4	16.8
All Other	216	40.6	42.0	36.4	47.6
Pneumonia and Influenza	138	25.9	28.0	23.3	32.6
Suicide	68	12.8	13.2	10.1	16.4
Diabetes Mellitus	114	21.4	23.6	19.3	27.9
HIV Infection	56	10.5	10.1	7.4	12.7
Chronic Liver Disease and Cirrhosis	81	15.2	15.7	12.2	19.1
Alzheimer's Disease	112	21.0	23.0	18.8	27.3
Nephritis, Nephrosis, Nephrotic Syndrome	75	14.1	15.5	12.0	19.1
Homicide and Legal Intervention	53	10.0	10.2	7.4	13.0
Septicemia	48	9.0	9.6	6.9	12.3
Congenital Anomalies	33	6.2	5.5	3.6	7.4
Perinatal Period Conditions	25	4.7	3.5	2.1	4.8
All Other	780	146.6	156.6	145.6	167.6
Injury by Firearms	65	12.2	12.9	9.7	16.0
Drug-Induced Deaths	106	19.9	19.6	15.8	23.3
Alcohol-Induced Deaths	112	21.0	21.7	17.7	25.7
Work Related Injury (Y/N Check Death Certificate)	18	3.4	3.6	1.9	5.3

*Fewer than three events in the category. Rates are deaths per 100,000 population. Crude death rates are calculated without age adjustment. Age-adjusted rates are adjusted to the 2000 U.S. standard population using the direct method applied to 10-year age groups. Age-adjusted rates provide a better basis for comparison among different geographical areas or time periods. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

Appendix: Conversion Table of ICD-9 to ICD-10 Codes for Disease Mortality Used in Report

The *International Classification of Diseases (ICD)* is a classification system developed collaboratively between the World Health Organization (WHO) and 10 international centers so that the medical terms reported by physicians, medical examiners, and coroners on death certificates can be grouped together for statistical purposes. The purpose of the ICD and of WHO sponsorship is to promote international comparability in the collection, classification, processing, and presentation of mortality statistics. New revisions of the ICD are implemented periodically so that the classification reflects advances in medical science. Since 1900, the ICD has been modified about once every 10 years, except for the 20-year interval between the last two revisions, ICD-9 and ICD-10. Effective with deaths occurring in 1999, the United States began using the ICD-10, replacing ICD-9 used with 1979-98 data. Publications showing mortality data under ICD-10 will differ substantially from those under ICD-9 because of changes in coding rules, changes in category names and ICD numbers, and changes in the tabulation lists used to produce mortality data. The following table shows the ICD-9 and ICD-10 codes for diseases and injuries reported in this document. Data users should be mindful of the huge impact of the ICD-10 on mortality statistics and are encouraged to contact National Center for Health Statistics or the Health Statistics Section of the Colorado Department of Public Health and Environment (303-692-2160) for assistance in using the ICD-10 and data interpretation.

CAUSE	ICD-9	ICD-10
Cardiovascular Disease	390-434, 436-448	I00-I78
Heart Disease	390-398, 402, 404, 410-429	I00-I09, I11, I13, I20-I51
Cerebrovascular Diseases	430-434, 436-438	I60-I69
Atherosclerosis	440	I70
Malignant Neoplasms	140-208	C00-C97
Lung Cancer	162	C33-C34
Breast Cancer	174-175	C50
Chronic Obstructive Pulmonary Disease	490-494, 496	J40-J47
Unintentional Injuries	E800-E869, E880-E929	V01-X59, Y85-Y86
Motor Vehicle	E810-E825	V02-V04, V09.0, V90.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2
All Other Unintentional Injuries	E800-E809, E826-E869, E880-E929	V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9, V90-V99, W00-X59, Y85-Y86
Pneumonia And Influenza	480-487	J10-J18
Suicide	E950-E959	X60-X84, Y87.0
Diabetes Mellitus	250	E10-E14
Human Immunodeficiency Virus Infection	042-044	B20-B24
Chronic Liver Disease And Cirrhosis	571	K70, K73-K74
Alzheimer's Disease	331.0	G30
Nephritis, Nephrosis, Nephrotic Syndrome	580-589	N00-N07, N17-N19, N25-N27
Homicide And Legal Intervention	E960-E978	X85-Y09, Y35, Y87.1, Y89.0
Septicemia	038	A40-A41
Congenital Anomalies	740-759	Q00-Q99
Perinatal Period Conditions	760-771, 2, 771.4-779	P00-P96
Injury By Firearms	E922, E955.0-E955.4, E965.0-E965.4, E970, E985.0-E985.4	W32-W34, X72-X74, X93-X95, Y22-Y24, Y35.0
Drug-Induced Deaths	292, 304, 305.2-305.9, E850-E858, E950.0-E950.5, E962.0, E980.0-E980.5	F11.0-F11.5, F11.7-F11.9, F12.0-F12.5, F12.7-F12.9, F13.0-F13.5, F13.7-F13.9, F14.0-F14.5, F14.7-F14.9, F15.0-F15.5, F15.7-F15.9, F16.0-F16.5, F16.7-F16.9, F17.0-F17.3, F17.5, F17.7-F17.9, F18.0-F18.5, F18.7-F18.9, F19.0-F19.5, F19.7-F19.9, X40-X44, X60-X64, X85, Y10-Y14
Alcohol-Induced Deaths	291, 303, 305.0, 357.5, 425.5, 535.3, 571.0-571.3, 790.3, E860	F10, G31.2, G62.1, I42.6, K29.2, K70, R78.0, X45, X65, Y15