

For more information about these tables contact the [Health Statistics Section](#) of the Colorado Department of Public Health and Environment at 303.692.2160.

Douglas County Births and Deaths 1999

Selected birth characteristics with 95% confidence limit: Douglas County residents, 1999	2
Selected birth characteristics by age group of mother: Douglas County residents, 1999	3
Selected birth characteristics by race/ethnicity of mother: Douglas County residents, 1999	4
Live births and fertility rates with 95% confidence limits by age of mother: Douglas County residents, 1999	5
Vital statistics summary: Douglas County residents, 1989, 1995-1999	6
Deaths from selected causes by race/ethnicity: Douglas County residents, 1999	7
Deaths and crude death rates with 95% confidence limits by age group: Douglas County residents, 1999	8
Deaths and crude death rates from selected causes by age group: Douglas County residents, 1999	9
Deaths, crude death rates and age-adjusted death rates with 95% confidence limits from selected causes: Douglas County residents, 1999	10
Appendix: Conversion Table of ICD-9 to ICD-10 Codes for Disease Mortality Used in Report	11

Selected birth characteristics with 95% confidence limit: Douglas County residents, 1999

CHARACTERISTIC	NUMBER	PERCENT	LOWER LIMIT	UPPER LIMIT
Total Live Births	3,093	100.0	100.0	100.0
Age of Mother				
10-17	19	0.6	0.3	0.9
18-19	35	1.1	0.7	1.5
20-29	1,135	36.7	35.0	38.4
30+	1,904	61.6	59.8	63.3
Low Weight Births (<2,500 Grams)	220	7.1	6.2	8.0
Very Low Weight Births (<1,500 Grams)	39	1.3	0.9	1.7
Prenatal Care Later than 1st Trimester	58	1.9	1.4	2.4
No Prenatal Care	3	0.1	0.0	0.2
Preterm Births (<37 Weeks)	268	8.7	7.7	9.7
Education of Mother <12 Years	49	1.6	1.1	2.1
Live Births to Unmarried Women	163	5.3	4.5	6.1
Smoking During Pregnancy	97	3.1	2.5	3.8

*Fewer than three events in the category. Sums may not add to total due to cases with age of mother unknown. Percentages are of total births, excluding cases with specific characteristics unknown. See the technical notes of Colorado Vital Statistics Annual Report for definitions of data items and explanation of confidence limits. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

Selected birth characteristics by age group of mother: Douglas County residents, 1999

CHARACTERISTIC	ALL AGES		10-17		18-19		20-29		30+	
	N	%	N	%	N	%	N	%	N	%
Total Live Births	3,093	100.0	19	100.0	35	100.0	1,135	100.0	1,904	100.0
Race/Ethnicity of Mother										
White/Non-Hispanic	2,841	91.9	16	84.2	31	88.6	1,033	91.0	1,761	92.5
White/Hispanic	118	3.8	*	*	3	8.6	48	4.2	65	3.4
Black	30	1.0	*	*	*	*	16	1.4	14	0.7
Other	104	3.4	*	*	*	*	38	3.3	64	3.4
Low Weight Births (<2,500 Grams)	220	7.1	*	*	4	11.4	75	6.6	141	7.4
Very Low Weight Births (<1,500 Grams)	39	1.3	*	*	*	*	13	1.1	26	1.4
Prenatal Care Started after 1st Trimester	58	1.9	4	22.2	5	15.2	31	2.7	18	1.0
No Prenatal Care	3	0.1	*	*	*	*	*	*	*	*
Preterm Births (<37 Weeks)	268	8.7	*	*	3	8.6	87	7.7	178	9.4
Education of Mother <12 Years	49	1.6	13	68.4	9	26.5	20	1.8	7	0.4
Births to Unmarried Women	163	5.3	17	89.5	26	74.3	85	7.5	35	1.8
Mother Smoked During Pregnancy	97	3.1	*	*	3	8.6	55	4.8	38	2.0

*Fewer than three events in the category. Sums may not add to total due to cases with age of mother unknown. Percentages are of total births, excluding cases with specific characteristics unknown. See the technical notes of Colorado Vital Statistics Annual Report for definition of data items and explanation of confidence limits. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

Selected birth characteristics by race/ethnicity of mother: Douglas County residents, 1999

CHARACTERISTIC	WHITE/ NON-HISPANIC		WHITE /HISPANIC		BLACK		ASIAN		AMERICAN INDIAN	
	N	%	N	%	N	%	N	%	N	%
Total Live Births	2,841	100.0	118	100.0	30	100.0	93	100.0	11	100.0
Age of Mother										
10-17	16	0.6	*	*	*	*	*	*	*	*
18-19	31	1.1	3	2.5	*	*	*	*	*	*
20-29	1,033	36.4	48	40.7	16	53.3	34	36.6	4	36.4
30+	1,761	62.0	65	55.1	14	46.7	58	62.4	6	54.5
Low Weight Births (<2,500 Grams)	201	7.1	8	6.8	4	13.3	6	6.5	*	*
Very Low Weight Births (<1,500 Grams)	38	1.3	*	*	*	*	*	*	*	*
Prenatal Care Later than 1st Trimester	45	1.6	8	6.8	*	*	4	4.3	*	*
No Prenatal Care	*	*	*	*	*	*	*	*	*	*
Preterm Births (<37 Weeks)	239	8.4	10	8.5	6	20.0	10	10.8	3	27.3
Education of Mother <12 Years	40	1.4	8	6.9	*	*	*	*	*	*
Live Births to Unmarried Women	140	4.9	12	10.2	4	13.3	5	5.4	*	*
Mother Smoking During Pregnancy	93	3.3	4	3.4	*	*	*	*	*	*

*Fewer than three events in the category. Sums may not add to total due to cases with age or race/ethnicity of mother unknown or not presented. Percentages are of total births of each race/ethnicity group, excluding cases with specific characteristics unknown. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

Live births and fertility rates with 95% confidence limits by age of mother: Douglas County residents, 1999

	BIRTHS	POPULATION	FERTILITY RATE	LOWER LIMIT	UPPER LIMIT
ALL AGES	3,093	41,342	74.8	72.3	77.4
TEENAGE GROUP					
13-14	*	2,424	*	*	*
15-17	19	3,393	5.6	2.9	8.3
18-19	35	2,202	15.9	10.4	21.3
10-17	19	9,674	2.0	1.0	2.9
10-19	54	11,876	4.5	3.3	5.8
ALL AGE GROUPS					
10-14	*	6,281	*	*	*
15-19	54	5,595	9.7	7.0	12.3
20-24	219	5,810	37.7	32.7	42.7
25-29	916	6,656	137.6	129.3	146.0
30-34	1,252	7,156	175.0	166.1	183.8
35-39	565	8,300	68.1	62.6	73.6
40-49	87	14,230	6.1	4.8	7.4

*Fewer than three events in the category. Sums may not add to total due to cases with age of mother unknown. Rates are live births per 1,000 female population in each age group. Population data for "all ages" are females aged 15-44. See the technical notes of Colorado Vital Statistics Annual Report for explanation of confidence limits. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

Vital statistics summary: Douglas County residents, 1989, 1995-1999

	1989	1995	1996	1997	1998	1999	1995-1999 ANNUAL AVERAGE
TOTAL POPULATION	57,210	104,619	115,744	130,682	146,071	162,025	131,828
Total Births							
Number	1,129	1,818	2,121	2,360	2,743	3,093	2,427
Birth Rate	19.7	17.4	18.3	18.1	18.8	19.1	18.4
General Fertility Rate	72.1	66.0	69.7	69.5	72.8	74.8	71.0
Age of Mother 10-17							
Number	6	10	18	16	21	19	17
Percent of Total Births	0.5	0.6	0.8	0.7	0.8	0.6	0.7
Fertility Rate	1.7	1.6	2.6	2.1	2.4	2.0	2.1
Low Weight Births (<2,500 Grams)							
Number	71	114	156	178	240	220	182
Percent	6.3	6.3	7.4	7.5	8.7	7.1	7.5
Prenatal Care Later Than 1st Trimester							
Number	65	78	93	86	76	58	78
Percent	5.8	4.3	4.4	3.7	2.8	1.9	3.3
Births To Unmarried Women							
Number	47	94	98	113	131	163	120
Percent	4.2	5.2	4.6	4.8	4.8	5.3	4.9
Mother's Education <12 Years							
Number	39	36	36	49	66	49	47
Percent	3.5	2.0	1.7	2.1	2.4	1.6	2.0
Infant Deaths							
Number	10	5	12	6	11	10	9
Rate	8.9	2.8	5.7	2.5	4.0	3.2	3.6
Neonatal Deaths							
Number	6	3	9	6	7	8	7
Rate	5.3	1.7	4.2	2.5	2.6	2.6	2.7
Underlying Cause of Death All Causes							
Number	162	218	308	334	388	399	329
Crude Rate	283.2	208.4	266.1	255.6	265.6	246.3	249.9
Age-Adjusted Rate	736.7	778.9	1,037.8	977.4	1,013.0	1,045.9	980.2
Cardiovascular Disease							
Number	46	91	97	125	108	131	110
Age-Adjusted Rate	260.2	403.7	393.1	447.1	346.2	408.8	399.4
Heart Disease							
Number	41	63	71	90	79	92	79
Age-Adjusted Rate	229.3	260.0	274.6	322.2	233.8	261.8	269.7
Cerebrovascular Disease							
Number	3	24	18	24	19	29	23
Age-Adjusted Rate	19.1	123.1	86.0	88.0	80.4	102.3	95.2
Malignant Neoplasms							
Number	38	63	92	93	111	96	91
Age-Adjusted Rate	177.6	183.8	273.0	212.3	233.3	200.2	219.8
Lung Cancer							
Number	11	9	10	28	24	20	18
Age-Adjusted Rate	58.3	25.3	29.9	63.9	50.3	36.8	41.9
Breast Cancer							
Number	8	9	5	8	8	11	8
Age-Adjusted Rate	51.6	40.2	14.6	23.3	32.9	41.7	31.1
Total Unintentional Injuries							
Number	16	7	18	24	34	30	23
Age-Adjusted Rate	36.0	8.1	31.9	43.7	50.5	42.2	36.8
Motor Vehicle							
Number	9	3	10	8	17	12	10
Age-Adjusted Rate	26.4	2.3	11.3	6.0	14.6	9.6	9.1
All Other Unintentional Injuries							
Number	7	4	8	16	17	18	13
Age-Adjusted Rate	9.6	5.9	20.6	37.7	35.9	32.6	27.7
Chronic Obstructive Pulmonary Disease							
Number	9	8	13	11	20	18	14
Age-Adjusted Rate	54.5	26.1	51.8	33.1	59.3	60.8	47.8
Suicide							
Number	12	3	12	16	16	10	11
Age-Adjusted Rate	22.2	2.5	13.0	11.0	9.8	5.7	8.5
Homicide and Legal Intervention							
Number	*	*	*	*	5	4	*
Age-Adjusted Rate	*	*	*	*	3.7	2.1	*
Work-Related Injury							
Number	*	*	*	5	3	*	*
Age-Adjusted Rate	*	*	*	3.7	1.7	*	*

*Fewer than three events in the category. Birth rates are per 1,000 total population. General fertility rates are births per 1,000 females aged 15-44. Fertility rates for mothers age 10-17 are births per 1,000 females of this age group. Infant and neonatal mortality rates are per 1,000 live births. Other death rates are per 100,000 population. Age-adjusted rates are adjusted to the 2000 U.S. population using the direct method applied to 10-year age groups. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

Deaths from selected causes by race/ethnicity: Douglas County residents, 1999

CAUSE OF DEATH (ICD-10)	ALL RACES		WHITE/ NON-HISPANIC		WHITE /HISPANIC		BLACK		ASIAN		AMERICAN INDIAN	
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	399	100.0	380	100.0	12	100.0	*	*	3	100.0	*	*
Cardiovascular Disease	131	32.8	125	32.9	5	41.7	*	*	*	*	*	*
Heart Disease	92	23.1	91	23.9	*	*	*	*	*	*	*	*
Cerebrovascular Disease	29	7.3	24	6.3	4	33.3	*	*	*	*	*	*
Atherosclerosis	4	1.0	4	1.1	*	*	*	*	*	*	*	*
Malignant Neoplasms	96	24.1	92	24.2	*	*	*	*	*	*	*	*
Lung Cancer	20	5.0	20	5.3	*	*	*	*	*	*	*	*
Breast Cancer	11	2.8	9	2.4	*	*	*	*	*	*	*	*
Chronic Obstructive Pulmonary Disease	18	4.5	18	4.7	*	*	*	*	*	*	*	*
Unintentional Injuries	30	7.5	29	7.6	*	*	*	*	*	*	*	*
Motor Vehicle	12	3.0	12	3.2	*	*	*	*	*	*	*	*
All Other	18	4.5	17	4.5	*	*	*	*	*	*	*	*
Pneumonia and Influenza	11	2.8	11	2.9	*	*	*	*	*	*	*	*
Suicide	10	2.5	9	2.4	*	*	*	*	*	*	*	*
Diabetes Mellitus	8	2.0	7	1.8	*	*	*	*	*	*	*	*
HIV Infection	*	*	*	*	*	*	*	*	*	*	*	*
Chronic Liver Disease and Cirrhosis	3	0.8	3	0.8	*	*	*	*	*	*	*	*
Alzheimer's Disease	15	3.8	14	3.7	*	*	*	*	*	*	*	*
Nephritis, Nephrosis, Nephrotic Syndrome	*	*	*	*	*	*	*	*	*	*	*	*
Homicide and Legal Intervention	4	1.0	*	*	*	*	*	*	*	*	*	*
Septicemia	*	*	*	*	*	*	*	*	*	*	*	*
Congenital Anomalies	4	1.0	4	1.1	*	*	*	*	*	*	*	*
Perinatal Period Conditions	6	1.5	6	1.6	*	*	*	*	*	*	*	*
All Other	62	15.5	60	15.8	*	*	*	*	*	*	*	*
Injury by Firearms	10	2.5	6	1.6	*	*	*	*	*	*	*	*
Drug-Induced Deaths	5	1.3	5	1.3	*	*	*	*	*	*	*	*
Alcohol-Induced Deaths	3	0.8	3	0.8	*	*	*	*	*	*	*	*
Work Related Injury (Y/N Check Death Certificate)	*	*	*	*	*	*	*	*	*	*	*	*

*Fewer than three events in the category. Percentages are of total deaths of each race/ethnicity category. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

Deaths and crude death rates with 95% confidence limits by age group: Douglas County residents, 1999

AGE GROUP	DEATHS	POPULATION	AGE-SPECIFIC DEATH RATE	LOWER LIMIT	UPPER LIMIT
ALL AGES	399	162,025	2.5	2.2	2.7
INFANT	10	3,093	3.2	1.1	5.4
NEONATAL	8	3,093	2.6	0.6	4.5
1-4	*	11,513	*	*	*
5-9	*	13,792	*	*	*
10-14	*	12,743	*	*	*
15-19	4	11,399	0.4	0.0	0.7
20-24	5	11,977	0.4	0.0	0.8
25-29	*	13,519	*	*	*
30-34	3	13,880	0.2	0.0	0.5
35-39	9	15,971	0.6	0.2	1.0
40-44	9	15,465	0.6	0.2	1.0
45-49	16	12,868	1.2	0.6	1.9
50-54	22	9,634	2.3	1.3	3.3
55-59	28	6,309	4.4	2.7	6.2
60-64	26	4,205	6.2	3.7	8.7
65-69	32	2,556	12.5	8.0	17.0
70-74	35	1,409	24.8	16.4	33.3
75-79	48	860	55.8	39.9	71.7
80-84	47	517	90.9	65.2	116.7
85+	98	285	343.9	287.0	400.8
1-14	5	38,048	0.1	0.0	0.3
15-24	9	23,376	0.4	0.1	0.7
25-64	115	91,851	1.3	1.0	1.5
65+	260	5,627	46.2	40.6	51.8

*Fewer than three events in the category. Infant death is death in the first year of life. Neonatal death is death occurring prior to the 28th day of life. Infant and neonatal mortality rates are per 1,000 live births. Other death rates are per 1,000 population of the age group. Population figures for infant and neonatal groups are live births. *Fewer than three events in the category. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

Deaths and crude death rates from selected causes by age group: Douglas County residents, 1999

CAUSE OF DEATH (ICD-10)	<1		1-14		15-24		25-44		45-64		65+	
	N	RATE	N	RATE	N	RATE	N	RATE	N	RATE	N	RATE
TOTAL	10	3.2	5	0.1	9	0.4	23	0.4	92	2.8	260	46.2
Cardiovascular Disease	*	*	*	*	*	*	*	*	23	0.7	106	18.8
Heart Disease	*	*	*	*	*	*	*	*	21	0.6	70	12.4
Cerebrovascular Disease	*	*	*	*	*	*	*	*	*	*	26	4.6
Atherosclerosis	*	*	*	*	*	*	*	*	*	*	4	0.7
Malignant Neoplasms	*	*	*	*	*	*	4	0.1	40	1.2	52	9.2
Lung Cancer	*	*	*	*	*	*	*	*	7	0.2	11	2.0
Breast Cancer	*	*	*	*	*	*	*	*	5	0.3	6	1.9
Chronic Obstructive Pulmonary Disease	*	*	*	*	*	*	*	*	*	*	17	3.0
Unintentional Injuries	*	*	*	*	6	0.3	4	0.1	11	0.3	8	1.4
Motor Vehicle	*	*	*	*	5	0.2	*	*	4	0.1	*	*
All Other	*	*	*	*	*	*	3	0.1	7	0.2	7	1.2
Pneumonia and Influenza	*	*	*	*	*	*	*	*	*	*	10	1.8
Suicide	*	*	*	*	*	*	6	0.1	*	*	*	*
Diabetes Mellitus	*	*	*	*	*	*	*	*	*	*	6	1.1
HIV Infection	*	*	*	*	*	*	*	*	*	*	*	*
Chronic Liver Disease and Cirrhosis	*	*	*	*	*	*	*	*	3	0.1	*	*
Alzheimer's Disease	*	*	*	*	*	*	*	*	*	*	15	2.7
Nephritis, Nephrosis, Nephrotic Syndrome	*	*	*	*	*	*	*	*	*	*	*	*
Homicide and Legal Intervention	*	*	3	0.1	*	*	*	*	*	*	*	*
Septicemia	*	*	*	*	*	*	*	*	*	*	*	*
Congenital Anomalies	3	1.0	*	*	*	*	*	*	*	*	*	*
Perinatal Period Conditions	6	1.9	*	*	*	*	*	*	*	*	*	*
All Other	*	*	*	*	*	*	5	0.1	8	0.2	45	8.0
Injury by Firearms	*	*	3	0.1	*	*	5	0.1	*	*	*	*
Drug-Induced Deaths	*	*	*	*	*	*	*	*	4	0.1	*	*
Alcohol-Induced Deaths	*	*	*	*	*	*	*	*	3	0.1	*	*
Work Related Injury (Y/N Check Death Certificate)	*	*	*	*	*	*	*	*	*	*	*	*

*Fewer than three events in the category. Crude death rates are calculated without age adjustment. Infant (<1 year) mortality rates are per 1,000 live births. Other rates are deaths per 1,000 population of the age group. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

Deaths, crude death rates and age-adjusted death rates with 95% confidence limits from selected causes: Douglas County residents, 1999

CAUSE OF DEATH (ICD-10)	DEATHS	CRUDE RATE	AGE-ADJUSTED DEATH RATE		
			RATE	LOWER LIMIT	UPPER LIMIT
TOTAL	399	246.3	1,045.9	937.0	1,154.9
Cardiovascular Disease	131	80.9	408.8	332.6	485.0
Heart Disease	92	56.8	261.8	200.4	323.1
Cerebrovascular Disease	29	17.9	102.3	61.9	142.7
Atherosclerosis	4	2.5	21.8	0.6	42.9
Malignant Neoplasms	96	59.3	200.2	149.9	250.5
Lung Cancer	20	12.3	36.8	16.1	57.5
Breast Cancer	11	13.6	41.7	11.8	71.5
Chronic Obstructive Pulmonary Disease	18	11.1	60.8	30.3	91.2
Unintentional Injuries	30	17.9	36.8	17.8	55.7
Motor Vehicle	12	7.4	9.6	2.2	17.0
All Other	18	11.1	32.6	12.2	53.0
Pneumonia and Influenza	11	6.8	48.5	18.5	78.5
Suicide	10	6.2	5.7	2.1	9.3
Diabetes Mellitus	8	4.9	19.2	2.7	35.8
HIV Infection	*	*	*	*	*
Chronic Liver Disease and Cirrhosis	3	1.9	1.8	0.0	3.8
Alzheimer's Disease	15	9.3	66.3	32.1	100.5
Nephritis, Nephrosis, Nephrotic Syndrome	*	*	*	*	*
Homicide and Legal Intervention	4	2.5	2.1	0.0	4.2
Septicemia	*	*	*	*	*
Congenital Anomalies	4	2.5	2.2	0.0	4.4
Perinatal Period Conditions	6	3.7	2.7	0.5	4.8
All Other	61	37.6	183.4	130.6	236.3
Injury by Firearms	10	6.2	5.4	2.0	8.7
Drug-Induced Deaths	5	3.1	2.9	0.4	5.5
Alcohol-Induced Deaths	3	1.9	2.0	0.0	4.4
Work Related Injury (Y/N Check Death Certificate)	*	*	*	*	*

*Fewer than three events in the category. Rates are deaths per 100,000 population. Crude death rates are calculated without age adjustment. Age-adjusted rates are adjusted to the 2000 U.S. standard population using the direct method applied to 10-year age groups. Age-adjusted rates provide a better basis for comparison among different geographical areas or time periods. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

Appendix: Conversion Table of ICD-9 to ICD-10 Codes for Disease Mortality Used in Report

The *International Classification of Diseases (ICD)* is a classification system developed collaboratively between the World Health Organization (WHO) and 10 international centers so that the medical terms reported by physicians, medical examiners, and coroners on death certificates can be grouped together for statistical purposes. The purpose of the ICD and of WHO sponsorship is to promote international comparability in the collection, classification, processing, and presentation of mortality statistics. New revisions of the ICD are implemented periodically so that the classification reflects advances in medical science. Since 1900, the ICD has been modified about once every 10 years, except for the 20-year interval between the last two revisions, ICD-9 and ICD-10. Effective with deaths occurring in 1999, the United States began using the ICD-10, replacing ICD-9 used with 1979-98 data. Publications showing mortality data under ICD-10 will differ substantially from those under ICD-9 because of changes in coding rules, changes in category names and ICD numbers, and changes in the tabulation lists used to produce mortality data. The following table shows the ICD-9 and ICD-10 codes for diseases and injuries reported in this document. Data users should be mindful of the huge impact of the ICD-10 on mortality statistics and are encouraged to contact National Center for Health Statistics or the Health Statistics Section of the Colorado Department of Public Health and Environment (303-692-2160) for assistance in using the ICD-10 and data interpretation.

CAUSE	ICD-9	ICD-10
Cardiovascular Disease	390-434,436-448	I00-I78
Heart Disease	390-398,402,404,410-429	I00-I09,I11,I13,I20-I51
Cerebrovascular Diseases	430-434,436-438	I60-I69
Atherosclerosis	440	I70
Malignant Neoplasms	140-208	C00-C97
Lung Cancer	162	C33-C34
Breast Cancer	174-175	C50
Chronic Obstructive Pulmonary Disease	490-494,496	J40-J47
Unintentional Injuries	E800-E869,E880-E929	V01-X59,Y85-Y86
Motor Vehicle	E810-E825	V02-V04,V09.0,V90.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5, V81.0-V81.1,V82.0-V82.1, V83-V86, V87.0-V87.8,V88.0-V88.8,V89.0,V89.2
All Other Unintentional Injuries	E800-E809,E826-E869,E880-E929	V01,V05-V08,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9,V87.9, V88.9, V89.1,V89.3,V89.9, V90-V99, W00-X59,Y85-Y86
Pneumonia And Influenza	480-487	J10-J18
Suicide	E950-E959	X60-X84,Y87.0
Diabetes Mellitus	250	E10-E14
Human Immunodeficiency Virus Infection	042-044	B20-B24
Chronic Liver Disease And Cirrhosis	571	K70,K73-K74
Alzheimer's Disease	331.0	G30
Nephritis, Nephrosis, Nephrotic Syndrome	580-589	N00-N07,N17-N19,N25-N27
Homicide And Legal Intervention	E960-E978	X85-Y09,Y35,Y87.1,Y89.0
Septicemia	038	A40-A41
Congenital Anomalies	740-759	Q00-Q99
Perinatal Period Conditions	760-771.2,771.4-779	P00-P96
Injury By Firearms	E922,E955.0-E955.4,E965.0-E965.4,E970,E985.0-E985.4	W32-W34,X72-X74,X93-X95,Y22-Y24,Y35.0
Drug-Induced Deaths	292,304,305.2-305.9,E850-E858,E950.0-E950.5,E962.0,E980.0-E980.5	F11.0-F11.5,F11.7-F11.9,F12.0-F12.5,F12.7-F12.9,F13.0-F13.5,F13.7-F13.9,F14.0-F14.5, F14.7-F14.9, F15.0-F15.5, F15.7-F15.9,F16.0-F16.5, F16.7-F16.9,F17.0,F17.3-F17.5,F17.7-F17.9, F18.0-F18.5, F18.7-F18.9,F19.0-F19.5, F19.7-F19.9, X40-X44,X60-X64,X85,Y10-Y14
Alcohol-Induced Deaths	291,303,305.0,357.5,425.5,535.3,571.0-571.3,790.3,E860	F10,G31.2,G62.1,I42.6,K29.2,K70,R78.0,X45,X65,Y15