

For more information about these tables contact the [Health Statistics Section](#) of the Colorado Department of Public Health and Environment at 303.692.2160.

## Garfield County Births and Deaths 1999

Selected birth characteristics with 95% confidence limit: Garfield County residents, 1999 .....	2
Selected birth characteristics by age group of mother: Garfield County residents, 1999 .....	3
Selected birth characteristics by race/ethnicity of mother: Garfield County residents, 1999 .....	4
Live births and fertility rates with 95% confidence limits by age of mother: Garfield County residents, 1999 .....	5
Vital statistics summary: Garfield County residents, 1989, 1995-1999 .....	6
Deaths from selected causes by race/ethnicity: Garfield County residents, 1999 .....	7
Deaths and crude death rates with 95% confidence limits by age group: Garfield County residents, 1999 .....	8
Deaths and crude death rates from selected causes by age group: Garfield County residents, 1999 .....	9
Deaths, crude death rates and age-adjusted death rates with 95% confidence limits from selected causes: Garfield County residents, 1999 .....	10
Appendix: Conversion Table of ICD-9 to ICD-10 Codes for Disease Mortality Used in Report .....	11

## Selected birth characteristics with 95% confidence limit: Garfield County residents, 1999

CHARACTERISTIC	NUMBER	PERCENT	LOWER LIMIT	UPPER LIMIT
Total Live Births	695	100.0	100.0	100.0
Age of Mother				
10-17	30	4.3	2.7	5.9
18-19	66	9.5	7.3	11.8
20-29	358	51.6	47.8	55.4
30+	240	34.6	31.0	38.2
Low Weight Births (<2,500 Grams)	50	7.2	5.2	9.2
Very Low Weight Births (<1,500 Grams)	8	1.2	0.3	2.0
Prenatal Care Later than 1st Trimester	190	27.4	24.0	30.8
No Prenatal Care	6	0.9	0.1	1.6
Preterm Births (<37 Weeks)	60	8.6	6.5	10.8
Education of Mother <12 Years	202	29.1	25.7	32.6
Live Births to Unmarried Women	185	26.6	23.3	30.0
Smoking During Pregnancy	104	15.3	12.5	18.0

\*Fewer than three events in the category. Sums may not add to total due to cases with age of mother unknown. Percentages are of total births, excluding cases with specific characteristics unknown. See the technical notes of Colorado Vital Statistics Annual Report for definitions of data items and explanation of confidence limits. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

## Selected birth characteristics by age group of mother: Garfield County residents, 1999

CHARACTERISTIC	ALL AGES		10-17		18-19		20-29		30+	
	N	%	N	%	N	%	N	%	N	%
Total Live Births	695	100.0	30	100.0	66	100.0	358	100.0	240	100.0
Race/Ethnicity of Mother										
White/Non-Hispanic	453	65.3	18	60.0	35	53.0	208	58.3	192	80.0
White/Hispanic	232	33.4	11	36.7	28	42.4	144	40.3	48	20.0
Black	3	0.4	*	*	*	*	*	*	*	*
Other	6	0.9	*	*	*	*	3	0.8	*	*
Low Weight Births (<2,500 Grams)	50	7.2	3	10.0	*	*	18	5.0	27	11.2
Very Low Weight Births (<1,500 Grams)	8	1.2	*	*	*	*	*	*	5	2.1
Prenatal Care Started after 1st Trimester	190	27.4	15	50.0	25	37.9	108	30.3	42	17.5
No Prenatal Care	6	0.9	*	*	*	*	*	*	3	1.2
Preterm Births (<37 Weeks)	60	8.6	3	10.0	3	4.5	18	5.0	36	15.1
Education of Mother <12 Years	202	29.1	26	86.7	35	53.0	106	29.7	34	14.2
Births to Unmarried Women	185	26.6	25	83.3	34	51.5	95	26.5	30	12.5
Mother Smoked During Pregnancy	104	15.3	11	37.9	15	23.1	52	14.8	26	11.1

\*Fewer than three events in the category. Sums may not add to total due to cases with age of mother unknown. Percentages are of total births, excluding cases with specific characteristics unknown. See the technical notes of Colorado Vital Statistics Annual Report for definition of data items and explanation of confidence limits. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

## Selected birth characteristics by race/ethnicity of mother: Garfield County residents, 1999

CHARACTERISTIC	WHITE/ NON-HISPANIC		WHITE /HISPANIC		BLACK		ASIAN		AMERICAN INDIAN	
	N	%	N	%	N	%	N	%	N	%
Total Live Births	453	100.0	232	100.0	3	100.0	*	*	5	100.0
Age of Mother										
10-17	18	4.0	11	4.8	*	*	*	*	*	*
18-19	35	7.7	28	12.1	*	*	*	*	*	*
20-29	208	45.9	144	62.3	*	*	*	*	*	*
30+	192	42.4	48	20.8	*	*	*	*	*	*
Low Weight Births (<2,500 Grams)	39	8.6	11	4.7	*	*	*	*	*	*
Very Low Weight Births (<1,500 Grams)	6	1.3	*	*	*	*	*	*	*	*
Prenatal Care Later than 1st Trimester	73	16.2	113	48.9	*	*	*	*	3	60.0
No Prenatal Care	5	1.1	*	*	*	*	*	*	*	*
Preterm Births (<37 Weeks)	47	10.4	12	5.2	*	*	*	*	*	*
Education of Mother <12 Years	59	13.0	138	59.7	*	*	*	*	4	80.0
Live Births to Unmarried Women	87	19.2	93	40.1	*	*	*	*	3	60.0
Mother Smoking During Pregnancy	91	20.6	12	5.2	*	*	*	*	*	*

\*Fewer than three events in the category. Sums may not add to total due to cases with age or race/ethnicity of mother unknown or not presented. Percentages are of total births of each race/ethnicity group, excluding cases with specific characteristics unknown. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

## Live births and fertility rates with 95% confidence limits by age of mother: Garfield County residents, 1999

	BIRTHS	POPULATION	FERTILITY RATE	LOWER LIMIT	UPPER LIMIT
ALL AGES	695	9,301	74.7	69.3	80.1
TEENAGE GROUP					
13-14	*	654	*	*	*
15-17	29	972	29.8	18.6	41.0
18-19	66	609	108.4	82.9	133.9
10-17	30	2,578	11.6	7.3	16.0
10-19	96	3,187	30.1	24.0	36.2
ALL AGE GROUPS					
10-14	*	1,606	*	*	*
15-19	95	1,581	60.1	48.1	72.1
20-24	169	1,169	144.6	124.0	165.2
25-29	189	1,211	156.1	135.2	176.9
30-34	141	1,440	97.9	82.2	113.6
35-39	87	1,893	46.0	36.3	55.7
40-49	12	3,752	3.2	1.3	5.1

\*Fewer than three events in the category. Sums may not add to total due to cases with age of mother unknown. Rates are live births per 1,000 female population in each age group. Population data for "all ages" are females aged 15-44. See the technical notes of Colorado Vital Statistics Annual Report for explanation of confidence limits. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

## Vital statistics summary: Garfield County residents, 1989, 1995-1999

	1989	1995	1996	1997	1998	1999	1995-1999 ANNUAL AVERAGE
TOTAL POPULATION	28,855	35,974	37,136	38,255	40,463	41,797	38,725
Total Births							
Number	445	548	619	595	624	695	616
Birth Rate	15.4	15.2	16.7	15.6	15.4	16.6	15.9
General Fertility Rate	64.2	66.0	72.8	68.5	68.4	74.7	70.2
Age of Mother 10-17							
Number	13	22	23	25	27	30	25
Percent of Total Births	2.9	4.0	3.7	4.2	4.3	4.3	4.1
Fertility Rate	8.2	9.9	9.9	10.4	10.7	11.6	10.6
Low Weight Births (<2,500 Grams)							
Number	33	54	39	48	56	50	49
Percent	7.4	9.9	6.3	8.1	9.0	7.2	8.0
Prenatal Care Later Than 1st Trimester							
Number	113	149	159	191	174	190	173
Percent	25.9	27.4	25.9	32.3	28.0	27.4	28.2
Births To Unmarried Women							
Number	45	91	110	127	144	185	131
Percent	10.1	16.6	17.8	21.3	23.1	26.6	21.3
Mother's Education <12 Years							
Number	63	130	146	154	173	202	161
Percent	14.2	24.1	23.7	25.9	27.8	29.1	26.3
Infant Deaths							
Number	*	7	6	5	3	*	5
Rate	*	12.8	9.7	8.4	4.8	*	7.5
Neonatal Deaths							
Number	*	4	5	3	*	*	3
Rate	*	7.3	8.1	5.0	*	*	4.5
Underlying Cause of Death All Causes							
Number	206	252	231	240	268	238	246
Crude Rate	713.9	700.5	622.0	627.4	662.3	569.4	634.7
Age-Adjusted Rate	905.9	954.6	836.5	844.4	909.9	787.3	864.8
Cardiovascular Disease							
Number	77	83	68	65	82	84	76
Age-Adjusted Rate	346.1	328.1	267.6	240.5	289.9	294.1	284.0
Heart Disease							
Number	51	52	47	45	59	57	52
Age-Adjusted Rate	230.1	202.6	182.9	164.8	204.4	198.9	191.2
Cerebrovascular Disease							
Number	19	26	17	17	18	23	20
Age-Adjusted Rate	84.8	106.7	69.2	65.3	67.3	80.5	77.4
Malignant Neoplasms							
Number	37	46	61	51	64	52	55
Age-Adjusted Rate	171.0	173.1	215.3	176.7	218.7	171.0	190.6
Lung Cancer							
Number	10	10	13	10	13	8	11
Age-Adjusted Rate	46.1	35.4	46.7	32.6	44.1	25.8	36.9
Breast Cancer							
Number	*	4	5	*	3	5	4
Age-Adjusted Rate	*	26.7	32.3	*	17.7	27.5	22.0
Total Unintentional Injuries							
Number	16	18	16	24	24	21	21
Age-Adjusted Rate	58.4	56.2	47.4	74.1	68.6	58.0	60.9
Motor Vehicle							
Number	11	9	9	8	11	8	9
Age-Adjusted Rate	36.9	24.5	28.0	24.4	29.1	19.7	25.0
All Other Unintentional Injuries							
Number	5	9	7	16	13	13	12
Age-Adjusted Rate	21.5	31.7	19.5	49.8	39.6	38.2	35.9
Chronic Obstructive Pulmonary Disease							
Number	15	18	13	16	22	10	16
Age-Adjusted Rate	69.7	70.5	49.1	59.7	77.0	36.1	58.3
Suicide							
Number	6	6	8	10	8	9	8
Age-Adjusted Rate	23.1	16.5	21.5	28.2	20.5	20.0	21.5
Homicide and Legal Intervention							
Number	3	*	*	*	*	*	*
Age-Adjusted Rate	10.6	*	*	*	*	*	*
Work-Related Injury							
Number	*	*	4	4	4	*	3
Age-Adjusted Rate	*	*	10.3	10.6	10.4	*	7.3

\*Fewer than three events in the category. Birth rates are per 1,000 total population. General fertility rates are births per 1,000 females aged 15-44. Fertility rates for mothers age 10-17 are births per 1,000 females of this age group. Infant and neonatal mortality rates are per 1,000 live births. Other death rates are per 100,000 population. Age-adjusted rates are adjusted to the 2000 U.S. population using the direct method applied to 10-year age groups. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

## Deaths from selected causes by race/ethnicity: Garfield County residents, 1999

CAUSE OF DEATH (ICD-10)	ALL RACES		WHITE/ NON-HISPANIC		WHITE /HISPANIC		BLACK		ASIAN		AMERICAN INDIAN	
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	238	100.0	224	100.0	11	100.0	*	*	*	*	*	*
Cardiovascular Disease	84	35.3	81	36.2	*	*	*	*	*	*	*	*
Heart Disease	57	23.9	55	24.6	*	*	*	*	*	*	*	*
Cerebrovascular Disease	23	9.7	22	9.8	*	*	*	*	*	*	*	*
Atherosclerosis	*	*	*	*	*	*	*	*	*	*	*	*
Malignant Neoplasms	52	21.8	51	22.8	*	*	*	*	*	*	*	*
Lung Cancer	8	3.4	8	3.6	*	*	*	*	*	*	*	*
Breast Cancer	5	2.1	5	2.2	*	*	*	*	*	*	*	*
Chronic Obstructive Pulmonary Disease	10	4.2	10	4.5	*	*	*	*	*	*	*	*
Unintentional Injuries	21	8.8	15	6.7	6	54.5	*	*	*	*	*	*
Motor Vehicle	8	3.4	4	1.8	4	36.4	*	*	*	*	*	*
All Other	13	5.5	11	4.9	*	*	*	*	*	*	*	*
Pneumonia and Influenza	5	2.1	5	2.2	*	*	*	*	*	*	*	*
Suicide	9	3.8	8	3.6	*	*	*	*	*	*	*	*
Diabetes Mellitus	4	1.7	4	1.8	*	*	*	*	*	*	*	*
HIV Infection	*	*	*	*	*	*	*	*	*	*	*	*
Chronic Liver Disease and Cirrhosis	3	1.3	*	*	*	*	*	*	*	*	*	*
Alzheimer's Disease	9	3.8	9	4.0	*	*	*	*	*	*	*	*
Nephritis, Nephrosis, Nephrotic Syndrome	3	1.3	3	1.3	*	*	*	*	*	*	*	*
Homicide and Legal Intervention	*	*	*	*	*	*	*	*	*	*	*	*
Septicemia	*	*	*	*	*	*	*	*	*	*	*	*
Congenital Anomalies	*	*	*	*	*	*	*	*	*	*	*	*
Perinatal Period Conditions	*	*	*	*	*	*	*	*	*	*	*	*
All Other	34	14.3	33	14.7	*	*	*	*	*	*	*	*
Injury by Firearms	4	1.7	4	1.8	*	*	*	*	*	*	*	*
Drug-Induced Deaths	3	1.3	3	1.3	*	*	*	*	*	*	*	*
Alcohol-Induced Deaths	3	1.3	*	*	*	*	*	*	*	*	*	*
Work Related Injury (Y/N Check Death Certificate)	*	*	*	*	*	*	*	*	*	*	*	*

\*Fewer than three events in the category. Percentages are of total deaths of each race/ethnicity category. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

**Deaths and crude death rates with 95% confidence limits by age group: Garfield County residents, 1999**

AGE GROUP	DEATHS	POPULATION	AGE-SPECIFIC DEATH RATE	LOWER LIMIT	UPPER LIMIT
ALL AGES	238	41,797	5.7	5.0	6.4
INFANT	*	695	*	*	*
NEONATAL	*	695	*	*	*
1-4	*	2,599	*	*	*
5-9	*	3,121	*	*	*
10-14	*	3,367	*	*	*
15-19	3	3,257	0.9	0.0	2.0
20-24	5	2,420	2.1	0.1	4.1
25-29	*	2,475	*	*	*
30-34	5	2,939	1.7	0.0	3.4
35-39	5	3,831	1.3	0.0	2.6
40-44	8	4,018	2.0	0.5	3.5
45-49	12	3,655	3.3	1.3	5.3
50-54	9	2,618	3.4	1.0	5.9
55-59	4	1,751	2.3	0.0	4.6
60-64	16	1,324	12.1	5.8	18.3
65-69	17	1,119	15.2	7.6	22.8
70-74	12	1,012	11.9	4.7	19.0
75-79	35	763	45.9	30.4	61.4
80-84	34	467	72.8	48.2	97.4
85+	70	390	179.5	140.1	218.9
1-14	*	9,087	*	*	*
15-24	8	5,677	1.4	0.3	2.5
25-64	60	22,611	2.7	2.0	3.3
65+	168	3,751	44.8	38.0	51.5

\*Fewer than three events in the category. Infant death is death in the first year of life. Neonatal death is death occurring prior to the 28th day of life. Infant and neonatal mortality rates are per 1,000 live births. Other death rates are per 1,000 population of the age group. Population figures for infant and neonatal groups are live births. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

## Deaths and crude death rates from selected causes by age group: Garfield County residents, 1999

CAUSE OF DEATH (ICD-10)	<1		1-14		15-24		25-44		45-64		65+	
	N	RATE	N	RATE	N	RATE	N	RATE	N	RATE	N	RATE
TOTAL	*	*	*	*	8	1.4	19	1.4	41	4.4	168	44.8
Cardiovascular Disease	*	*	*	*	*	*	5	0.4	12	1.3	67	17.9
Heart Disease	*	*	*	*	*	*	3	0.2	9	1.0	45	12.0
Cerebrovascular Disease	*	*	*	*	*	*	*	*	3	0.3	18	4.8
Atherosclerosis	*	*	*	*	*	*	*	*	*	*	*	*
Malignant Neoplasms	*	*	*	*	*	*	*	*	11	1.2	41	10.9
Lung Cancer	*	*	*	*	*	*	*	*	*	*	6	1.6
Breast Cancer	*	*	*	*	*	*	*	*	3	0.7	*	*
Chronic Obstructive Pulmonary Disease	*	*	*	*	*	*	*	*	*	*	9	2.4
Unintentional Injuries	*	*	*	*	4	0.7	8	0.6	3	0.3	6	1.6
Motor Vehicle	*	*	*	*	*	*	4	0.3	*	*	*	*
All Other	*	*	*	*	*	*	4	0.3	*	*	5	1.3
Pneumonia and Influenza	*	*	*	*	*	*	*	*	*	*	5	1.3
Suicide	*	*	*	*	3	0.5	3	0.2	3	0.3	*	*
Diabetes Mellitus	*	*	*	*	*	*	*	*	*	*	4	1.1
HIV Infection	*	*	*	*	*	*	*	*	*	*	*	*
Chronic Liver Disease and Cirrhosis	*	*	*	*	*	*	*	*	3	0.3	*	*
Alzheimer's Disease	*	*	*	*	*	*	*	*	*	*	9	2.4
Nephritis, Nephrosis, Nephrotic Syndrome	*	*	*	*	*	*	*	*	*	*	3	0.8
Homicide and Legal Intervention	*	*	*	*	*	*	*	*	*	*	*	*
Septicemia	*	*	*	*	*	*	*	*	*	*	*	*
Congenital Anomalies	*	*	*	*	*	*	*	*	*	*	*	*
Perinatal Period Conditions	*	*	*	*	*	*	*	*	*	*	*	*
All Other	*	*	*	*	*	*	3	0.2	6	0.6	24	6.4
Injury by Firearms	*	*	*	*	*	*	*	*	*	*	*	*
Drug-Induced Deaths	*	*	*	*	*	*	*	*	*	*	*	*
Alcohol-Induced Deaths	*	*	*	*	*	*	*	*	3	0.3	*	*
Work Related Injury (Y/N Check Death Certificate)	*	*	*	*	*	*	*	*	*	*	*	*

\*Fewer than three events in the category. Crude death rates are calculated without age adjustment. Infant (<1 year) mortality rates are per 1,000 live births. Other rates are deaths per 1,000 population of the age group. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

## Deaths, crude death rates and age-adjusted death rates with 95% confidence limits from selected causes: Garfield County residents, 1999

CAUSE OF DEATH (ICD-10)	DEATHS	CRUDE RATE	AGE-ADJUSTED DEATH RATE		
			RATE	LOWER LIMIT	UPPER LIMIT
TOTAL	238	569.4	787.3	690.2	884.4
Cardiovascular Disease	84	201.0	294.1	231.9	356.3
Heart Disease	57	136.4	198.9	147.3	250.5
Cerebrovascular Disease	23	55.0	80.5	47.3	113.6
Atherosclerosis	*	*	*	*	*
Malignant Neoplasms	52	124.4	171.0	124.2	217.8
Lung Cancer	8	19.1	25.8	7.7	43.8
Breast Cancer	5	24.3	27.5	3.2	51.8
Chronic Obstructive Pulmonary Disease	10	23.9	36.1	13.7	58.5
Unintentional Injuries	21	50.2	58.0	32.4	83.6
Motor Vehicle	8	19.1	19.7	5.7	33.8
All Other	13	31.1	38.2	16.8	59.7
Pneumonia and Influenza	5	12.0	19.6	2.5	36.6
Suicide	9	21.5	20.0	6.9	33.1
Diabetes Mellitus	4	9.6	13.5	0.2	26.7
HIV Infection	*	*	*	*	*
Chronic Liver Disease and Cirrhosis	3	7.2	7.1	0.0	15.3
Alzheimer's Disease	9	21.5	34.1	11.9	56.4
Nephritis, Nephrosis, Nephrotic Syndrome	3	7.2	11.6	0.0	24.7
Homicide and Legal Intervention	*	*	*	*	*
Septicemia	*	*	*	*	*
Congenital Anomalies	*	*	*	*	*
Perinatal Period Conditions	*	*	*	*	*
All Other	34	81.3	113.1	74.8	151.5
Injury by Firearms	4	9.6	8.8	0.2	17.5
Drug-Induced Deaths	3	7.2	8.6	0.0	18.6
Alcohol-Induced Deaths	3	7.2	7.1	0.0	15.3
Work Related Injury (Y/N Check Death Certificate)	*	*	*	*	*

\*Fewer than three events in the category. Rates are deaths per 100,000 population. Crude death rates are calculated without age adjustment. Age-adjusted rates are adjusted to the 2000 U.S. standard population using the direct method applied to 10-year age groups. Age-adjusted rates provide a better basis for comparison among different geographical areas or time periods. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

## Appendix: Conversion Table of ICD-9 to ICD-10 Codes for Disease Mortality Used in Report

The *International Classification of Diseases (ICD)* is a classification system developed collaboratively between the World Health Organization (WHO) and 10 international centers so that the medical terms reported by physicians, medical examiners, and coroners on death certificates can be grouped together for statistical purposes. The purpose of the ICD and of WHO sponsorship is to promote international comparability in the collection, classification, processing, and presentation of mortality statistics. New revisions of the ICD are implemented periodically so that the classification reflects advances in medical science. Since 1900, the ICD has been modified about once every 10 years, except for the 20-year interval between the last two revisions, ICD-9 and ICD-10. Effective with deaths occurring in 1999, the United States began using the ICD-10, replacing ICD-9 used with 1979-98 data. Publications showing mortality data under ICD-10 will differ substantially from those under ICD-9 because of changes in coding rules, changes in category names and ICD numbers, and changes in the tabulation lists used to produce mortality data. The following table shows the ICD-9 and ICD-10 codes for diseases and injuries reported in this document. Data users should be mindful of the huge impact of the ICD-10 on mortality statistics and are encouraged to contact National Center for Health Statistics or the Health Statistics Section of the Colorado Department of Public Health and Environment (303-692-2160) for assistance in using the ICD-10 and data interpretation.

CAUSE	ICD-9	ICD-10
Cardiovascular Disease	390-434, 436-448	I00-I78
Heart Disease	390-398, 402, 404, 410-429	I00-I09, I11, I13, I20-I51
Cerebrovascular Diseases	430-434, 436-438	I60-I69
Atherosclerosis	440	I70
Malignant Neoplasms	140-208	C00-C97
Lung Cancer	162	C33-C34
Breast Cancer	174-175	C50
Chronic Obstructive Pulmonary Disease	490-494, 496	J40-J47
Unintentional Injuries	E800-E869, E880-E929	V01-X59, Y85-Y86
Motor Vehicle	E810-E825	V02-V04, V09.0, V90.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2
All Other Unintentional Injuries	E800-E809, E826-E869, E880-E929	V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9, V90-V99, W00-X59, Y85-Y86
Pneumonia And Influenza	480-487	J10-J18
Suicide	E950-E959	X60-X84, Y87.0
Diabetes Mellitus	250	E10-E14
Human Immunodeficiency Virus Infection	042-044	B20-B24
Chronic Liver Disease And Cirrhosis	571	K70, K73-K74
Alzheimer's Disease	331.0	G30
Nephritis, Nephrosis, Nephrotic Syndrome	580-589	N00-N07, N17-N19, N25-N27
Homicide And Legal Intervention	E960-E978	X85-Y09, Y35, Y87.1, Y89.0
Septicemia	038	A40-A41
Congenital Anomalies	740-759	Q00-Q99
Perinatal Period Conditions	760-771, 2, 771.4-779	P00-P96
Injury By Firearms	E922, E955.0-E955.4, E965.0-E965.4, E970, E985.0-E985.4	W32-W34, X72-X74, X93-X95, Y22-Y24, Y35.0
Drug-Induced Deaths	292, 304, 305.2-305.9, E850-E858, E950.0-E950.5, E962.0-E980.0-E980.5	F11.0-F11.5, F11.7-F11.9, F12.0-F12.5, F12.7-F12.9, F13.0-F13.5, F13.7-F13.9, F14.0-F14.5, F14.7-F14.9, F15.0-F15.5, F15.7-F15.9, F16.0-F16.5, F16.7-F16.9, F17.0, F17.3-F17.5, F17.7-F17.9, F18.0-F18.5, F18.7-F18.9, F19.0-F19.5, F19.7-F19.9, X40-X44, X60-X64, X85, Y10-Y14
Alcohol-Induced Deaths	291, 303, 305.0, 357.5, 425.5, 535.3, 571.0-571.3, 790.3, E860	F10, G31.2, G62.1, I42.6, K29.2, K70, R78.0, X45, X65, Y15