

For more information about these tables contact the [Health Statistics Section](#) of the Colorado Department of Public Health and Environment at 303.692.2160.

Larimer County Births and Deaths 1999

Selected birth characteristics with 95% confidence limit: Larimer County residents, 1999	2
Selected birth characteristics by age group of mother: Larimer County residents, 1999	3
Selected birth characteristics by race/ethnicity of mother: Larimer County residents, 1999	4
Live births and fertility rates with 95% confidence limits by age of mother: Larimer County residents, 1999	5
Vital statistics summary: Larimer County residents, 1989, 1995-1999	6
Deaths from selected causes by race/ethnicity: Larimer County residents, 1999	7
Deaths and crude death rates with 95% confidence limits by age group: Larimer County residents, 1999	8
Deaths and crude death rates from selected causes by age group: Larimer County residents, 1999	9
Deaths, crude death rates and age-adjusted death rates with 95% confidence limits from selected causes: Larimer County residents, 1999	10
Appendix: Conversion Table of ICD-9 to ICD-10 Codes for Disease Mortality Used in Report	11

Selected birth characteristics with 95% confidence limit: Larimer County residents, 1999

CHARACTERISTIC	NUMBER	PERCENT	LOWER LIMIT	UPPER LIMIT
Total Live Births	3,131	100.0	100.0	100.0
Age of Mother				
10-17	92	2.9	2.3	3.6
18-19	200	6.4	5.5	7.3
20-29	1,569	50.2	48.4	51.9
30+	1,266	40.5	38.7	42.2
Low Weight Births (<2,500 Grams)	256	8.2	7.2	9.2
Very Low Weight Births (<1,500 Grams)	36	1.2	0.8	1.5
Prenatal Care Later than 1st Trimester	561	18.0	16.7	19.4
No Prenatal Care	17	0.5	0.3	0.8
Preterm Births (<37 Weeks)	278	8.9	7.9	9.9
Education of Mother <12 Years	405	13.2	11.9	14.4
Live Births to Unmarried Women	714	22.8	21.3	24.3
Smoking During Pregnancy	440	14.1	12.9	15.3

*Fewer than three events in the category. Sums may not add to total due to cases with age of mother unknown. Percentages are of total births, excluding cases with specific characteristics unknown. See the technical notes of Colorado Vital Statistics Annual Report for definitions of data items and explanation of confidence limits. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

Selected birth characteristics by age group of mother: Larimer County residents, 1999

CHARACTERISTIC	ALL AGES		10-17		18-19		20-29		30+	
	N	%	N	%	N	%	N	%	N	%
Total Live Births	3,131	100.0	92	100.0	200	100.0	1,569	100.0	1,266	100.0
Race/Ethnicity of Mother										
White/Non-Hispanic	2,614	83.7	61	66.3	142	71.7	1,300	82.9	1,108	87.7
White/Hispanic	350	11.2	26	28.3	46	23.2	198	12.6	80	6.3
Black	49	1.6	*	*	3	1.5	17	1.1	28	2.2
Other	111	3.6	4	4.3	7	3.5	53	3.4	47	3.7
Low Weight Births (<2,500 Grams)	256	8.2	7	7.6	21	10.5	120	7.7	108	8.5
Very Low Weight Births (<1,500 Grams)	36	1.2	*	*	4	2.0	17	1.1	13	1.0
Prenatal Care Started after 1st Trimester	561	18.0	39	42.4	64	32.3	286	18.3	172	13.7
No Prenatal Care	17	0.5	*	*	*	*	13	0.8	*	*
Preterm Births (<37 Weeks)	278	8.9	11	12.0	20	10.0	135	8.6	110	8.7
Education of Mother <12 Years	405	13.2	85	93.4	87	45.3	178	11.5	55	4.4
Births to Unmarried Women	714	22.8	83	90.2	151	75.5	372	23.7	106	8.4
Mother Smoked During Pregnancy	440	14.1	20	21.7	52	26.0	270	17.3	97	7.7

*Fewer than three events in the category. Sums may not add to total due to cases with age of mother unknown. Percentages are of total births, excluding cases with specific characteristics unknown. See the technical notes of Colorado Vital Statistics Annual Report for definition of data items and explanation of confidence limits. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

Selected birth characteristics by race/ethnicity of mother: Larimer County residents, 1999

CHARACTERISTIC	WHITE/ NON-HISPANIC		WHITE /HISPANIC		BLACK		ASIAN		AMERICAN INDIAN	
	N	%	N	%	N	%	N	%	N	%
Total Live Births	2,614	100.0	350	100.0	49	100.0	86	100.0	25	100.0
Age of Mother										
10-17	61	2.3	26	7.4	*	*	4	4.7	*	*
18-19	142	5.4	46	13.1	3	6.1	3	3.5	4	16.0
20-29	1,300	49.8	198	56.6	17	34.7	43	50.0	10	40.0
30+	1,108	42.4	80	22.9	28	57.1	36	41.9	11	44.0
Low Weight Births (<2,500 Grams)	212	8.1	29	8.3	3	6.1	6	7.0	5	20.0
Very Low Weight Births (<1,500 Grams)	28	1.1	6	1.7	*	*	*	*	*	*
Prenatal Care Later than 1st Trimester	408	15.7	117	33.4	10	20.4	16	18.8	10	40.0
No Prenatal Care	14	0.5	3	0.9	*	*	*	*	*	*
Preterm Births (<37 Weeks)	229	8.8	34	9.7	5	10.2	7	8.1	*	*
Education of Mother <12 Years	233	9.0	154	46.4	3	6.1	9	10.7	6	25.0
Live Births to Unmarried Women	520	19.9	159	45.4	14	28.6	10	11.6	8	32.0
Mother Smoking During Pregnancy	388	14.9	35	10.0	6	12.2	3	3.5	7	28.0

*Fewer than three events in the category. Sums may not add to total due to cases with age or race/ethnicity of mother unknown or not presented. Percentages are of total births of each race/ethnicity group, excluding cases with specific characteristics unknown. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

Live births and fertility rates with 95% confidence limits by age of mother: Larimer County residents, 1999

	BIRTHS	POPULATION	FERTILITY RATE	LOWER LIMIT	UPPER LIMIT
ALL AGES	3,131	57,818	54.2	52.3	56.0
TEENAGE GROUP					
13-14	6	3,278	1.8	0.2	3.4
15-17	86	5,038	17.1	13.4	20.7
18-19	200	5,254	38.1	32.8	43.3
10-17	92	13,088	7.0	5.6	8.5
10-19	292	18,342	15.9	14.1	17.8
ALL AGE GROUPS					
10-14	6	8,050	0.7	0.1	1.4
15-19	286	10,292	27.8	24.6	31.0
20-24	642	10,597	60.6	56.0	65.2
25-29	927	7,310	126.8	119.1	134.5
30-34	799	8,850	90.3	84.3	96.3
35-39	385	10,202	37.7	34.0	41.5
40-49	82	19,875	4.1	3.2	5.0

*Fewer than three events in the category. Sums may not add to total due to cases with age of mother unknown. Rates are live births per 1,000 female population in each age group. Population data for "all ages" are females aged 15-44. See the technical notes of Colorado Vital Statistics Annual Report for explanation of confidence limits. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

Vital statistics summary: Larimer County residents, 1989, 1995-1999

	1989	1995	1996	1997	1998	1999	1995-1999 ANNUAL AVERAGE
TOTAL POPULATION	183,644	217,125	221,785	226,332	231,548	237,315	226,821
Total Births							
Number	2,665	2,831	2,761	2,807	2,907	3,131	2,887
Birth Rate	14.5	13.0	12.4	12.4	12.6	13.2	12.7
General Fertility Rate	54.4	51.6	49.8	50.0	51.1	54.2	51.3
Age of Mother 10-17							
Number	85	98	80	97	89	92	91
Percent of Total Births	3.2	3.5	2.9	3.5	3.1	2.9	3.2
Fertility Rate	8.7	8.1	6.5	7.7	6.9	7.0	7.2
Low Weight Births (<2,500 Grams)							
Number	166	214	212	203	229	256	223
Percent	6.2	7.6	7.7	7.2	7.9	8.2	7.7
Prenatal Care Later Than 1st Trimester							
Number	734	689	652	534	542	561	596
Percent	27.8	25.2	24.3	19.3	18.9	18.0	21.0
Births To Unmarried Women							
Number	400	554	550	523	592	714	587
Percent	15.0	19.6	19.9	18.6	20.4	22.8	20.3
Mother's Education <12 Years							
Number	315	325	283	290	335	405	328
Percent	11.9	11.7	10.5	10.5	11.7	13.2	11.6
Infant Deaths							
Number	24	15	20	14	18	14	16
Rate	9.0	5.3	7.2	5.0	6.2	4.5	5.6
Neonatal Deaths							
Number	14	12	13	10	11	9	11
Rate	5.3	4.2	4.7	3.6	3.8	2.9	3.8
Total Deaths							
Number	1,042	1,206	1,307	1,302	1,377	1,418	1,322
Crude Rate	567.4	555.4	589.3	575.3	594.7	597.5	582.8
Age-Adjusted Rate	744.2	735.8	770.7	745.4	760.0	762.0	755.4
Cardiovascular Disease							
Number	411	433	459	463	497	479	466
Age-Adjusted Rate	305.7	274.8	280.9	275.7	282.9	267.5	276.4
Heart Disease							
Number	280	328	339	344	384	356	350
Age-Adjusted Rate	208.0	207.4	205.7	204.5	217.4	198.3	206.8
Cerebrovascular Disease							
Number	97	79	88	89	86	88	86
Age-Adjusted Rate	72.6	51.3	55.1	53.3	49.8	49.8	51.8
Malignant Neoplasms							
Number	228	293	286	311	313	335	308
Age-Adjusted Rate	165.3	175.5	166.0	174.3	170.4	176.8	172.6
Lung Cancer							
Number	45	64	50	70	81	76	68
Age-Adjusted Rate	33.2	38.5	29.3	39.2	44.3	41.0	38.6
Breast Cancer							
Number	24	27	27	27	24	28	27
Age-Adjusted Rate	29.4	27.8	27.0	26.7	22.9	25.4	25.9
Total							
Number	40	62	59	67	67	75	66
Age-Adjusted Rate	22.2	30.7	28.5	32.6	32.6	34.0	31.8
Motor Vehicle							
Number	23	31	32	35	23	28	30
Age-Adjusted Rate	11.7	14.0	13.6	15.3	9.4	11.4	12.7
All Other Unintentional Injuries							
Number	17	31	27	32	44	47	36
Age-Adjusted Rate	10.5	16.7	14.9	17.3	23.1	22.6	19.1
Chronic Obstructive Pulmonary Disease							
Number	69	79	104	74	100	80	87
Age-Adjusted Rate	51.0	49.5	62.4	42.5	55.7	44.3	50.8
Suicide							
Number	33	26	38	34	33	28	32
Age-Adjusted Rate	17.7	12.8	18.4	14.6	13.7	11.2	14.0
Homicide and Legal Intervention							
Number	5	7	10	5	*	8	6
Age-Adjusted Rate	3.3	3.0	4.5	2.1	*	3.2	2.7
Work-Related Injury							
Number	3	*	5	*	*	*	*
Age-Adjusted Rate	1.8	*	2.6	*	*	*	*

*Fewer than three events in the category. Birth rates are per 1,000 total population. General fertility rates are births per 1,000 females aged 15-44. Fertility rates for mothers age 10-17 are births per 1,000 females of this age group. Infant and neonatal mortality rates are per 1,000 live births. Other death rates are per 100,000 population. Age-adjusted rates are adjusted to the 2000 U.S. population using the direct method applied to 10-year age groups. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

Deaths from selected causes by race/ethnicity: Larimer County residents, 1999

CAUSE OF DEATH (ICD-10)	ALL RACES		WHITE/ NON-HISPANIC		WHITE /HISPANIC		BLACK		ASIAN		AMERICAN INDIAN	
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	1,418	100.0	1,348	100.0	55	100.0	8	100.0	7	100.0	*	*
Cardiovascular Disease	479	33.8	460	34.1	15	27.3	3	37.5	*	*	*	*
Heart Disease	356	25.1	339	25.1	13	23.6	3	37.5	*	*	*	*
Cerebrovascular Disease	88	6.2	86	6.4	*	*	*	*	*	*	*	*
Atherosclerosis	11	0.8	11	0.8	*	*	*	*	*	*	*	*
Malignant Neoplasms	335	23.6	321	23.8	9	16.4	*	*	3	42.9	*	*
Lung Cancer	76	5.4	73	5.4	*	*	*	*	*	*	*	*
Breast Cancer	28	2.0	28	2.1	*	*	*	*	*	*	*	*
Chronic Obstructive Pulmonary Disease	80	5.6	79	5.9	*	*	*	*	*	*	*	*
Unintentional Injuries	75	5.3	66	4.9	7	12.7	*	*	*	*	*	*
Motor Vehicle	28	2.0	22	1.6	4	7.3	*	*	*	*	*	*
All Other	47	3.3	44	3.3	3	5.5	*	*	*	*	*	*
Pneumonia and Influenza	50	3.5	49	3.6	*	*	*	*	*	*	*	*
Suicide	28	2.0	26	1.9	*	*	*	*	*	*	*	*
Diabetes Mellitus	36	2.5	34	2.5	*	*	*	*	*	*	*	*
HIV Infection	*	*	*	*	*	*	*	*	*	*	*	*
Chronic Liver Disease and Cirrhosis	23	1.6	17	1.3	6	10.9	*	*	*	*	*	*
Alzheimer's Disease	42	3.0	42	3.1	*	*	*	*	*	*	*	*
Nephritis, Nephrosis, Nephrotic Syndrome	17	1.2	15	1.1	*	*	*	*	*	*	*	*
Homicide and Legal Intervention	8	0.6	7	0.5	*	*	*	*	*	*	*	*
Septicemia	21	1.5	21	1.6	*	*	*	*	*	*	*	*
Congenital Anomalies	10	0.7	9	0.7	*	*	*	*	*	*	*	*
Perinatal Period Conditions	8	0.6	6	0.4	*	*	*	*	*	*	*	*
All Other	206	14.5	196	14.5	10	18.2	*	*	*	*	*	*
Injury by Firearms	16	1.1	14	1.0	*	*	*	*	*	*	*	*
Drug-Induced Deaths	11	0.8	10	0.7	*	*	*	*	*	*	*	*
Alcohol-Induced Deaths	22	1.6	17	1.3	5	9.1	*	*	*	*	*	*
Work Related Injury (Y/N Check Death Certificate)	*	*	*	*	*	*	*	*	*	*	*	*

*Fewer than three events in the category. Percentages are of total deaths of each race/ethnicity category. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

Deaths and crude death rates with 95% confidence limits by age group: Larimer County residents, 1999

AGE GROUP	DEATHS	POPULATION	AGE-SPECIFIC DEATH RATE	LOWER LIMIT	UPPER LIMIT
ALL AGES	1,418	237,315	6.0	5.7	6.3
INFANT	14	3,131	4.5	2.0	7.0
NEONATAL	9	3,131	2.9	0.8	4.9
1-4	4	12,032	0.3	0.0	0.7
5-9	*	16,069	*	*	*
10-14	4	16,555	0.2	0.0	0.5
15-19	15	20,773	0.7	0.3	1.1
20-24	17	22,204	0.8	0.4	1.2
25-29	10	14,858	0.7	0.2	1.1
30-34	12	17,585	0.7	0.3	1.1
35-39	21	20,214	1.0	0.6	1.5
40-44	33	20,909	1.6	1.0	2.1
45-49	40	18,619	2.1	1.5	2.8
50-54	34	14,207	2.4	1.6	3.2
55-59	59	9,981	5.9	4.4	7.5
60-64	75	7,200	10.4	8.0	12.8
65-69	99	6,345	15.6	12.5	18.7
70-74	126	5,954	21.2	17.4	24.9
75-79	184	4,977	37.0	31.6	42.3
80-84	220	3,194	68.9	59.9	77.8
85+	450	2,587	173.9	159.1	188.7
1-14	9	44,656	0.2	0.1	0.3
15-24	32	42,977	0.7	0.5	1.0
25-64	284	123,573	2.3	2.0	2.6
65+	1,079	23,057	46.8	44.0	49.5

*Fewer than three events in the category. Infant death is death in the first year of life. Neonatal death is death occurring prior to the 28th day of life. Infant and neonatal mortality rates are per 1,000 live births. Other death rates are per 1,000 population of the age group. Population figures for infant and neonatal groups are live births. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

Deaths and crude death rates from selected causes by age group: Larimer County residents, 1999

CAUSE OF DEATH (ICD-10)	<1		1-14		15-24		25-44		45-64		65+	
	N	RATE	N	RATE	N	RATE	N	RATE	N	RATE	N	RATE
TOTAL	14	4.5	9	0.2	32	0.7	76	1.0	208	4.2	1,079	46.8
Cardiovascular Disease	*	*	*	*	*	*	5	0.1	55	1.1	416	18.0
Heart Disease	*	*	*	*	*	*	4	0.1	44	0.9	305	13.2
Cerebrovascular Disease	*	*	*	*	*	*	*	*	9	0.2	79	3.4
Atherosclerosis	*	*	*	*	*	*	*	*	*	*	11	0.5
Malignant Neoplasms	*	*	*	*	4	0.1	16	0.2	74	1.5	241	10.5
Lung Cancer	*	*	*	*	*	*	*	*	16	0.3	59	2.6
Breast Cancer	*	*	*	*	*	*	*	*	9	0.4	17	1.3
Chronic Obstructive Pulmonary Disease	*	*	*	*	*	*	*	*	4	0.1	75	3.3
Unintentional Injuries	*	*	4	0.1	15	0.3	19	0.3	12	0.2	25	1.1
Motor Vehicle	*	*	*	*	8	0.2	12	0.2	4	0.1	3	0.1
All Other	*	*	3	0.1	7	0.2	7	0.1	8	0.2	22	1.0
Pneumonia and Influenza	*	*	*	*	*	*	*	*	*	*	47	2.0
Suicide	*	*	*	*	8	0.2	11	0.1	7	0.1	*	*
Diabetes Mellitus	*	*	*	*	*	*	*	*	3	0.1	32	1.4
HIV Infection	*	*	*	*	*	*	*	*	*	*	*	*
Chronic Liver Disease and Cirrhosis	*	*	*	*	*	*	6	0.1	11	0.2	6	0.3
Alzheimer's Disease	*	*	*	*	*	*	*	*	*	*	42	1.8
Nephritis, Nephrosis, Nephrotic Syndrome	*	*	*	*	*	*	*	*	*	*	16	0.7
Homicide and Legal Intervention	*	*	3	0.1	*	*	3	0.0	*	*	*	*
Septicemia	*	*	*	*	*	*	*	*	5	0.1	15	0.7
Congenital Anomalies	4	1.3	*	*	*	*	*	*	*	*	*	*
Perinatal Period Conditions	8	2.6	*	*	*	*	*	*	*	*	*	*
All Other	*	*	*	*	*	*	12	0.2	32	0.6	160	6.9
Injury by Firearms	*	*	3	0.1	5	0.1	4	0.1	*	*	*	*
Drug-Induced Deaths	*	*	*	*	*	*	4	0.1	7	0.1	*	*
Alcohol-Induced Deaths	*	*	*	*	*	*	6	0.1	12	0.2	4	0.2
Work Related Injury (Y/N Check Death Certificate)	*	*	*	*	*	*	*	*	*	*	*	*

*Fewer than three events in the category. Crude death rates are calculated without age adjustment. Infant (<1 year) mortality rates are per 1,000 live births. Other rates are deaths per 1,000 population of the age group. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

Deaths, crude death rates and age-adjusted death rates with 95% confidence limits from selected causes: Larimer County residents, 1999

CAUSE OF DEATH (ICD-10)	DEATHS	CRUDE RATE	AGE-ADJUSTED DEATH RATE		
			RATE	LOWER LIMIT	UPPER LIMIT
TOTAL	1,418	597.5	762.0	723.8	800.2
Cardiovascular Disease	479	201.8	267.5	244.0	291.0
Heart Disease	356	150.0	198.3	177.9	218.6
Cerebrovascular Disease	88	37.1	49.8	39.4	60.2
Atherosclerosis	11	4.6	6.2	2.5	9.8
Malignant Neoplasms	335	141.2	176.8	157.9	195.8
Lung Cancer	76	32.0	41.0	31.7	50.2
Breast Cancer	28	23.4	25.4	16.0	34.8
Chronic Obstructive Pulmonary Disease	80	33.7	44.3	34.6	54.1
Unintentional Injuries	75	31.6	34.0	26.1	41.9
Motor Vehicle	28	11.8	11.4	7.1	15.6
All Other	47	19.8	22.6	16.0	29.2
Pneumonia and Influenza	50	21.1	28.8	20.8	36.7
Suicide	28	11.8	11.2	7.0	15.3
Diabetes Mellitus	36	15.2	20.2	13.6	26.8
HIV Infection	*	*	*	*	*
Chronic Liver Disease and Cirrhosis	23	9.7	10.5	6.2	14.9
Alzheimer's Disease	42	17.7	24.1	16.8	31.4
Nephritis, Nephrosis, Nephrotic Syndrome	17	7.2	9.4	4.9	13.9
Homicide and Legal Intervention	8	3.4	3.2	1.0	5.5
Septicemia	21	8.8	11.4	6.5	16.4
Congenital Anomalies	10	4.2	4.5	1.7	7.4
Perinatal Period Conditions	8	3.4	3.6	1.1	6.1
All Other	206	86.8	112.3	97.0	127.6
Injury by Firearms	16	6.7	6.5	3.3	9.8
Drug-Induced Deaths	11	4.6	4.6	1.9	7.3
Alcohol-Induced Deaths	22	9.3	10.1	5.8	14.3
Work Related Injury (Y/N Check Death Certificate)	*	*	*	*	*

*Fewer than three events in the category. Rates are deaths per 100,000 population. Crude death rates are calculated without age adjustment. Age-adjusted rates are adjusted to the 2000 U.S. standard population using the direct method applied to 10-year age groups. Age-adjusted rates provide a better basis for comparison among different geographical areas or time periods. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

Appendix: Conversion Table of ICD-9 to ICD-10 Codes for Disease Mortality Used in Report

The *International Classification of Diseases (ICD)* is a classification system developed collaboratively between the World Health Organization (WHO) and 10 international centers so that the medical terms reported by physicians, medical examiners, and coroners on death certificates can be grouped together for statistical purposes. The purpose of the ICD and of WHO sponsorship is to promote international comparability in the collection, classification, processing, and presentation of mortality statistics. New revisions of the ICD are implemented periodically so that the classification reflects advances in medical science. Since 1900, the ICD has been modified about once every 10 years, except for the 20-year interval between the last two revisions, ICD-9 and ICD-10. Effective with deaths occurring in 1999, the United States began using the ICD-10, replacing ICD-9 used with 1979-98 data. Publications showing mortality data under ICD-10 will differ substantially from those under ICD-9 because of changes in coding rules, changes in category names and ICD numbers, and changes in the tabulation lists used to produce mortality data. The following table shows the ICD-9 and ICD-10 codes for diseases and injuries reported in this document. Data users should be mindful of the huge impact of the ICD-10 on mortality statistics and are encouraged to contact National Center for Health Statistics or the Health Statistics Section of the Colorado Department of Public Health and Environment (303-692-2160) for assistance in using the ICD-10 and data interpretation.

CAUSE	ICD-9	ICD-10
Cardiovascular Disease	390-434,436-448	I00-I78
Heart Disease	390-398,402,404,410-429	I00-I09,I11,I13,I20-I51
Cerebrovascular Diseases	430-434,436-438	I60-I69
Atherosclerosis	440	I70
Malignant Neoplasms	140-208	C00-C97
Lung Cancer	162	C33-C34
Breast Cancer	174-175	C50
Chronic Obstructive Pulmonary Disease	490-494,496	J40-J47
Unintentional Injuries	E800-E869,E880-E929	V01-X59,Y85-Y86
Motor Vehicle	E810-E825	V02-V04,V09.0,V90.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2
All Other Unintentional Injuries	E800-E809,E826-E869,E880-E929	V01,V05-V08,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9,V90-V99,W00-X59,Y85-Y86
Pneumonia And Influenza	480-487	J10-J18
Suicide	E950-E959	X60-X84,Y87.0
Diabetes Mellitus	250	E10-E14
Human Immunodeficiency Virus Infection	042-044	B20-B24
Chronic Liver Disease And Cirrhosis	571	K70,K73-K74
Alzheimer's Disease	331.0	G30
Nephritis, Nephrosis, Nephrotic Syndrome	580-589	N00-N07,N17-N19,N25-N27
Homicide And Legal Intervention	E960-E978	X85-Y09,Y35,Y87.1,Y89.0
Septicemia	038	A40-A41
Congenital Anomalies	740-759	Q00-Q99
Perinatal Period Conditions	760-771,2,771.4-779	P00-P96
Injury By Firearms	E922,E955.0-E955.4,E965.0-E965.4,E970,E985.0-E985.4	W32-W34,X72-X74,X93-X95,Y22-Y24,Y35.0
Drug-Induced Deaths	292,304,305.2-305.9,E850-E858,E950.0-E950.5,E962.0,E980.0-E980.5	F11.0-F11.5,F11.7-F11.9,F12.0-F12.5,F12.7-F12.9,F13.0-F13.5,F13.7-F13.9,F14.0-F14.5,F14.7-F14.9,F15.0-F15.5,F15.7-F15.9,F16.0-F16.5,F16.7-F16.9,F17.0-F17.3,F17.5,F17.7-F17.9,F18.0-F18.5,F18.7-F18.9,F19.0-F19.5,F19.7-F19.9,X40-X44,X60-X64,X85,Y10-Y14
Alcohol-Induced Deaths	291,303,305.0,357.5,425.5,535.3,571.0-571.3,790.3,E860	F10,G31.2,G62.1,I42.6,K29.2,K70,R78.0,X45,X65,Y15