

For more information about these tables contact the [Health Statistics Section](#) of the Colorado Department of Public Health and Environment at 303.692.2160.

## Las Animas County Births and Deaths 1999

Selected birth characteristics with 95% confidence limit: Las Animas County residents, 1999 .....	2
Selected birth characteristics by age group of mother: Las Animas County residents, 1999 .....	3
Selected birth characteristics by race/ethnicity of mother: Las Animas County residents, 1999 .....	4
Live births and fertility rates with 95% confidence limits by age of mother: Las Animas County residents, 1999 .....	5
Vital statistics summary: Las Animas County residents, 1989, 1995-1999 .....	6
Deaths from selected causes by race/ethnicity: Las Animas County residents, 1999 .....	7
Deaths and crude death rates with 95% confidence limits by age group: Las Animas County residents, 1999 .....	8
Deaths and crude death rates from selected causes by age group: Las Animas County residents, 1999 .....	9
Deaths, crude death rates and age-adjusted death rates with 95% confidence limits from selected causes: Las Animas County residents, 1999 .....	10
Appendix: Conversion Table of ICD-9 to ICD-10 Codes for Disease Mortality Used in Report .....	11

## Selected birth characteristics with 95% confidence limit: Las Animas County residents, 1999

CHARACTERISTIC	NUMBER	PERCENT	LOWER LIMIT	UPPER LIMIT
Total Live Births	177	100.0	100.0	100.0
Age of Mother				
10-17	16	9.0	4.5	13.5
18-19	21	11.9	6.8	16.9
20-29	104	58.8	51.2	66.3
30+	36	20.3	14.1	26.6
Low Weight Births (<2,500 Grams)	19	10.7	5.9	15.6
Very Low Weight Births (<1,500 Grams)	*	*	*	*
Prenatal Care Later than 1st Trimester	50	28.2	21.3	35.2
No Prenatal Care	*	*	*	*
Preterm Births (<37 Weeks)	17	9.6	5.0	14.2
Education of Mother <12 Years	39	22.0	15.6	28.4
Live Births to Unmarried Women	67	37.9	30.4	45.3
Smoking During Pregnancy	32	18.1	12.1	24.0

\*Fewer than three events in the category. Sums may not add to total due to cases with age of mother unknown. Percentages are of total births, excluding cases with specific characteristics unknown. See the technical notes of Colorado Vital Statistics Annual Report for definitions of data items and explanation of confidence limits. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

## Selected birth characteristics by age group of mother: Las Animas County residents, 1999

CHARACTERISTIC	ALL AGES		10-17		18-19		20-29		30+	
	N	%	N	%	N	%	N	%	N	%
Total Live Births	177	100.0	16	100.0	21	100.0	104	100.0	36	100.0
Race/Ethnicity of Mother										
White/Non-Hispanic	69	39.0	3	18.8	5	23.8	41	39.4	20	55.6
White/Hispanic	104	58.8	13	81.3	16	76.2	61	58.7	14	38.9
Black	*	*	*	*	*	*	*	*	*	*
Other	*	*	*	*	*	*	*	*	*	*
Low Weight Births (<2,500 Grams)	19	10.7	3	18.8	*	*	11	10.6	5	13.9
Very Low Weight Births (<1,500 Grams)	*	*	*	*	*	*	*	*	*	*
Prenatal Care Started after 1st Trimester	50	28.2	8	50.0	6	28.6	29	27.9	7	19.4
No Prenatal Care	*	*	*	*	*	*	*	*	*	*
Preterm Births (<37 Weeks)	17	9.6	*	*	*	*	12	11.5	3	8.3
Education of Mother <12 Years	39	22.0	15	93.8	3	14.3	21	20.2	*	*
Births to Unmarried Women	67	37.9	16	100.0	15	71.4	35	33.7	*	*
Mother Smoked During Pregnancy	32	18.1	3	18.8	6	28.6	21	20.2	*	*

\*Fewer than three events in the category. Sums may not add to total due to cases with age of mother unknown. Percentages are of total births, excluding cases with specific characteristics unknown. See the technical notes of Colorado Vital Statistics Annual Report for definition of data items and explanation of confidence limits. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

## Selected birth characteristics by race/ethnicity of mother: Las Animas County residents, 1999

CHARACTERISTIC	WHITE/ NON-HISPANIC		WHITE /HISPANIC		BLACK		ASIAN		AMERICAN INDIAN	
	N	%	N	%	N	%	N	%	N	%
Total Live Births	69	100.0	104	100.0	*	*	*	*	*	*
Age of Mother										
10-17	3	4.3	13	12.5	*	*	*	*	*	*
18-19	5	7.2	16	15.4	*	*	*	*	*	*
20-29	41	59.4	61	58.7	*	*	*	*	*	*
30+	20	29.0	14	13.5	*	*	*	*	*	*
Low Weight Births (<2,500 Grams)	6	8.7	13	12.5	*	*	*	*	*	*
Very Low Weight Births (<1,500 Grams)	*	*	*	*	*	*	*	*	*	*
Prenatal Care Later than 1st Trimester	17	24.6	33	31.7	*	*	*	*	*	*
No Prenatal Care	*	*	*	*	*	*	*	*	*	*
Preterm Births (<37 Weeks)	9	13.0	8	7.7	*	*	*	*	*	*
Education of Mother <12 Years	10	14.5	28	26.9	*	*	*	*	*	*
Live Births to Unmarried Women	15	21.7	50	48.1	*	*	*	*	*	*
Mother Smoking During Pregnancy	11	15.9	20	19.2	*	*	*	*	*	*

\*Fewer than three events in the category. Sums may not add to total due to cases with age or race/ethnicity of mother unknown or not presented. Percentages are of total births of each race/ethnicity group, excluding cases with specific characteristics unknown. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

## Live births and fertility rates with 95% confidence limits by age of mother: Las Animas County residents, 1999

	BIRTHS	POPULATION	FERTILITY RATE	LOWER LIMIT	UPPER LIMIT
ALL AGES	177	3,272	54.1	46.2	62.0
TEENAGE GROUP					
13-14	*	222	*	*	*
15-17	16	314	51.0	25.0	76.9
18-19	21	199	105.5	60.3	150.7
10-17	16	877	18.2	8.8	27.7
10-19	37	1,076	34.4	23.0	45.7
ALL AGE GROUPS					
10-14	*	563	*	*	*
15-19	37	513	72.1	48.8	95.5
20-24	66	460	143.5	110.4	176.6
25-29	38	528	72.0	49.0	95.0
30-34	24	532	45.1	26.5	63.7
35-39	4	622	6.4	0.0	12.9
40-49	8	1,212	6.6	1.6	11.6

\*Fewer than three events in the category. Sums may not add to total due to cases with age of mother unknown. Rates are live births per 1,000 female population in each age group. Population data for "all ages" are females aged 15-44. See the technical notes of Colorado Vital Statistics Annual Report for explanation of confidence limits. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

# Vital statistics summary: Las Animas County residents, 1989, 1995-1999

	1989	1995	1996	1997	1998	1999	1995-1999 ANNUAL AVERAGE
TOTAL POPULATION	14,006	15,442	15,606	15,796	15,916	16,121	15,776
Total Births							
Number	155	165	135	150	172	177	160
Birth Rate	11.1	10.7	8.7	9.5	10.8	11.0	10.1
General Fertility Rate	54.6	53.2	42.9	47.1	53.5	54.1	50.2
Age of Mother 10-17							
Number	11	19	14	11	13	16	15
Percent of Total Births	7.1	11.5	10.4	7.3	7.6	9.0	9.1
Fertility Rate	14.6	22.1	16.1	12.5	14.9	18.2	16.7
Low Weight Births (<2,500 Grams)							
Number	12	21	13	15	15	19	17
Percent	7.7	12.7	9.6	10.0	8.7	10.7	10.4
Prenatal Care Later Than 1st Trimester							
Number	61	55	39	32	49	50	45
Percent	39.4	33.5	28.9	21.3	28.5	28.2	28.2
Births To Unmarried Women							
Number	48	61	44	55	60	67	57
Percent	31.0	37.0	32.6	36.7	34.9	37.9	35.9
Mother's Education <12 Years							
Number	34	33	29	22	31	39	31
Percent	22.1	20.1	21.8	14.7	18.1	22.0	19.4
Infant Deaths							
Number	*	*	*	*	*	*	*
Rate	*	*	*	*	*	*	*
Neonatal Deaths							
Number	*	*	*	*	*	*	*
Rate	*	*	*	*	*	*	*
Underlying Cause of Death All Causes							
Number	161	215	186	168	155	176	180
Crude Rate	1,149.5	1,392.3	1,191.8	1,063.6	973.9	1,091.7	1,141.0
Age-Adjusted Rate	845.9	1,083.4	935.2	830.0	754.5	855.3	890.6
Cardiovascular Disease							
Number	74	85	76	77	66	65	74
Age-Adjusted Rate	363.1	404.6	361.5	359.4	311.5	301.6	348.0
Heart Disease							
Number	58	63	57	53	50	46	54
Age-Adjusted Rate	281.6	305.0	274.9	245.8	239.1	215.0	256.2
Cerebrovascular Disease							
Number	11	16	16	21	10	15	16
Age-Adjusted Rate	59.0	72.6	72.8	97.5	46.2	68.1	71.4
Malignant Neoplasms							
Number	26	39	33	29	24	36	32
Age-Adjusted Rate	130.4	206.3	177.1	143.5	125.3	178.2	165.6
Lung Cancer							
Number	5	11	5	8	*	8	7
Age-Adjusted Rate	25.1	56.8	26.0	40.5	*	39.7	34.3
Breast Cancer							
Number	4	3	3	*	*	*	*
Age-Adjusted Rate	49.0	33.4	30.9	*	*	*	*
Total Unintentional Injuries							
Number	6	18	11	9	9	8	11
Age-Adjusted Rate	53.8	108.7	61.0	50.4	47.5	48.5	62.7
Motor Vehicle							
Number	*	4	5	5	6	5	5
Age-Adjusted Rate	*	27.1	30.5	33.4	35.1	31.5	31.2
All Other Unintentional Injuries							
Number	4	14	6	4	3	3	6
Age-Adjusted Rate	34.0	81.6	30.5	16.9	12.4	16.9	31.5
Chronic Obstructive Pulmonary Disease							
Number	8	9	10	4	7	10	8
Age-Adjusted Rate	40.9	41.6	50.7	19.5	31.7	49.1	38.6
Suicide							
Number	4	5	*	4	*	3	3
Age-Adjusted Rate	25.9	31.6	*	24.6	*	17.7	18.5
Homicide and Legal Intervention							
Number	*	3	*	*	*	*	*
Age-Adjusted Rate	*	21.5	*	*	*	*	*
Work-Related Injury							
Number	*	*	*	*	*	*	*
Age-Adjusted Rate	*	*	*	*	*	*	*

\*Fewer than three events in the category. Birth rates are per 1,000 total population. General fertility rates are births per 1,000 females aged 15-44. Fertility rates for mothers age 10-17 are births per 1,000 females of this age group. Infant and neonatal mortality rates are per 1,000 live births. Other death rates are per 100,000 population. Age-adjusted rates are adjusted to the 2000 U.S. population using the direct method applied to 10-year age groups. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

## Deaths from selected causes by race/ethnicity: Las Animas County residents, 1999

CAUSE OF DEATH (ICD-10)	ALL RACES		WHITE/ NON-HISPANIC		WHITE /HISPANIC		BLACK		ASIAN		AMERICAN INDIAN	
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	176	100.0	106	100.0	68	100.0	*	*	*	*	*	*
Cardiovascular Disease	65	36.9	43	40.6	22	32.4	*	*	*	*	*	*
Heart Disease	46	26.1	34	32.1	12	17.6	*	*	*	*	*	*
Cerebrovascular Disease	15	8.5	8	7.5	7	10.3	*	*	*	*	*	*
Atherosclerosis	*	*	*	*	*	*	*	*	*	*	*	*
Malignant Neoplasms	36	20.5	19	17.9	15	22.1	*	*	*	*	*	*
Lung Cancer	8	4.5	6	5.7	*	*	*	*	*	*	*	*
Breast Cancer	*	*	*	*	*	*	*	*	*	*	*	*
Chronic Obstructive Pulmonary Disease	10	5.7	9	8.5	*	*	*	*	*	*	*	*
Unintentional Injuries	8	4.5	6	5.7	*	*	*	*	*	*	*	*
Motor Vehicle	5	2.8	3	2.8	*	*	*	*	*	*	*	*
All Other	3	1.7	3	2.8	*	*	*	*	*	*	*	*
Pneumonia and Influenza	7	4.0	5	4.7	*	*	*	*	*	*	*	*
Suicide	3	1.7	*	*	*	*	*	*	*	*	*	*
Diabetes Mellitus	8	4.5	*	*	6	8.8	*	*	*	*	*	*
HIV Infection	*	*	*	*	*	*	*	*	*	*	*	*
Chronic Liver Disease and Cirrhosis	*	*	*	*	*	*	*	*	*	*	*	*
Alzheimer's Disease	4	2.3	3	2.8	*	*	*	*	*	*	*	*
Nephritis, Nephrosis, Nephrotic Syndrome	4	2.3	*	*	3	4.4	*	*	*	*	*	*
Homicide and Legal Intervention	*	*	*	*	*	*	*	*	*	*	*	*
Septicemia	3	1.7	*	*	*	*	*	*	*	*	*	*
Congenital Anomalies	*	*	*	*	*	*	*	*	*	*	*	*
Perinatal Period Conditions	*	*	*	*	*	*	*	*	*	*	*	*
All Other	25	14.2	14	13.2	11	16.2	*	*	*	*	*	*
Injury by Firearms	3	1.7	3	2.8	*	*	*	*	*	*	*	*
Drug-Induced Deaths	*	*	*	*	*	*	*	*	*	*	*	*
Alcohol-Induced Deaths	3	1.7	*	*	*	*	*	*	*	*	*	*
Work Related Injury (Y/N Check Death Certificate)	*	*	*	*	*	*	*	*	*	*	*	*

\*Fewer than three events in the category. Percentages are of total deaths of each race/ethnicity category. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

**Deaths and crude death rates with 95% confidence limits by age group: Las Animas County residents, 1999**

AGE GROUP	DEATHS	POPULATION	AGE-SPECIFIC DEATH RATE	LOWER LIMIT	UPPER LIMIT
ALL AGES	176	16,121	10.9	9.3	12.6
INFANT	*	177	*	*	*
NEONATAL	*	177	*	*	*
1-4	*	724	*	*	*
5-9	*	1,170	*	*	*
10-14	*	1,155	*	*	*
15-19	*	1,060	*	*	*
20-24	*	940	*	*	*
25-29	*	1,118	*	*	*
30-34	*	1,055	*	*	*
35-39	5	1,217	4.1	0.1	8.1
40-44	*	1,221	*	*	*
45-49	5	1,212	4.1	0.1	8.1
50-54	*	988	*	*	*
55-59	9	772	11.7	3.4	19.9
60-64	7	703	10.0	1.9	18.0
65-69	18	657	27.4	14.2	40.6
70-74	18	628	28.7	14.8	42.5
75-79	22	534	41.2	23.4	59.0
80-84	20	414	48.3	26.4	70.2
85+	66	374	176.5	136.5	216.4
1-14	*	3,049	*	*	*
15-24	*	2,000	*	*	*
25-64	28	8,286	3.4	2.1	4.7
65+	144	2,607	55.2	46.3	64.2

\*Fewer than three events in the category. Infant death is death in the first year of life. Neonatal death is death occurring prior to the 28th day of life. Infant and neonatal mortality rates are per 1,000 live births. Other death rates are per 1,000 population of the age group. Population figures for infant and neonatal groups are live births. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

## Deaths and crude death rates from selected causes by age group: Las Animas County residents, 1999

CAUSE OF DEATH (ICD-10)	<1		1-14		15-24		25-44		45-64		65+	
	N	RATE	N	RATE	N	RATE	N	RATE	N	RATE	N	RATE
TOTAL	*	*	*	*	*	*	7	1.5	21	5.7	144	55.2
Cardiovascular Disease	*	*	*	*	*	*	*	*	5	1.4	60	23.0
Heart Disease	*	*	*	*	*	*	*	*	4	1.1	42	16.1
Cerebrovascular Disease	*	*	*	*	*	*	*	*	*	*	14	5.4
Atherosclerosis	*	*	*	*	*	*	*	*	*	*	*	*
Malignant Neoplasms	*	*	*	*	*	*	*	*	9	2.4	27	10.4
Lung Cancer	*	*	*	*	*	*	*	*	*	*	7	2.7
Breast Cancer	*	*	*	*	*	*	*	*	*	*	*	*
Chronic Obstructive Pulmonary Disease	*	*	*	*	*	*	*	*	*	*	9	3.5
Unintentional Injuries	*	*	*	*	*	*	*	*	*	*	*	*
Motor Vehicle	*	*	*	*	*	*	*	*	*	*	*	*
All Other	*	*	*	*	*	*	*	*	*	*	*	*
Pneumonia and Influenza	*	*	*	*	*	*	*	*	*	*	7	2.7
Suicide	*	*	*	*	*	*	*	*	*	*	*	*
Diabetes Mellitus	*	*	*	*	*	*	*	*	*	*	6	2.3
HIV Infection	*	*	*	*	*	*	*	*	*	*	*	*
Chronic Liver Disease and Cirrhosis	*	*	*	*	*	*	*	*	*	*	*	*
Alzheimer's Disease	*	*	*	*	*	*	*	*	*	*	4	1.5
Nephritis, Nephrosis, Nephrotic Syndrome	*	*	*	*	*	*	*	*	*	*	4	1.5
Homicide and Legal Intervention	*	*	*	*	*	*	*	*	*	*	*	*
Septicemia	*	*	*	*	*	*	*	*	*	*	*	*
Congenital Anomalies	*	*	*	*	*	*	*	*	*	*	*	*
Perinatal Period Conditions	*	*	*	*	*	*	*	*	*	*	*	*
All Other	*	*	*	*	*	*	*	*	*	*	21	8.1
Injury by Firearms	*	*	*	*	*	*	*	*	*	*	*	*
Drug-Induced Deaths	*	*	*	*	*	*	*	*	*	*	*	*
Alcohol-Induced Deaths	*	*	*	*	*	*	*	*	*	*	*	*
Work Related Injury (Y/N Check Death Certificate)	*	*	*	*	*	*	*	*	*	*	*	*

\*Fewer than three events in the category. Crude death rates are calculated without age adjustment. Infant (<1 year) mortality rates are per 1,000 live births. Other rates are deaths per 1,000 population of the age group. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

**Deaths, crude death rates and age-adjusted death rates with 95% confidence limits from selected causes: Las Animas County residents, 1999**

CAUSE OF DEATH (ICD-10)	DEATHS	CRUDE RATE	AGE-ADJUSTED DEATH RATE		
			RATE	LOWER LIMIT	UPPER LIMIT
TOTAL	176	1091.7	855.3	731.7	978.9
Cardiovascular Disease	65	403.2	301.6	229.2	374.1
Heart Disease	46	285.3	215.0	153.1	276.8
Cerebrovascular Disease	15	93.0	68.1	33.6	102.6
Atherosclerosis	*	*	*	*	*
Malignant Neoplasms	36	223.3	178.2	119.8	236.6
Lung Cancer	8	49.6	39.7	12.1	67.3
Breast Cancer	*	*	*	*	*
Chronic Obstructive Pulmonary Disease	10	62.0	49.1	18.4	79.8
Unintentional Injuries	8	49.6	48.5	14.5	82.4
Motor Vehicle	5	31.0	31.5	3.8	59.3
All Other	3	18.6	16.9	0.0	36.5
Pneumonia and Influenza	7	43.4	29.6	7.8	51.4
Suicide	3	18.6	17.7	0.0	37.9
Diabetes Mellitus	8	49.6	37.9	11.4	64.4
HIV Infection	*	*	*	*	*
Chronic Liver Disease and Cirrhosis	*	*	*	*	*
Alzheimer's Disease	4	24.8	18.3	0.4	36.3
Nephritis, Nephrosis, Nephrotic Syndrome	4	24.8	18.7	0.3	37.2
Homicide and Legal Intervention	*	*	*	*	*
Septicemia	3	18.6	16.9	0.0	36.3
Congenital Anomalies	*	*	*	*	*
Perinatal Period Conditions	*	*	*	*	*
All Other	25	155.1	120.7	73.1	168.3
Injury by Firearms	3	18.6	17.7	0.0	37.9
Drug-Induced Deaths	*	*	*	*	*
Alcohol-Induced Deaths	3	18.6	17.9	0.0	38.3
Work Related Injury (Y/N Check Death Certificate)	*	*	*	*	*

\*Fewer than three events in the category. Rates are deaths per 100,000 population. Crude death rates are calculated without age adjustment. Age-adjusted rates are adjusted to the 2000 U.S. standard population using the direct method applied to 10-year age groups. Age-adjusted rates provide a better basis for comparison among different geographical areas or time periods. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

## Appendix: Conversion Table of ICD-9 to ICD-10 Codes for Disease Mortality Used in Report

The *International Classification of Diseases (ICD)* is a classification system developed collaboratively between the World Health Organization (WHO) and 10 international centers so that the medical terms reported by physicians, medical examiners, and coroners on death certificates can be grouped together for statistical purposes. The purpose of the ICD and of WHO sponsorship is to promote international comparability in the collection, classification, processing, and presentation of mortality statistics. New revisions of the ICD are implemented periodically so that the classification reflects advances in medical science. Since 1900, the ICD has been modified about once every 10 years, except for the 20-year interval between the last two revisions, ICD-9 and ICD-10. Effective with deaths occurring in 1999, the United States began using the ICD-10, replacing ICD-9 used with 1979-98 data. Publications showing mortality data under ICD-10 will differ substantially from those under ICD-9 because of changes in coding rules, changes in category names and ICD numbers, and changes in the tabulation lists used to produce mortality data. The following table shows the ICD-9 and ICD-10 codes for diseases and injuries reported in this document. Data users should be mindful of the huge impact of the ICD-10 on mortality statistics and are encouraged to contact National Center for Health Statistics or the Health Statistics Section of the Colorado Department of Public Health and Environment (303-692-2160) for assistance in using the ICD-10 and data interpretation.

CAUSE	ICD-9	ICD-10
Cardiovascular Disease	390-434,436-448	I00-I78
Heart Disease	390-398,402,404,410-429	I00-I09,I11,I13,I20-I51
Cerebrovascular Diseases	430-434,436-438	I60-I69
Atherosclerosis	440	I70
Malignant Neoplasms	140-208	C00-C97
Lung Cancer	162	C33-C34
Breast Cancer	174-175	C50
Chronic Obstructive Pulmonary Disease	490-494,496	J40-J47
Unintentional Injuries	E800-E869,E880-E929	V01-X59,Y85-Y86
Motor Vehicle	E810-E825	V02-V04,V09.0,V90.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5, V81.0-V81.1,V82.0-V82.1, V83-V86, V87.0-V87.8,V88.0-V88.8,V89.0,V89.2
All Other Unintentional Injuries	E800-E809,E826-E869,E880-E929	V01,V05-V08,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9,V87.9, V88.9, V89.1,V89.3,V89.9, V90-V99, W00-X59,Y85-Y86
Pneumonia And Influenza	480-487	J10-J18
Suicide	E950-E959	X60-X84,Y87.0
Diabetes Mellitus	250	E10-E14
Human Immunodeficiency Virus Infection	042-044	B20-B24
Chronic Liver Disease And Cirrhosis	571	K70,K73-K74
Alzheimer's Disease	331.0	G30
Nephritis, Nephrosis, Nephrotic Syndrome	580-589	N00-N07,N17-N19,N25-N27
Homicide And Legal Intervention	E960-E978	X85-Y09,Y35,Y87.1,Y89.0
Septicemia	038	A40-A41
Congenital Anomalies	740-759	Q00-Q99
Perinatal Period Conditions	760-771.2,771.4-779	P00-P96
Injury By Firearms	E922,E955.0-E955.4,E965.0-E965.4,E970,E985.0-E985.4	W32-W34,X72-X74,X93-X95,Y22-Y24,Y35.0
Drug-Induced Deaths	292,304,305.2-305.9,E850-E858,E950.0-E950.5,E962.0-E980.0-E980.5	F11.0-F11.5,F11.7-F11.9,F12.0-F12.5,F12.7-F12.9,F13.0-F13.5,F13.7-F13.9,F14.0-F14.5, F14.7-F14.9, F15.0-F15.5, F15.7-F15.9,F16.0-F16.5, F16.7-F16.9,F17.0-F17.3-F17.5,F17.7-F17.9, F18.0-F18.5, F18.7-F18.9,F19.0-F19.5, F19.7-F19.9, X40-X44,X60-X64,X85,Y10-Y14
Alcohol-Induced Deaths	291,303,305.0,357.5,425.5,535.3,571.0-571.3,790.3,E860	F10,G31.2,G62.1,I42.6,K29.2,K70,R78.0,X45,X65,Y15