

For more information about these tables contact the [Health Statistics Section](#) of the Colorado Department of Public Health and Environment at 303.692.2160.

Mesa County Births and Deaths 1999

Selected birth characteristics with 95% confidence limit: Mesa County residents, 1999	2
Selected birth characteristics by age group of mother: Mesa County residents, 1999	3
Selected birth characteristics by race/ethnicity of mother: Mesa County residents, 1999	4
Live births and fertility rates with 95% confidence limits by age of mother: Mesa County residents, 1999	5
Vital statistics summary: Mesa County residents, 1989, 1995-1999	6
Deaths from selected causes by race/ethnicity: Mesa County residents, 1999	7
Deaths and crude death rates with 95% confidence limits by age group: Mesa County residents, 1999	8
Deaths and crude death rates from selected causes by age group: Mesa County residents, 1999	9
Deaths, crude death rates and age-adjusted death rates with 95% confidence limits from selected causes: Mesa County residents, 1999	10
Appendix: Conversion Table of ICD-9 to ICD-10 Codes for Disease Mortality Used in Report	11

Selected birth characteristics with 95% confidence limit: Mesa County residents, 1999

CHARACTERISTIC	NUMBER	PERCENT	LOWER LIMIT	UPPER LIMIT
Total Live Births	1,426	100.0	100.0	100.0
Age of Mother				
10-17	72	5.1	3.9	6.2
18-19	153	10.7	9.1	12.4
20-29	822	57.7	55.1	60.3
30+	378	26.5	24.2	28.9
Low Weight Births (<2,500 Grams)	100	7.0	5.7	8.4
Very Low Weight Births (<1,500 Grams)	23	1.6	0.9	2.3
Prenatal Care Later than 1st Trimester	168	11.8	10.1	13.5
No Prenatal Care	9	0.6	0.2	1.1
Preterm Births (<37 Weeks)	104	7.3	5.9	8.7
Education of Mother <12 Years	272	19.1	17.1	21.2
Live Births to Unmarried Women	332	23.3	21.1	25.5
Smoking During Pregnancy	244	17.1	15.1	19.1

*Fewer than three events in the category. Sums may not add to total due to cases with age of mother unknown. Percentages are of total births, excluding cases with specific characteristics unknown. See the technical notes of Colorado Vital Statistics Annual Report for definitions of data items and explanation of confidence limits. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

Selected birth characteristics by age group of mother: Mesa County residents, 1999

CHARACTERISTIC	ALL AGES		10-17		18-19		20-29		30+	
	N	%	N	%	N	%	N	%	N	%
Total Live Births	1,426	100.0	72	100.0	153	100.0	822	100.0	378	100.0
Race/Ethnicity of Mother										
White/Non-Hispanic	1,189	83.4	49	68.1	118	77.1	695	84.5	326	86.2
White/Hispanic	211	14.8	22	30.6	30	19.6	114	13.9	45	11.9
Black	10	0.7	*	*	4	2.6	5	0.6	*	*
Other	16	1.1	*	*	*	*	8	1.0	6	1.6
Low Weight Births (<2,500 Grams)	100	7.0	5	6.9	19	12.4	56	6.8	19	5.0
Very Low Weight Births (<1,500 Grams)	23	1.6	3	4.2	10	6.5	8	1.0	*	*
Prenatal Care Started after 1st Trimester	168	11.8	17	23.6	27	17.6	92	11.2	32	8.5
No Prenatal Care	9	0.6	*	*	*	*	5	0.6	4	1.1
Preterm Births (<37 Weeks)	104	7.3	7	9.7	16	10.5	55	6.7	25	6.6
Education of Mother <12 Years	272	19.1	59	81.9	62	40.5	114	13.9	37	9.9
Births to Unmarried Women	332	23.3	55	76.4	71	46.4	167	20.3	39	10.3
Mother Smoked During Pregnancy	244	17.1	21	29.2	41	26.8	141	17.2	40	10.6

*Fewer than three events in the category. Sums may not add to total due to cases with age of mother unknown. Percentages are of total births, excluding cases with specific characteristics unknown. See the technical notes of Colorado Vital Statistics Annual Report for definition of data items and explanation of confidence limits. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

Selected birth characteristics by race/ethnicity of mother: Mesa County residents, 1999

CHARACTERISTIC	WHITE/ NON-HISPANIC		WHITE /HISPANIC		BLACK		ASIAN		AMERICAN INDIAN	
	N	%	N	%	N	%	N	%	N	%
Total Live Births	1,189	100.0	211	100.0	10	100.0	9	100.0	7	100.0
Age of Mother										
10-17	49	4.1	22	10.4	*	*	*	*	*	*
18-19	118	9.9	30	14.2	4	40.0	*	*	*	*
20-29	695	58.5	114	54.0	5	50.0	5	55.6	3	42.9
30+	326	27.4	45	21.3	*	*	3	33.3	3	42.9
Low Weight Births (<2,500 Grams)	91	7.7	9	4.3	*	*	*	*	*	*
Very Low Weight Births (<1,500 Grams)	20	1.7	3	1.4	*	*	*	*	*	*
Prenatal Care Later than 1st Trimester	132	11.1	32	15.2	*	*	*	*	*	*
No Prenatal Care	8	0.7	*	*	*	*	*	*	*	*
Preterm Births (<37 Weeks)	90	7.6	13	6.2	*	*	*	*	*	*
Education of Mother <12 Years	179	15.1	81	38.8	5	50.0	*	*	5	71.4
Live Births to Unmarried Women	251	21.1	74	35.1	6	60.0	*	*	*	*
Mother Smoking During Pregnancy	214	18.0	22	10.4	4	40.0	*	*	3	42.9

*Fewer than three events in the category. Sums may not add to total due to cases with age or race/ethnicity of mother unknown or not presented. Percentages are of total births of each race/ethnicity group, excluding cases with specific characteristics unknown. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

Live births and fertility rates with 95% confidence limits by age of mother: Mesa County residents, 1999

	BIRTHS	POPULATION	FERTILITY RATE	LOWER LIMIT	UPPER LIMIT
ALL AGES	1,426	25,589	55.7	52.9	58.6
TEENAGE GROUP					
13-14	*	1,672	*	*	*
15-17	70	2,683	26.1	19.9	32.3
18-19	153	2,109	72.5	61.2	83.9
10-17	72	6,785	10.6	8.1	13.1
10-19	225	8,894	25.3	22.0	28.6
ALL AGE GROUPS					
10-14	*	4,102	*	*	*
15-19	223	4,792	46.5	40.5	52.6
20-24	440	4,422	99.5	90.6	108.4
25-29	382	3,590	106.4	96.2	116.6
30-34	235	3,466	67.8	59.3	76.3
35-39	122	4,467	27.3	22.4	32.2
40-49	21	9,194	2.3	1.3	3.3

*Fewer than three events in the category. Sums may not add to total due to cases with age of mother unknown. Rates are live births per 1,000 female population in each age group. Population data for "all ages" are females aged 15-44. See the technical notes of Colorado Vital Statistics Annual Report for explanation of confidence limits. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

Vital statistics summary: Mesa County residents, 1989, 1995-1999

	1989	1995	1996	1997	1998	1999	1995-1999 ANNUAL AVERAGE
TOTAL POPULATION	90,639	106,031	108,296	110,667	113,385	115,780	110,832
Total Births							
Number	1,246	1,301	1,367	1,396	1,469	1,426	1,392
Birth Rate	13.7	12.3	12.6	12.6	13.0	12.3	12.6
General Fertility Rate	60.5	55.2	56.9	56.3	58.6	55.7	56.6
Age of Mother 10-17							
Number	58	82	99	94	70	72	83
Percent of Total Births	4.7	6.3	7.2	6.7	4.8	5.1	6.0
Fertility Rate	11.9	12.7	15.1	13.9	10.4	10.6	12.5
Low Weight Births (<2,500 Grams)							
Number	88	86	103	110	103	100	100
Percent	7.1	6.6	7.5	7.9	7.0	7.0	7.2
Prenatal Care Later Than 1st Trimester							
Number	315	221	195	195	161	168	188
Percent	25.6	17.1	14.3	14.1	11.0	11.8	13.6
Births To Unmarried Women							
Number	249	364	369	379	360	332	361
Percent	20.0	28.0	27.0	27.1	24.5	23.3	25.9
Mother's Education <12 Years							
Number	290	289	295	300	284	272	288
Percent	23.3	22.4	21.6	21.5	19.4	19.1	20.8
Infant Deaths							
Number	12	15	16	12	10	22	15
Rate	9.6	11.5	11.7	8.6	6.8	15.4	10.8
Neonatal Deaths							
Number	9	13	12	7	7	14	11
Rate	7.2	10.0	8.8	5.0	4.8	9.8	7.6
Underlying Cause of Death All Causes							
Number	819	922	1,026	1,025	1,035	1,120	1,026
Crude Rate	903.6	869.6	947.4	926.2	912.8	967.4	925.4
Age-Adjusted Rate	872.7	824.6	891.5	897.4	832.3	893.2	868.0
Cardiovascular Disease							
Number	341	347	351	352	384	404	368
Age-Adjusted Rate	361.0	309.0	300.2	305.9	304.0	316.9	306.9
Heart Disease							
Number	268	268	266	266	291	287	276
Age-Adjusted Rate	283.4	238.2	227.1	230.8	229.9	224.9	229.8
Cerebrovascular Disease							
Number	50	53	64	63	67	70	63
Age-Adjusted Rate	53.2	48.2	55.1	55.2	53.1	55.1	53.3
Malignant Neoplasms							
Number	193	229	264	237	227	232	238
Age-Adjusted Rate	206.6	198.9	227.2	205.9	183.1	183.2	199.3
Lung Cancer							
Number	58	74	77	68	71	54	69
Age-Adjusted Rate	61.8	61.7	66.0	59.3	56.4	41.8	57.0
Breast Cancer							
Number	19	13	15	22	18	25	19
Age-Adjusted Rate	34.2	20.2	22.6	34.4	27.6	36.9	28.4
Total Unintentional Injuries							
Number	38	42	36	43	39	54	43
Age-Adjusted Rate	42.9	39.4	32.9	38.6	33.8	47.1	38.4
Motor Vehicle							
Number	18	18	21	17	18	18	18
Age-Adjusted Rate	21.0	17.0	19.5	15.6	15.7	15.8	16.7
All Other Unintentional Injuries							
Number	20	24	15	26	21	36	24
Age-Adjusted Rate	21.9	22.3	13.4	23.0	18.1	31.3	21.7
Chronic Obstructive Pulmonary Disease							
Number	47	57	67	68	87	76	71
Age-Adjusted Rate	48.1	49.2	56.1	57.2	67.4	58.8	58.1
Suicide							
Number	17	20	38	13	22	24	23
Age-Adjusted Rate	19.7	18.5	34.6	11.8	19.0	20.8	21.0
Homicide and Legal Intervention							
Number	7	6	10	6	3	5	6
Age-Adjusted Rate	8.0	5.9	9.4	5.6	2.7	4.3	5.6
Work-Related Injury							
Number	*	3	*	*	4	6	3
Age-Adjusted Rate	*	2.8	*	*	3.8	5.4	2.8

*Fewer than three events in the category. Birth rates are per 1,000 total population. General fertility rates are births per 1,000 females aged 15-44. Fertility rates for mothers age 10-17 are births per 1,000 females of this age group. Infant and neonatal mortality rates are per 1,000 live births. Other death rates are per 100,000 population. Age-adjusted rates are adjusted to the 2000 U.S. population using the direct method applied to 10-year age groups. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

Deaths from selected causes by race/ethnicity: Mesa County residents, 1999

CAUSE OF DEATH (ICD-10)	ALL RACES		WHITE/ NON-HISPANIC		WHITE /HISPANIC		BLACK		ASIAN		AMERICAN INDIAN	
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	1,120	100.0	1,077	100.0	34	100.0	5	100.0	4	100.0	*	*
Cardiovascular Disease	404	36.1	389	36.1	14	41.2	*	*	*	*	*	*
Heart Disease	287	25.6	279	25.9	8	23.5	*	*	*	*	*	*
Cerebrovascular Disease	70	6.3	66	6.1	3	8.8	*	*	*	*	*	*
Atherosclerosis	13	1.2	11	1.0	*	*	*	*	*	*	*	*
Malignant Neoplasms	232	20.7	226	21.0	5	14.7	*	*	*	*	*	*
Lung Cancer	54	4.8	52	4.8	*	*	*	*	*	*	*	*
Breast Cancer	25	2.2	22	2.0	3	8.8	*	*	*	*	*	*
Chronic Obstructive Pulmonary Disease	76	6.8	76	7.1	*	*	*	*	*	*	*	*
Unintentional Injuries	54	4.8	48	4.5	4	11.8	*	*	*	*	*	*
Motor Vehicle	18	1.6	16	1.5	*	*	*	*	*	*	*	*
All Other	36	3.2	32	3.0	4	11.8	*	*	*	*	*	*
Pneumonia and Influenza	31	2.8	31	2.9	*	*	*	*	*	*	*	*
Suicide	24	2.1	23	2.1	*	*	*	*	*	*	*	*
Diabetes Mellitus	32	2.9	31	2.9	*	*	*	*	*	*	*	*
HIV Infection	*	*	*	*	*	*	*	*	*	*	*	*
Chronic Liver Disease and Cirrhosis	13	1.2	13	1.2	*	*	*	*	*	*	*	*
Alzheimer's Disease	36	3.2	35	3.2	*	*	*	*	*	*	*	*
Nephritis, Nephrosis, Nephrotic Syndrome	8	0.7	8	0.7	*	*	*	*	*	*	*	*
Homicide and Legal Intervention	5	0.4	5	0.5	*	*	*	*	*	*	*	*
Septicemia	14	1.3	13	1.2	*	*	*	*	*	*	*	*
Congenital Anomalies	7	0.6	7	0.6	*	*	*	*	*	*	*	*
Perinatal Period Conditions	11	1.0	11	1.0	*	*	*	*	*	*	*	*
All Other	172	15.4	160	14.9	8	23.5	3	60.0	*	*	*	*
Injury by Firearms	24	2.1	23	2.1	*	*	*	*	*	*	*	*
Drug-Induced Deaths	3	0.3	3	0.3	*	*	*	*	*	*	*	*
Alcohol-Induced Deaths	15	1.3	15	1.4	*	*	*	*	*	*	*	*
Work Related Injury (Y/N Check Death Certificate)	6	0.5	6	0.6	*	*	*	*	*	*	*	*

*Fewer than three events in the category. Percentages are of total deaths of each race/ethnicity category. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

Deaths and crude death rates with 95% confidence limits by age group: Mesa County residents, 1999

AGE GROUP	DEATHS	POPULATION	AGE-SPECIFIC DEATH RATE	LOWER LIMIT	UPPER LIMIT
ALL AGES	1,120	115,780	9.7	9.1	10.2
INFANT	22	1,426	15.4	8.7	22.2
NEONATAL	14	1,426	9.8	4.3	15.3
1-4	*	5,881	*	*	*
5-9	*	7,788	*	*	*
10-14	3	8,268	0.4	0.0	0.8
15-19	7	9,605	0.7	0.1	1.3
20-24	7	9,062	0.8	0.1	1.4
25-29	10	7,306	1.4	0.5	2.3
30-34	13	6,808	1.9	0.8	3.0
35-39	12	8,514	1.4	0.6	2.3
40-44	27	9,474	2.8	1.7	4.0
45-49	32	8,559	3.7	2.4	5.1
50-54	37	6,787	5.5	3.6	7.3
55-59	42	5,093	8.2	5.7	10.8
60-64	55	4,246	13.0	9.4	16.5
65-69	72	4,157	17.3	13.2	21.4
70-74	127	4,572	27.8	22.9	32.7
75-79	165	3,842	42.9	36.4	49.5
80-84	150	2,436	61.6	51.8	71.3
85+	336	1,912	175.7	158.4	193.1
1-14	6	21,937	0.3	0.0	0.5
15-24	14	18,667	0.7	0.3	1.2
25-64	228	56,787	4.0	3.5	4.5
65+	850	16,919	50.2	46.9	53.6

*Fewer than three events in the category. Infant death is death in the first year of life. Neonatal death is death occurring prior to the 28th day of life. Infant and neonatal mortality rates are per 1,000 live births. Other death rates are per 1,000 population of the age group. Population figures for infant and neonatal groups are live births. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

Deaths and crude death rates from selected causes by age group: Mesa County residents, 1999

CAUSE OF DEATH (ICD-10)	<1		1-14		15-24		25-44		45-64		65+	
	N	RATE	N	RATE	N	RATE	N	RATE	N	RATE	N	RATE
TOTAL	22	15.4	6	0.3	14	0.7	62	1.9	166	6.7	850	50.2
Cardiovascular Disease	*	*	*	*	*	*	9	0.3	43	1.7	351	20.7
Heart Disease	*	*	*	*	*	*	6	0.2	33	1.3	247	14.6
Cerebrovascular Disease	*	*	*	*	*	*	*	*	6	0.2	62	3.7
Atherosclerosis	*	*	*	*	*	*	*	*	*	*	13	0.8
Malignant Neoplasms	*	*	*	*	*	*	5	0.2	55	2.2	171	10.1
Lung Cancer	*	*	*	*	*	*	*	*	10	0.4	43	2.5
Breast Cancer	*	*	*	*	*	*	*	*	8	0.6	16	1.6
Chronic Obstructive Pulmonary Disease	*	*	*	*	*	*	*	*	7	0.3	66	3.9
Unintentional Injuries	*	*	4	0.2	4	0.2	18	0.6	13	0.5	14	0.8
Motor Vehicle	*	*	*	*	*	*	8	0.2	4	0.2	3	0.2
All Other	*	*	4	0.2	*	*	10	0.3	9	0.4	11	0.7
Pneumonia and Influenza	*	*	*	*	*	*	*	*	*	*	30	1.8
Suicide	*	*	*	*	3	0.2	11	0.3	7	0.3	3	0.2
Diabetes Mellitus	*	*	*	*	*	*	*	*	6	0.2	25	1.5
HIV Infection	*	*	*	*	*	*	*	*	*	*	*	*
Chronic Liver Disease and Cirrhosis	*	*	*	*	*	*	*	*	9	0.4	4	0.2
Alzheimer's Disease	*	*	*	*	*	*	*	*	*	*	36	2.1
Nephritis, Nephrosis, Nephrotic Syndrome	*	*	*	*	*	*	*	*	*	*	7	0.4
Homicide and Legal Intervention	*	*	*	*	*	*	*	*	*	*	*	*
Septicemia	*	*	*	*	*	*	*	*	*	*	13	0.8
Congenital Anomalies	5	3.5	*	*	*	*	*	*	*	*	*	*
Perinatal Period Conditions	11	7.7	*	*	*	*	*	*	*	*	*	*
All Other	5	3.5	*	*	*	*	13	0.4	21	0.9	130	7.7
Injury by Firearms	*	*	*	*	5	0.3	9	0.3	7	0.3	3	0.2
Drug-Induced Deaths	*	*	*	*	*	*	*	*	*	*	*	*
Alcohol-Induced Deaths	*	*	*	*	*	*	3	0.1	9	0.4	3	0.2
Work Related Injury (Y/N Check Death Certificate)	*	*	*	*	*	*	5	0.2	*	*	*	*

*Fewer than three events in the category. Crude death rates are calculated without age adjustment. Infant (<1 year) mortality rates are per 1,000 live births. Other rates are deaths per 1,000 population of the age group. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

Deaths, crude death rates and age-adjusted death rates with 95% confidence limits from selected causes: Mesa County residents, 1999

CAUSE OF DEATH (ICD-10)	DEATHS	CRUDE RATE	AGE-ADJUSTED DEATH RATE		
			RATE	LOWER LIMIT	UPPER LIMIT
TOTAL	1,120	967.4	893.2	842.6	943.9
Cardiovascular Disease	404	348.9	316.9	286.4	347.3
Heart Disease	287	247.9	224.9	199.1	250.7
Cerebrovascular Disease	70	60.5	55.1	42.2	67.9
Atherosclerosis	13	11.2	10.2	4.7	15.7
Malignant Neoplasms	232	200.4	183.2	159.6	206.8
Lung Cancer	54	46.6	41.8	30.6	53.0
Breast Cancer	25	42.1	36.9	22.3	51.6
Chronic Obstructive Pulmonary Disease	76	65.6	58.8	45.6	72.1
Unintentional Injuries	54	46.6	47.1	34.5	59.7
Motor Vehicle	18	15.5	15.8	8.5	23.1
All Other	36	31.1	31.3	21.1	41.6
Pneumonia and Influenza	31	26.8	24.6	16.0	33.3
Suicide	24	20.7	20.8	12.4	29.2
Diabetes Mellitus	32	27.6	25.6	16.7	34.6
HIV Infection	*	*	*	*	*
Chronic Liver Disease and Cirrhosis	13	11.2	11.2	5.1	17.3
Alzheimer's Disease	36	31.1	27.9	18.8	37.0
Nephritis, Nephrosis, Nephrotic Syndrome	8	6.9	6.3	1.9	10.7
Homicide and Legal Intervention	5	4.3	4.3	0.5	8.1
Septicemia	14	12.1	10.9	5.2	16.7
Congenital Anomalies	7	6.0	6.3	1.6	11.0
Perinatal Period Conditions	11	9.5	10.3	4.3	16.4
All Other	172	148.6	137.9	117.4	158.5
Injury by Firearms	24	20.7	20.4	12.2	28.6
Drug-Induced Deaths	3	2.6	2.6	0.0	5.5
Alcohol-Induced Deaths	15	13.0	13.1	6.4	19.7
Work Related Injury (Y/N Check Death Certificate)	6	5.2	5.4	1.1	9.7

*Fewer than three events in the category. Rates are deaths per 100,000 population. Crude death rates are calculated without age adjustment. Age-adjusted rates are adjusted to the 2000 U.S. standard population using the direct method applied to 10-year age groups. Age-adjusted rates provide a better basis for comparison among different geographical areas or time periods. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

Appendix: Conversion Table of ICD-9 to ICD-10 Codes for Disease Mortality Used in Report

The *International Classification of Diseases (ICD)* is a classification system developed collaboratively between the World Health Organization (WHO) and 10 international centers so that the medical terms reported by physicians, medical examiners, and coroners on death certificates can be grouped together for statistical purposes. The purpose of the ICD and of WHO sponsorship is to promote international comparability in the collection, classification, processing, and presentation of mortality statistics. New revisions of the ICD are implemented periodically so that the classification reflects advances in medical science. Since 1900, the ICD has been modified about once every 10 years, except for the 20-year interval between the last two revisions, ICD-9 and ICD-10. Effective with deaths occurring in 1999, the United States began using the ICD-10, replacing ICD-9 used with 1979-98 data. Publications showing mortality data under ICD-10 will differ substantially from those under ICD-9 because of changes in coding rules, changes in category names and ICD numbers, and changes in the tabulation lists used to produce mortality data. The following table shows the ICD-9 and ICD-10 codes for diseases and injuries reported in this document. Data users should be mindful of the huge impact of the ICD-10 on mortality statistics and are encouraged to contact National Center for Health Statistics or the Health Statistics Section of the Colorado Department of Public Health and Environment (303-692-2160) for assistance in using the ICD-10 and data interpretation.

CAUSE	ICD-9	ICD-10
Cardiovascular Disease	390-434,436-448	I00-I78
Heart Disease	390-398,402,404,410-429	I00-I09,I11,I13,I20-I51
Cerebrovascular Diseases	430-434,436-438	I60-I69
Atherosclerosis	440	I70
Malignant Neoplasms	140-208	C00-C97
Lung Cancer	162	C33-C34
Breast Cancer	174-175	C50
Chronic Obstructive Pulmonary Disease	490-494,496	J40-J47
Unintentional Injuries	E800-E869,E880-E929	V01-X59,Y85-Y86
Motor Vehicle	E810-E825	V02-V04,V09.0,V90.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5, V81.0-V81.1,V82.0-V82.1, V83-V86, V87.0-V87.8,V88.0-V88.8,V89.0,V89.2
All Other Unintentional Injuries	E800-E809,E826-E869,E880-E929	V01,V05-V08,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9,V87.9, V88.9, V89.1,V89.3,V89.9, V90-V99, W00-X59,Y85-Y86
Pneumonia And Influenza	480-487	J10-J18
Suicide	E950-E959	X60-X84,Y87.0
Diabetes Mellitus	250	E10-E14
Human Immunodeficiency Virus Infection	042-044	B20-B24
Chronic Liver Disease And Cirrhosis	571	K70,K73-K74
Alzheimer's Disease	331.0	G30
Nephritis, Nephrosis, Nephrotic Syndrome	580-589	N00-N07,N17-N19,N25-N27
Homicide And Legal Intervention	E960-E978	X85-Y09,Y35,Y87.1,Y89.0
Septicemia	038	A40-A41
Congenital Anomalies	740-759	Q00-Q99
Perinatal Period Conditions	760-771.2,771.4-779	P00-P96
Injury By Firearms	E922,E955.0-E955.4,E965.0-E965.4,E970,E985.0-E985.4	W32-W34,X72-X74,X93-X95,Y22-Y24,Y35.0
Drug-Induced Deaths	292,304,305.2-305.9,E850-E858,E950.0-E950.5,E962.0,E980.0-E980.5	F11.0-F11.5,F11.7-F11.9,F12.0-F12.5,F12.7-F12.9,F13.0-F13.5,F13.7-F13.9,F14.0-F14.5, F14.7-F14.9, F15.0-F15.5, F15.7-F15.9,F16.0-F16.5, F16.7-F16.9,F17.0-F17.5,F17.7-F17.9, F18.0-F18.5, F18.7-F18.9,F19.0-F19.5, F19.7-F19.9, X40-X44,X60-X64,X65,Y10-Y14
Alcohol-Induced Deaths	291,303,305.0,357.5,425.5,535.3,571.0-571.3,790.3,E860	F10,G31.2,G62.1,I42.6,K29.2,K70,R78.0,X45,X65,Y15