

For more information about these tables contact the [Health Statistics Section](#) of the Colorado Department of Public Health and Environment at 303.692.2160.

## Montezuma County Births and Deaths 1999

Selected birth characteristics with 95% confidence limit: Montezuma County residents, 1999 .....	2
Selected birth characteristics by age group of mother: Montezuma County residents, 1999 .....	3
Selected birth characteristics by race/ethnicity of mother: Montezuma County residents, 1999 .....	4
Live births and fertility rates with 95% confidence limits by age of mother: Montezuma County residents, 1999 .....	5
Vital statistics summary: Montezuma County residents, 1989, 1995-1999 .....	6
Deaths from selected causes by race/ethnicity: Montezuma County residents, 1999 .....	7
Deaths and crude death rates with 95% confidence limits by age group: Montezuma County residents, 1999 .....	8
Deaths and crude death rates from selected causes by age group: Montezuma County residents, 1999 .....	9
Deaths, crude death rates and age-adjusted death rates with 95% confidence limits from selected causes:	
Montezuma County residents, 1999 .....	10
Appendix: Conversion Table of ICD-9 to ICD-10 Codes for Disease Mortality Used in Report .....	11

## Selected birth characteristics with 95% confidence limit: Montezuma County residents, 1999

CHARACTERISTIC	NUMBER	PERCENT	LOWER LIMIT	UPPER LIMIT
Total Live Births	317	100.0	100.0	100.0
Age of Mother				
10-17	19	6.0	3.2	8.8
18-19	36	11.4	7.7	15.0
20-29	184	58.0	52.5	63.6
30+	78	24.6	19.7	29.5
Low Weight Births (<2,500 Grams)	16	5.0	2.5	7.6
Very Low Weight Births (<1,500 Grams)	3	0.9	0.0	2.0
Prenatal Care Later than 1st Trimester	98	31.1	25.8	36.4
No Prenatal Care	11	3.5	1.3	5.7
Preterm Births (<37 Weeks)	17	5.4	2.8	8.1
Education of Mother <12 Years	73	23.3	18.5	28.2
Live Births to Unmarried Women	105	33.1	27.8	38.5
Smoking During Pregnancy	45	14.2	10.2	18.2

\*Fewer than three events in the category. Sums may not add to total due to cases with age of mother unknown. Percentages are of total births, excluding cases with specific characteristics unknown. See the technical notes of Colorado Vital Statistics Annual Report for definitions of data items and explanation of confidence limits. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

## Selected birth characteristics by age group of mother: Montezuma County residents, 1999

CHARACTERISTIC	ALL AGES		10-17		18-19		20-29		30+	
	N	%	N	%	N	%	N	%	N	%
Total Live Births	317	100.0	19	100.0	36	100.0	184	100.0	78	100.0
Race/Ethnicity of Mother										
White/Non-Hispanic	225	71.0	11	57.9	27	75.0	130	70.7	57	73.1
White/Hispanic	35	11.0	4	21.1	5	13.9	22	12.0	4	5.1
Black	*	*	*	*	*	*	*	*	*	*
Other	57	18.0	4	21.1	4	11.1	32	17.4	17	21.8
Low Weight Births (<2,500 Grams)	16	5.0	*	*	*	*	10	5.4	6	7.7
Very Low Weight Births (<1,500 Grams)	3	0.9	*	*	*	*	*	*	*	*
Prenatal Care Started after 1st Trimester	98	31.1	7	38.9	16	44.4	56	30.6	19	24.4
No Prenatal Care	11	3.5	*	*	*	*	6	3.3	4	5.1
Preterm Births (<37 Weeks)	17	5.4	*	*	*	*	10	5.5	5	6.5
Education of Mother <12 Years	73	23.3	15	78.9	20	57.1	34	18.7	4	5.2
Births to Unmarried Women	105	33.1	17	89.5	23	63.9	54	29.3	11	14.1
Mother Smoked During Pregnancy	45	14.2	6	31.6	12	33.3	23	12.5	4	5.1

\*Fewer than three events in the category. Sums may not add to total due to cases with age of mother unknown. Percentages are of total births, excluding cases with specific characteristics unknown. See the technical notes of Colorado Vital Statistics Annual Report for definition of data items and explanation of confidence limits. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

## Selected birth characteristics by race/ethnicity of mother: Montezuma County residents, 1999

CHARACTERISTIC	WHITE/ NON-HISPANIC		WHITE /HISPANIC		BLACK		ASIAN		AMERICAN INDIAN	
	N	%	N	%	N	%	N	%	N	%
Total Live Births	225	100.0	35	100.0	*	*	3	100.0	54	100.0
Age of Mother										
10-17	11	4.9	4	11.4	*	*	*	*	4	7.4
18-19	27	12.0	5	14.3	*	*	*	*	4	7.4
20-29	130	57.8	22	62.9	*	*	*	*	30	55.6
30+	57	25.3	4	11.4	*	*	*	*	16	29.6
Low Weight Births (<2,500 Grams)	13	5.8	*	*	*	*	*	*	*	*
Very Low Weight Births (<1,500 Grams)	3	1.3	*	*	*	*	*	*	*	*
Prenatal Care Later than 1st Trimester	61	27.1	14	40.0	*	*	*	*	22	42.3
No Prenatal Care	8	3.6	*	*	*	*	*	*	3	5.8
Preterm Births (<37 Weeks)	13	5.9	*	*	*	*	*	*	*	*
Education of Mother <12 Years	39	17.3	15	42.9	*	*	*	*	18	36.0
Live Births to Unmarried Women	59	26.2	18	51.4	*	*	*	*	28	51.9
Mother Smoking During Pregnancy	38	16.9	5	14.3	*	*	*	*	*	*

\*Fewer than three events in the category. Sums may not add to total due to cases with age or race/ethnicity of mother unknown or not presented. Percentages are of total births of each race/ethnicity group, excluding cases with specific characteristics unknown. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

## Live births and fertility rates with 95% confidence limits by age of mother: Montezuma County residents, 1999

	BIRTHS	POPULATION	FERTILITY RATE	LOWER LIMIT	UPPER LIMIT
ALL AGES	317	5,006	63.3	56.5	70.2
TEENAGE GROUP					
13-14	*	356	*	*	*
15-17	17	572	29.7	14.9	44.5
18-19	36	363	99.2	67.0	131.3
10-17	19	1,455	13.1	6.9	19.2
10-19	55	1,818	30.3	22.1	38.4
ALL AGE GROUPS					
10-14	*	883	*	*	*
15-19	53	935	56.7	41.3	72.0
20-24	108	765	141.2	115.8	166.5
25-29	76	656	115.9	90.6	141.1
30-34	54	753	71.7	52.6	90.8
35-39	22	921	23.9	13.5	34.3
40-49	*	1,825	*	*	*

\*Fewer than three events in the category. Sums may not add to total due to cases with age of mother unknown. Rates are live births per 1,000 female population in each age group. Population data for "all ages" are females aged 15-44. See the technical notes of Colorado Vital Statistics Annual Report for explanation of confidence limits. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

## Vital statistics summary: Montezuma County residents, 1989, 1995-1999

	1989	1995	1996	1997	1998	1999	1995-1999 ANNUAL AVERAGE
TOTAL POPULATION	18,477	21,964	22,411	22,693	22,797	23,167	22,606
Total Births							
Number	316	319	341	275	320	317	314
Birth Rate	17.1	14.5	15.2	12.1	14.0	13.7	13.9
General Fertility Rate	79.8	66.2	69.6	55.5	64.7	63.3	63.9
Age of Mother 10-17							
Number	17	15	21	15	11	19	16
Percent of Total Births	5.4	4.7	6.2	5.5	3.4	6.0	5.2
Fertility Rate	14.0	10.0	14.0	10.1	7.5	13.1	10.9
Low Weight Births (<2,500 Grams)							
Number	23	32	23	29	25	16	25
Percent	7.3	10.0	6.7	10.5	7.8	5.0	8.0
Prenatal Care Later Than 1st Trimester							
Number	89	82	124	81	87	98	94
Percent	28.3	26.5	36.6	29.6	27.3	31.1	30.3
Births To Unmarried Women							
Number	78	119	118	103	112	105	111
Percent	24.7	37.3	34.6	37.5	35.0	33.1	35.4
Mother's Education <12 Years							
Number	77	76	77	54	79	73	72
Percent	24.8	24.1	22.7	19.7	24.7	23.3	23.0
Infant Deaths							
Number	4	4	3	*	3	*	3
Rate	12.7	12.5	8.8	*	9.4	*	8.9
Neonatal Deaths							
Number	*	*	*	*	*	*	*
Rate	*	*	*	*	*	*	*
Underlying Cause of Death All Causes							
Number	163	194	200	194	220	237	209
Crude Rate	882.2	883.3	892.4	854.9	965.0	1,023.0	924.5
Age-Adjusted Rate	956.5	1,006.7	977.4	922.7	999.5	1,054.3	992.0
Cardiovascular Disease							
Number	58	53	63	65	82	78	68
Age-Adjusted Rate	343.7	287.3	310.7	318.9	376.5	358.1	332.3
Heart Disease							
Number	48	45	49	55	64	55	54
Age-Adjusted Rate	282.1	241.8	241.0	271.3	292.2	251.8	260.2
Cerebrovascular Disease							
Number	5	8	10	9	15	18	12
Age-Adjusted Rate	30.0	45.5	50.0	43.1	70.3	83.5	59.4
Malignant Neoplasms							
Number	36	40	42	44	42	47	43
Age-Adjusted Rate	209.8	203.6	198.3	194.5	184.8	197.4	194.5
Lung Cancer							
Number	11	13	11	14	12	14	13
Age-Adjusted Rate	64.7	60.7	51.7	61.2	51.1	55.9	55.6
Breast Cancer							
Number	*	3	*	*	*	4	*
Age-Adjusted Rate	*	24.3	*	*	*	30.4	*
Total Unintentional Injuries							
Number	15	18	14	15	15	18	16
Age-Adjusted Rate	81.9	79.9	66.6	69.6	65.1	83.2	73.5
Motor Vehicle							
Number	9	13	8	8	6	7	8
Age-Adjusted Rate	47.6	57.7	36.0	37.1	26.6	31.3	37.6
All Other Unintentional Injuries							
Number	6	5	6	7	9	11	8
Age-Adjusted Rate	34.3	22.3	30.6	32.5	38.5	51.9	35.8
Chronic Obstructive Pulmonary Disease							
Number	8	12	16	14	21	20	17
Age-Adjusted Rate	45.9	55.1	75.2	66.5	92.8	86.5	76.3
Suicide							
Number	8	5	7	4	3	*	4
Age-Adjusted Rate	44.0	24.4	31.2	18.2	13.7	*	18.1
Homicide and Legal Intervention							
Number	*	*	*	*	*	*	*
Age-Adjusted Rate	*	*	*	*	*	*	*
Work-Related Injury							
Number	*	*	*	*	3	*	*
Age-Adjusted Rate	*	*	*	*	12.9	*	*

\*Fewer than three events in the category. Birth rates are per 1,000 total population. General fertility rates are births per 1,000 females aged 15-44. Fertility rates for mothers age 10-17 are births per 1,000 females of this age group. Infant and neonatal mortality rates are per 1,000 live births. Other death rates are per 100,000 population. Age-adjusted rates are adjusted to the 2000 U.S. population using the direct method applied to 10-year age groups. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

## Deaths from selected causes by race/ethnicity: Montezuma County residents, 1999

CAUSE OF DEATH (ICD-10)	ALL RACES		WHITE/ NON-HISPANIC		WHITE /HISPANIC		BLACK		ASIAN		AMERICAN INDIAN	
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	237	100.0	209	100.0	12	100.0	16	100.0	*	*	*	*
Cardiovascular Disease	78	32.9	72	34.4	4	33.3	*	*	*	*	*	*
Heart Disease	55	23.2	51	24.4	3	25.0	*	*	*	*	*	*
Cerebrovascular Disease	18	7.6	16	7.7	*	*	*	*	*	*	*	*
Atherosclerosis	*	*	*	*	*	*	*	*	*	*	*	*
Malignant Neoplasms	47	19.8	46	22.0	*	*	*	*	*	*	*	*
Lung Cancer	14	5.9	14	6.7	*	*	*	*	*	*	*	*
Breast Cancer	4	1.7	4	1.9	*	*	*	*	*	*	*	*
Chronic Obstructive Pulmonary Disease	20	8.4	19	9.1	*	*	*	*	*	*	*	*
Unintentional Injuries	18	7.6	13	6.2	*	*	4	25.0	*	*	*	*
Motor Vehicle	7	3.0	6	2.9	*	*	*	*	*	*	*	*
All Other	11	4.6	7	3.3	*	*	3	18.8	*	*	*	*
Pneumonia and Influenza	9	3.8	8	3.8	*	*	*	*	*	*	*	*
Suicide	*	*	*	*	*	*	*	*	*	*	*	*
Diabetes Mellitus	12	5.1	8	3.8	*	*	*	12.5	*	*	*	*
HIV Infection	*	*	*	*	*	*	*	*	*	*	*	*
Chronic Liver Disease and Cirrhosis	6	2.5	*	*	*	*	4	25.0	*	*	*	*
Alzheimer's Disease	4	1.7	4	1.9	*	*	*	*	*	*	*	*
Nephritis, Nephrosis, Nephrotic Syndrome	3	1.3	3	1.4	*	*	*	*	*	*	*	*
Homicide and Legal Intervention	*	*	*	*	*	*	*	*	*	*	*	*
Septicemia	*	*	*	*	*	*	*	*	*	*	*	*
Congenital Anomalies	*	*	*	*	*	*	*	*	*	*	*	*
Perinatal Period Conditions	*	*	*	*	*	*	*	*	*	*	*	*
All Other	35	14.8	31	14.8	3	25.0	*	*	*	*	*	*
Injury by Firearms	3	1.3	3	1.4	*	*	*	*	*	*	*	*
Drug-Induced Deaths	*	*	*	*	*	*	*	*	*	*	*	*
Alcohol-Induced Deaths	9	3.8	3	1.4	*	*	5	31.3	*	*	*	*
Work Related Injury (Y/N Check Death Certificate)	*	*	*	*	*	*	*	*	*	*	*	*

\*Fewer than three events in the category. Percentages are of total deaths of each race/ethnicity category. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

**Deaths and crude death rates with 95% confidence limits by age group: Montezuma County residents, 1999**

AGE GROUP	DEATHS	POPULATION	AGE-SPECIFIC DEATH RATE	LOWER LIMIT	UPPER LIMIT
ALL AGES	237	23,167	10.2	8.9	11.5
INFANT	*	317	*	*	*
NEONATAL	*	317	*	*	*
1-4	*	1,321	*	*	*
5-9	*	1,825	*	*	*
10-14	*	1,897	*	*	*
15-19	*	1,895	*	*	*
20-24	*	1,541	*	*	*
25-29	3	1,322	2.3	0.0	4.9
30-34	3	1,423	2.1	0.0	4.5
35-39	5	1,739	2.9	0.1	5.7
40-44	7	1,871	3.7	0.7	6.8
45-49	8	1,709	4.7	1.2	8.2
50-54	5	1,337	3.7	0.1	7.4
55-59	8	1,026	7.8	1.9	13.7
60-64	16	875	18.3	8.8	27.7
65-69	23	883	26.0	15.0	37.1
70-74	26	822	31.6	19.1	44.2
75-79	40	645	62.0	42.6	81.4
80-84	29	409	70.9	44.8	97.0
85+	59	306	192.8	147.0	238.6
1-14	*	5,043	*	*	*
15-24	*	3,436	*	*	*
25-64	55	11,302	4.9	3.5	6.2
65+	177	3,065	57.7	49.3	66.2

\*Fewer than three events in the category. Infant death is death in the first year of life. Neonatal death is death occurring prior to the 28th day of life. Infant and neonatal mortality rates are per 1,000 live births. Other death rates are per 1,000 population of the age group. Population figures for infant and neonatal groups are live births. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

## Deaths and crude death rates from selected causes by age group: Montezuma County residents, 1999

CAUSE OF DEATH (ICD-10)	<1		1-14		15-24		25-44		45-64		65+	
	N	RATE	N	RATE	N	RATE	N	RATE	N	RATE	N	RATE
TOTAL	*	*	*	*	*	*	18	2.8	37	7.5	177	57.7
Cardiovascular Disease	*	*	*	*	*	*	*	*	11	2.2	65	21.2
Heart Disease	*	*	*	*	*	*	*	*	6	1.2	47	15.3
Cerebrovascular Disease	*	*	*	*	*	*	*	*	5	1.0	13	4.2
Atherosclerosis	*	*	*	*	*	*	*	*	*	*	*	*
Malignant Neoplasms	*	*	*	*	*	*	*	*	6	1.2	39	12.7
Lung Cancer	*	*	*	*	*	*	*	*	*	*	12	3.9
Breast Cancer	*	*	*	*	*	*	*	*	*	*	3	1.7
Chronic Obstructive Pulmonary Disease	*	*	*	*	*	*	*	*	*	*	18	5.9
Unintentional Injuries	*	*	*	*	*	*	7	1.1	3	0.6	6	2.0
Motor Vehicle	*	*	*	*	*	*	3	0.5	*	*	*	*
All Other	*	*	*	*	*	*	4	0.6	*	*	5	1.6
Pneumonia and Influenza	*	*	*	*	*	*	*	*	*	*	8	2.6
Suicide	*	*	*	*	*	*	*	*	*	*	*	*
Diabetes Mellitus	*	*	*	*	*	*	*	*	3	0.6	8	2.6
HIV Infection	*	*	*	*	*	*	*	*	*	*	*	*
Chronic Liver Disease and Cirrhosis	*	*	*	*	*	*	*	*	*	*	3	1.0
Alzheimer's Disease	*	*	*	*	*	*	*	*	*	*	4	1.3
Nephritis, Nephrosis, Nephrotic Syndrome	*	*	*	*	*	*	*	*	*	*	3	1.0
Homicide and Legal Intervention	*	*	*	*	*	*	*	*	*	*	*	*
Septicemia	*	*	*	*	*	*	*	*	*	*	*	*
Congenital Anomalies	*	*	*	*	*	*	*	*	*	*	*	*
Perinatal Period Conditions	*	*	*	*	*	*	*	*	*	*	*	*
All Other	*	*	*	*	*	*	4	0.6	7	1.4	23	7.5
Injury by Firearms	*	*	*	*	*	*	*	*	*	*	*	*
Drug-Induced Deaths	*	*	*	*	*	*	*	*	*	*	*	*
Alcohol-Induced Deaths	*	*	*	*	*	*	3	0.5	*	*	4	1.3
Work Related Injury (Y/N Check Death Certificate)	*	*	*	*	*	*	*	*	*	*	*	*

Fewer than three events in the category. Crude death rates are calculated without age adjustment. Infant (<1 year) mortality rates are per 1,000 live births. Other rates are deaths per 1,000 population of the age group. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

**Deaths, crude death rates and age-adjusted death rates with 95% confidence limits from selected causes: Montezuma County residents, 1999**

CAUSE OF DEATH (ICD-10)	DEATHS	CRUDE RATE	AGE-ADJUSTED DEATH RATE		
			RATE	LOWER LIMIT	UPPER LIMIT
TOTAL	237	1,023.0	1,054.3	925.3	1,183.3
Cardiovascular Disease	78	336.7	358.1	280.6	435.7
Heart Disease	55	237.4	251.8	186.3	317.3
Cerebrovascular Disease	18	77.7	83.5	45.0	121.9
Atherosclerosis	*	*	*	*	*
Malignant Neoplasms	47	202.9	197.4	141.0	253.7
Lung Cancer	14	60.4	55.9	26.6	85.1
Breast Cancer	4	33.8	30.4	0.5	60.3
Chronic Obstructive Pulmonary Disease	20	86.3	86.5	48.6	124.4
Unintentional Injuries	18	77.7	83.2	44.7	121.6
Motor Vehicle	7	30.2	31.3	8.1	54.4
All Other	11	47.5	51.9	21.2	82.6
Pneumonia and Influenza	9	38.8	40.6	14.0	67.2
Suicide	*	*	*	*	*
Diabetes Mellitus	12	51.8	52.4	22.7	82.0
HIV Infection	*	*	*	*	*
Chronic Liver Disease and Cirrhosis	6	25.9	25.1	5.0	45.3
Alzheimer's Disease	4	17.3	18.6	0.3	36.9
Nephritis, Nephrosis, Nephrotic Syndrome	3	12.9	14.0	0.0	29.9
Homicide and Legal Intervention	*	*	*	*	*
Septicemia	*	*	*	*	*
Congenital Anomalies	*	*	*	*	*
Perinatal Period Conditions	*	*	*	*	*
All Other	35	151.1	155.7	104.1	207.2
Injury by Firearms	3	12.9	13.2	0.0	28.1
Drug-Induced Deaths	*	*	*	*	*
Alcohol-Induced Deaths	9	38.8	38.8	13.4	64.3
Work Related Injury (Y/N Check Death Certificate)	*	*	*	*	*

\*Fewer than three events in the category. Rates are deaths per 100,000 population. Crude death rates are calculated without age adjustment. Age-adjusted rates are adjusted to the 2000 U.S. standard population using the direct method applied to 10-year age groups. Age-adjusted rates provide a better basis for comparison among different geographical areas or time periods. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

## Appendix: Conversion Table of ICD-9 to ICD-10 Codes for Disease Mortality Used in Report

The *International Classification of Diseases (ICD)* is a classification system developed collaboratively between the World Health Organization (WHO) and 10 international centers so that the medical terms reported by physicians, medical examiners, and coroners on death certificates can be grouped together for statistical purposes. The purpose of the ICD and of WHO sponsorship is to promote international comparability in the collection, classification, processing, and presentation of mortality statistics. New revisions of the ICD are implemented periodically so that the classification reflects advances in medical science. Since 1900, the ICD has been modified about once every 10 years, except for the 20-year interval between the last two revisions, ICD-9 and ICD-10. Effective with deaths occurring in 1999, the United States began using the ICD-10, replacing ICD-9 used with 1979-98 data. Publications showing mortality data under ICD-10 will differ substantially from those under ICD-9 because of changes in coding rules, changes in category names and ICD numbers, and changes in the tabulation lists used to produce mortality data. The following table shows the ICD-9 and ICD-10 codes for diseases and injuries reported in this document. Data users should be mindful of the huge impact of the ICD-10 on mortality statistics and are encouraged to contact National Center for Health Statistics or the Health Statistics Section of the Colorado Department of Public Health and Environment (303-692-2160) for assistance in using the ICD-10 and data interpretation.

CAUSE	ICD-9	ICD-10
Cardiovascular Disease	390-434,436-448	I00-I78
Heart Disease	390-398,402,404,410-429	I00-I09,I11,I13,I20-I51
Cerebrovascular Diseases	430-434,436-438	I60-I69
Atherosclerosis	440	I70
Malignant Neoplasms	140-208	C00-C97
Lung Cancer	162	C33-C34
Breast Cancer	174-175	C50
Chronic Obstructive Pulmonary Disease	490-494,496	J40-J47
Unintentional Injuries	E800-E869,E880-E929	V01-X59,Y85-Y86
Motor Vehicle	E810-E825	V02-V04,V09,0,V90,2,V12-V14,V19,0-V19,2,V19,4-V19,6,V20-V79,V80,3-V80,5,V81,0-V81,1,V82,0-V82,1,V83-V86,V87,0-V87,8,V88,0-V88,8,V89,0,V89,2
All Other Unintentional Injuries	E800-E809,E826-E869,E880-E929	V01,V05-V08,V09,1,V09,3-V09,9,V10-V11,V15-V18,V19,3,V19,8-V19,9,V80,0-V80,2,V80,6-V80,9,V81,2-V81,9,V82,2-V82,9,V87,9,V88,9,V89,1,V89,3,Y89,9,V90-V99,W00-X59,Y85-Y86
Pneumonia And Influenza	480-487	J10-J18
Suicide	E950-E959	X60-X84,Y87,0
Diabetes Mellitus	250	E10-E14
Human Immunodeficiency Virus Infection	042-044	B20-B24
Chronic Liver Disease And Cirrhosis	571	K70,K73-K74
Alzheimer's Disease	331.0	G30
Nephritis, Nephrosis, Nephrotic Syndrome	580-589	N00-N07,N17-N19,N25-N27
Homicide And Legal Intervention	E960-E978	X85-Y09,Y35,Y87,1,Y89,0
Septicemia	038	A40-A41
Congenital Anomalies	740-759	Q00-Q99
Perinatal Period Conditions	760-771,2,771.4-779	P00-P96
Injury By Firearms	E922,E955,0-E955,4,E965,0-E965,4,E970,E985,0-E985,4	W32-W34,X72-X74,X93-X95,Y22-Y24,Y35,0
Drug-Induced Deaths	292,304,305,2-305,9,E850-E858,E950,0-E950,5,E962,0,E980,0-E980,5	F11,0-F11,5,F11,7-F11,9,F12,0-F12,5,F12,7-F12,9,F13,0-F13,5,F13,7-F13,9,F14,0-F14,5,F14,7-F14,9,F15,0-F15,5,F15,7-F15,9,F16,0-F16,5,F16,7-F16,9,F17,0,F17,3-F17,5,F17,7-F17,9,F18,0-F18,5,F18,7-F18,9,F19,0-F19,5,F19,7-F19,9,X40-X44,X60-X64,X85,Y10-Y14
Alcohol-Induced Deaths	291,303,305,0,357,5,425,5,535,3,571,0-571,3,790,3,E860	F10,G31,2,G62,1,I42,6,K29,2,K70,R78,0,X45,X65,Y15