

For more information about these tables contact the [Health Statistics Section](#) of the Colorado Department of Public Health and Environment at 303.692.2160.

Phillips County Births and Deaths 1999

Selected birth characteristics with 95% confidence limit: Phillips County residents, 1999	2
Selected birth characteristics by age group of mother: Phillips County residents, 1999	3
Selected birth characteristics by race/ethnicity of mother: Phillips County residents, 1999	4
Live births and fertility rates with 95% confidence limits by age of mother: Phillips County residents, 1999	5
Vital statistics summary: Phillips County residents, 1989, 1995-1999	6
Deaths from selected causes by race/ethnicity: Phillips County residents, 1999	7
Deaths and crude death rates with 95% confidence limits by age group: Phillips County residents, 1999	8
Deaths and crude death rates from selected causes by age group: Phillips County residents, 1999	9
Deaths, crude death rates and age-adjusted death rates with 95% confidence limits from selected causes: Phillips County residents, 1999	10
Appendix: Conversion Table of ICD-9 to ICD-10 Codes for Disease Mortality Used in Report	11

Selected birth characteristics with 95% confidence limit: Phillips County residents, 1999

CHARACTERISTIC	NUMBER	PERCENT	LOWER LIMIT	UPPER LIMIT
Total Live Births	51	100.0	100.0	100.0
Age of Mother				
10-17	*	*	*	*
18-19	4	7.8	*	15.7
20-29	28	54.9	40.3	69.5
30+	17	33.3	19.4	47.3
Low Weight Births (<2,500 Grams)	*	*	*	*
Very Low Weight Births (<1,500 Grams)	*	*	*	*
Prenatal Care Later than 1st Trimester	9	17.6	6.2	29.1
No Prenatal Care	*	*	*	*
Preterm Births (<37 Weeks)	*	*	*	*
Education of Mother <12 Years	13	25.5	12.5	38.4
Live Births to Unmarried Women	5	9.8	0.7	18.9
Smoking During Pregnancy	4	7.8	0.0	15.7

*Fewer than three events in the category. Sums may not add to total due to cases with age of mother unknown. Percentages are of total births, excluding cases with specific characteristics unknown. See the technical notes of Colorado Vital Statistics Annual Report for definitions of data items and explanation of confidence limits. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

Selected birth characteristics by age group of mother: Phillips County residents, 1999

CHARACTERISTIC	ALL AGES		10-17		18-19		20-29		30+	
	N	%	N	%	N	%	N	%	N	%
Total Live Births	51	100.0	*	*	4	100.0	28	100.0	17	100.0
Race/Ethnicity of Mother										
White/Non-Hispanic	38	74.5	*	*	3	75.0	21	75.0	13	76.5
White/Hispanic	13	25.5	*	*	*	*	7	25.0	4	23.5
Black	*	*	*	*	*	*	*	*	*	*
Other	*	*	*	*	*	*	*	*	*	*
Low Weight Births (<2,500 Grams)	*	*	*	*	*	*	*	*	*	*
Very Low Weight Births (<1,500 Grams)	*	*	*	*	*	*	*	*	*	*
Prenatal Care Started after 1st Trimester	9	17.6	*	*	*	*	5	17.9	3	17.6
No Prenatal Care	*	*	*	*	*	*	*	*	*	*
Preterm Births (<37 Weeks)	*	*	*	*	*	*	*	*	*	*
Education of Mother <12 Years	13	25.5	*	*	*	*	7	25.0	*	*
Births to Unmarried Women	5	9.8	*	*	*	*	*	*	*	*
Mother Smoked During Pregnancy	4	7.8	*	*	*	*	4	14.3	*	*

*Fewer than three events in the category. Sums may not add to total due to cases with age of mother unknown. Percentages are of total births, excluding cases with specific characteristics unknown. See the technical notes of Colorado Vital Statistics Annual Report for definition of data items and explanation of confidence limits. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

Selected birth characteristics by race/ethnicity of mother: Phillips County residents, 1999

CHARACTERISTIC	WHITE/ NON-HISPANIC		WHITE /HISPANIC		BLACK		ASIAN		AMERICAN INDIAN	
	N	%	N	%	N	%	N	%	N	%
Total Live Births	38	100.0	13	100.0	*	*	*	*	*	*
Age of Mother										
10-17	*	*	*	*	*	*	*	*	*	*
18-19	3	7.9	*	*	*	*	*	*	*	*
20-29	21	55.3	7	53.8	*	*	*	*	*	*
30+	13	34.2	4	30.8	*	*	*	*	*	*
Low Weight Births (<2,500 Grams)	*	*	*	*	*	*	*	*	*	*
Very Low Weight Births (<1,500 Grams)	*	*	*	*	*	*	*	*	*	*
Prenatal Care Later than 1st Trimester	3	7.9	6	46.2	*	*	*	*	*	*
No Prenatal Care	*	*	*	*	*	*	*	*	*	*
Preterm Births (<37 Weeks)	*	*	*	*	*	*	*	*	*	*
Education of Mother <12 Years	6	15.8	7	53.8	*	*	*	*	*	*
Live Births to Unmarried Women	3	7.9	*	*	*	*	*	*	*	*
Mother Smoking During Pregnancy	4	10.5	*	*	*	*	*	*	*	*

*Fewer than three events in the category. Sums may not add to total due to cases with age or race/ethnicity of mother unknown or not presented. Percentages are of total births of each race/ethnicity group, excluding cases with specific characteristics unknown. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

Live births and fertility rates with 95% confidence limits by age of mother: Phillips County residents, 1999

	BIRTHS	POPULATION	FERTILITY RATE	LOWER LIMIT	UPPER LIMIT
ALL AGES	51	907	56.2	40.7	71.8
TEENAGE GROUP					
13-14	*	69	*	*	*
15-17	*	111	*	*	*
18-19	4	58	69.0	0.0	137.9
10-17	*	279	*	*	*
10-19	6	337	17.8	2.2	33.4
ALL AGE GROUPS					
10-14	*	168	*	*	*
15-19	6	169	35.5	4.6	66.4
20-24	15	131	114.5	56.2	172.8
25-29	13	112	116.1	52.3	179.9
30-34	10	122	82.0	29.2	134.7
35-39	5	177	28.2	1.0	55.5
40-49	*	361	*	*	*

*Fewer than three events in the category. Sums may not add to total due to cases with age of mother unknown. Rates are live births per 1,000 female population in each age group. Population data for "all ages" are females aged 15-44. See the technical notes of Colorado Vital Statistics Annual Report for explanation of confidence limits. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

Vital statistics summary: Phillips County residents, 1989, 1995-1999

	1989	1995	1996	1997	1998	1999	1995-1999 ANNUAL AVERAGE
TOTAL POPULATION	4,294	4,537	4,575	4,651	4,661	4,620	4,609
Total Births							
Number	52	60	57	60	74	51	60
Birth Rate	12.1	13.2	12.5	12.9	15.9	11.0	13.1
General Fertility Rate	64.4	69.0	65.1	66.9	81.7	56.2	67.8
Age of Mother 10-17							
Number	5	3	4	3	*	*	3
Percent of Total Births	9.6	5.0	7.0	5.0	*	*	4.6
Fertility Rate	20.4	10.9	14.3	10.5	*	*	10.0
Low Weight Births (<2,500 Grams)							
Number	3	*	5	*	6	*	3
Percent	5.8	*	8.8	*	8.1	*	5.3
Prenatal Care Later Than 1st Trimester							
Number	10	15	12	15	12	9	13
Percent	19.2	25.0	21.1	25.0	16.4	17.6	20.9
Births To Unmarried Women							
Number	4	10	12	10	12	5	10
Percent	7.7	16.7	21.1	16.7	16.2	9.8	16.2
Mother's Education <12 Years							
Number	9	14	9	17	13	13	13
Percent	17.3	23.3	15.8	28.3	17.6	25.5	21.9
Infant Deaths							
Number	*	*	*	*	*	*	*
Rate	*	*	*	*	*	*	*
Neonatal Deaths							
Number	*	*	*	*	*	*	*
Rate	*	*	*	*	*	*	*
Underlying Cause of Death All Causes							
Number	51	41	53	72	48	51	53
Crude Rate	1,187.6	903.7	1,158.5	1,548.1	1,029.8	1,103.9	1,150.0
Age-Adjusted Rate	763.1	586.2	759.5	1,002.3	695.1	720.8	754.8
Cardiovascular Disease							
Number	20	15	22	31	16	19	21
Age-Adjusted Rate	252.6	203.9	289.6	412.4	214.5	235.5	272.3
Heart Disease							
Number	14	13	19	25	13	16	17
Age-Adjusted Rate	184.8	176.1	253.3	336.4	169.6	201.1	228.2
Cerebrovascular Disease							
Number	6	*	3	4	*	3	3
Age-Adjusted Rate	67.8	*	36.3	50.7	*	34.5	36.0
Malignant Neoplasms							
Number	13	11	14	11	13	11	12
Age-Adjusted Rate	187.2	172.5	204.1	173.4	197.8	175.3	184.3
Lung Cancer							
Number	*	*	*	3	*	4	*
Age-Adjusted Rate	*	*	*	44.40	*	67.90	*
Breast Cancer							
Number	*	*	*	*	*	*	*
Age-Adjusted Rate	*	*	*	*	*	*	*
Total Unintentional Injuries							
Number	5	*	*	4	3	3	*
Age-Adjusted Rate	117.1	*	*	57.6	62.3	53.8	*
Motor Vehicle							
Number	5	*	*	*	*	*	*
Age-Adjusted Rate	117.1	*	*	*	*	*	*
All Other Unintentional Injuries							
Number	*	*	*	3	*	*	*
Age-Adjusted Rate	*	*	*	33.0	*	*	*
Chronic Obstructive Pulmonary Disease							
Number	*	4	*	5	*	5	4
Age-Adjusted Rate	*	56.1	*	65.0	*	66.4	47.7
Suicide							
Number	*	*	*	*	*	*	*
Age-Adjusted Rate	*	*	*	*	*	*	*
Homicide and Legal Intervention							
Number	*	*	*	*	*	*	*
Age-Adjusted Rate	*	*	*	*	*	*	*
Work-Related Injury							
Number	*	*	*	*	*	*	*
Age-Adjusted Rate	*	*	*	*	*	*	*

*Fewer than three events in the category. Birth rates are per 1,000 total population. General fertility rates are births per 1,000 females aged 15-44. Fertility rates for mothers age 10-17 are births per 1,000 females of this age group. Infant and neonatal mortality rates are per 1,000 live births. Other death rates are per 100,000 population. Age-adjusted rates are adjusted to the 2000 U.S. population using the direct method applied to 10-year age groups. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

Deaths from selected causes by race/ethnicity: Phillips County residents, 1999

CAUSE OF DEATH (ICD-10)	ALL RACES		WHITE/ NON-HISPANIC		WHITE /HISPANIC		BLACK		ASIAN		AMERICAN INDIAN	
	N	%	N	%	N	%	N	%	N	%	N	%
	<hr/>											
TOTAL	51	100.0	49	100.0	*	*	*	*	*	*	*	*
Cardiovascular Disease	19	37.3	19	38.8	*	*	*	*	*	*	*	*
Heart Disease	16	31.4	16	32.7	*	*	*	*	*	*	*	*
Cerebrovascular Disease	3	5.9	3	6.1	*	*	*	*	*	*	*	*
Atherosclerosis	*	*	*	*	*	*	*	*	*	*	*	*
Malignant Neoplasms	11	21.6	11	22.4	*	*	*	*	*	*	*	*
Lung Cancer	4	7.8	4	8.2	*	*	*	*	*	*	*	*
Breast Cancer	*	*	*	*	*	*	*	*	*	*	*	*
Chronic Obstructive Pulmonary Disease	5	9.8	5	10.2	*	*	*	*	*	*	*	*
Unintentional Injuries	3	5.9	3	6.1	*	*	*	*	*	*	*	*
Motor Vehicle	*	*	*	*	*	*	*	*	*	*	*	*
All Other	*	*	*	*	*	*	*	*	*	*	*	*
Pneumonia and Influenza	*	*	*	*	*	*	*	*	*	*	*	*
Suicide	*	*	*	*	*	*	*	*	*	*	*	*
Diabetes Mellitus	*	*	*	*	*	*	*	*	*	*	*	*
HIV Infection	*	*	*	*	*	*	*	*	*	*	*	*
Chronic Liver Disease and Cirrhosis	*	*	*	*	*	*	*	*	*	*	*	*
Alzheimer's Disease	*	*	*	*	*	*	*	*	*	*	*	*
Nephritis, Nephrosis, Nephrotic Syndrome	*	*	*	*	*	*	*	*	*	*	*	*
Homicide and Legal Intervention	*	*	*	*	*	*	*	*	*	*	*	*
Septicemia	*	*	*	*	*	*	*	*	*	*	*	*
Congenital Anomalies	*	*	*	*	*	*	*	*	*	*	*	*
Perinatal Period Conditions	*	*	*	*	*	*	*	*	*	*	*	*
All Other	9	17.6	8	16.3	*	*	*	*	*	*	*	*
Injury by Firearms	*	*	*	*	*	*	*	*	*	*	*	*
Drug-Induced Deaths	*	*	*	*	*	*	*	*	*	*	*	*
Alcohol-Induced Deaths	*	*	*	*	*	*	*	*	*	*	*	*
Work Related Injury (Y/N Check Death Certificate)	*	*	*	*	*	*	*	*	*	*	*	*

*Fewer than three events in the category. Percentages are of total deaths of each race/ethnicity category. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

Deaths and crude death rates with 95% confidence limits by age group: Phillips County residents, 1999

AGE GROUP	DEATHS	POPULATION	AGE-SPECIFIC DEATH RATE	LOWER LIMIT	UPPER LIMIT
ALL AGES	51	4,620	11.0	7.9	14.2
INFANT	*	51	*	*	*
NEONATAL	*	51	*	*	*
1-4	*	249	*	*	*
5-9	*	314	*	*	*
10-14	*	353	*	*	*
15-19	*	318	*	*	*
20-24	*	255	*	*	*
25-29	*	221	*	*	*
30-34	*	240	*	*	*
35-39	*	347	*	*	*
40-44	*	390	*	*	*
45-49	*	341	*	*	*
50-54	*	274	*	*	*
55-59	*	226	*	*	*
60-64	*	204	*	*	*
65-69	*	213	*	*	*
70-74	*	191	*	*	*
75-79	*	164	*	*	*
80-84	11	123	89.4	34.9	143.9
85+	28	135	207.4	135.3	279.5
1-14	*	916	*	*	*
15-24	*	573	*	*	*
25-64	5	2,243	2.2	0.1	4.4
65+	45	826	54.5	38.4	70.6

*Fewer than three events in the category. Infant death is death in the first year of life. Neonatal death is death occurring prior to the 28th day of life. Infant and neonatal mortality rates are per 1,000 live births. Other death rates are per 1,000 population of the age group. Population figures for infant and neonatal groups are live births. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

Deaths and crude death rates from selected causes by age group: Phillips County residents, 1999

CAUSE OF DEATH (ICD-10)	<1		1-14		15-24		25-44		45-64		65+	
	N	RATE	N	RATE	N	RATE	N	RATE	N	RATE	N	RATE
TOTAL	*	*	*	*	*	*	*	*	4	3.8	45	54.5
Cardiovascular Disease	*	*	*	*	*	*	*	*	*	*	19	23.0
Heart Disease	*	*	*	*	*	*	*	*	*	*	16	19.4
Cerebrovascular Disease	*	*	*	*	*	*	*	*	*	*	3	3.6
Atherosclerosis	*	*	*	*	*	*	*	*	*	*	*	*
Malignant Neoplasms	*	*	*	*	*	*	*	*	*	*	9	10.9
Lung Cancer	*	*	*	*	*	*	*	*	*	*	3	3.6
Breast Cancer	*	*	*	*	*	*	*	*	*	*	*	*
Chronic Obstructive Pulmonary Disease	*	*	*	*	*	*	*	*	*	*	5	6.1
Unintentional Injuries	*	*	*	*	*	*	*	*	*	*	*	*
Motor Vehicle	*	*	*	*	*	*	*	*	*	*	*	*
All Other	*	*	*	*	*	*	*	*	*	*	*	*
Pneumonia and Influenza	*	*	*	*	*	*	*	*	*	*	*	*
Suicide	*	*	*	*	*	*	*	*	*	*	*	*
Diabetes Mellitus	*	*	*	*	*	*	*	*	*	*	*	*
HIV Infection	*	*	*	*	*	*	*	*	*	*	*	*
Chronic Liver Disease and Cirrhosis	*	*	*	*	*	*	*	*	*	*	*	*
Alzheimer's Disease	*	*	*	*	*	*	*	*	*	*	*	*
Nephritis, Nephrosis, Nephrotic Syndrome	*	*	*	*	*	*	*	*	*	*	*	*
Homicide and Legal Intervention	*	*	*	*	*	*	*	*	*	*	*	*
Septicemia	*	*	*	*	*	*	*	*	*	*	*	*
Congenital Anomalies	*	*	*	*	*	*	*	*	*	*	*	*
Perinatal Period Conditions	*	*	*	*	*	*	*	*	*	*	*	*
All Other	*	*	*	*	*	*	*	*	*	*	9	10.9
Injury by Firearms	*	*	*	*	*	*	*	*	*	*	*	*
Drug-Induced Deaths	*	*	*	*	*	*	*	*	*	*	*	*
Alcohol-Induced Deaths	*	*	*	*	*	*	*	*	*	*	*	*
Work Related Injury (Y/N Check Death Certificate)	*	*	*	*	*	*	*	*	*	*	*	*

*Fewer than three events in the category. Crude death rates are calculated without age adjustment. Infant (<1 year) mortality rates are per 1,000 live births. Other rates are deaths per 1,000 population of the age group. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

Deaths, crude death rates and age-adjusted death rates with 95% confidence limits from selected causes: Phillips County residents, 1999

CAUSE OF DEATH (ICD-10)	DEATHS	CRUDE RATE	AGE-ADJUSTED DEATH RATE		
			RATE	LOWER LIMIT	UPPER LIMIT
TOTAL	51	1,103.9	720.8	526.2	915.5
Cardiovascular Disease	19	411.3	235.5	132.7	338.3
Heart Disease	16	346.3	201.1	104.4	297.8
Cerebrovascular Disease	3	64.9	34.5	0.0	73.0
Atherosclerosis	*	*	*	*	*
Malignant Neoplasms	11	238.1	175.3	70.6	279.9
Lung Cancer	4	86.6	67.9	1.1	134.7
Breast Cancer	*	*	*	*	*
Chronic Obstructive Pulmonary Disease	5	108.2	66.4	7.7	125.1
Unintentional Injuries	3	64.9	53.8	0.0	116.7
Motor Vehicle	*	*	*	*	*
All Other	*	*	*	*	*
Pneumonia and Influenza	*	*	*	*	*
Suicide	*	*	*	*	*
Diabetes Mellitus	*	*	*	*	*
HIV Infection	*	*	*	*	*
Chronic Liver Disease and Cirrhosis	*	*	*	*	*
Alzheimer's Disease	*	*	*	*	*
Nephritis, Nephrosis, Nephrotic Syndrome	*	*	*	*	*
Homicide and Legal Intervention	*	*	*	*	*
Septicemia	*	*	*	*	*
Congenital Anomalies	*	*	*	*	*
Perinatal Period Conditions	*	*	*	*	*
All Other	9	194.8	116.5	40.4	192.6
Injury by Firearms	*	*	*	*	*
Drug-Induced Deaths	*	*	*	*	*
Alcohol-Induced Deaths	*	*	*	*	*
Work Related Injury (Y/N Check Death Certificate)	*	*	*	*	*

*Fewer than three events in the category. Rates are deaths per 100,000 population. Crude death rates are calculated without age adjustment. Age-adjusted rates are adjusted to the 2000 U.S. standard population using the direct method applied to 10-year age groups. Age-adjusted rates provide a better basis for comparison among different geographical areas or time periods. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

Appendix: Conversion Table of ICD-9 to ICD-10 Codes for Disease Mortality Used in Report

The *International Classification of Diseases (ICD)* is a classification system developed collaboratively between the World Health Organization (WHO) and 10 international centers so that the medical terms reported by physicians, medical examiners, and coroners on death certificates can be grouped together for statistical purposes. The purpose of the ICD and of WHO sponsorship is to promote international comparability in the collection, classification, processing, and presentation of mortality statistics. New revisions of the ICD are implemented periodically so that the classification reflects advances in medical science. Since 1900, the ICD has been modified about once every 10 years, except for the 20-year interval between the last two revisions, ICD-9 and ICD-10. Effective with deaths occurring in 1999, the United States began using the ICD-10, replacing ICD-9 used with 1979-98 data. Publications showing mortality data under ICD-10 will differ substantially from those under ICD-9 because of changes in coding rules, changes in category names and ICD numbers, and changes in the tabulation lists used to produce mortality data. The following table shows the ICD-9 and ICD-10 codes for diseases and injuries reported in this document. Data users should be mindful of the huge impact of the ICD-10 on mortality statistics and are encouraged to contact National Center for Health Statistics or the Health Statistics Section of the Colorado Department of Public Health and Environment (303-692-2160) for assistance in using the ICD-10 and data interpretation.

CAUSE	ICD-9	ICD-10
Cardiovascular Disease	390-434, 436-448	I00-I78
Heart Disease	390-398, 402, 404, 410-429	I00-I09, I11, I13, I20-I51
Cerebrovascular Diseases	430-434, 436-438	I60-I69
Atherosclerosis	440	I70
Malignant Neoplasms	140-208	C00-C97
Lung Cancer	162	C33-C34
Breast Cancer	174-175	C50
Chronic Obstructive Pulmonary Disease	490-494, 496	J40-J47
Unintentional Injuries	E800-E869, E880-E929	V01-X59, Y85-Y86
Motor Vehicle	E810-E825	V02-V04, V09, V19, V21, V12, V14, V19, V19.0, V19.2, V19.4, V19.6, V20-V79, V80.3, V80.5, V81.0, V81.1, V82.0, V82.1, V83-V86, V87.0, V87.8, V88.0, V88.8, V89.0, V89.2
All Other Unintentional Injuries	E800-E809, E826-E869, E880-E929	V01, V05, V08, V09.1, V09.3, V09.9, V10-V11, V15-V18, V19.3, V19.8, V19.9, V80.0, V80.2, V80.6, V80.9, V81.2, V81.9, V82.2, V82.9, V87.9, V88.9, V89.1, V89.3, V89.9, V90, V99, W00-X59, Y85-Y86
Pneumonia And Influenza	480-487	J10-J18
Suicide	E950-E959	X60-X84, Y87.0
Diabetes Mellitus	250	E10-E14
Human Immunodeficiency Virus Infection	042-044	B20-B24
Chronic Liver Disease And Cirrhosis	571	K70, K73-K74
Alzheimer's Disease	331.0	G30
Nephritis, Nephrosis, Nephrotic Syndrome	580-589	N00-N07, N17-N19, N25-N27
Homicide And Legal Intervention	E960-E978	X85-Y09, Y35, Y87.1, Y89.0
Septicemia	038	A40-A41
Congenital Anomalies	740-759	Q00-Q99
Perinatal Period Conditions	760-771, 2, 771.4-779	P00-P96
Injury By Firearms	E922, E955.0-E955.4, E965.0-E965.4, E970, E985.0-E985.4	W32-W34, X72-X74, X93-X95, Y22-Y24, Y35.0
Drug-Induced Deaths	292, 304, 305.2-305.9, E850-E858, E950.0-E950.5, E962.0, E980.0-E980.5	F11.0-F11.5, F11.7-F11.9, F12.0-F12.5, F12.7-F12.9, F13.0-F13.5, F13.7-F13.9, F14.0-F14.5, F14.7-F14.9, F15.0-F15.5, F15.7-F15.9, F16.0-F16.5, F16.7-F16.9, F17.0, F17.3-F17.5, F17.7-F17.9, F18.0-F18.5, F18.7-F18.9, F19.0-F19.5, F19.7-F19.9, X40-X44, X60-X64, X85, Y10-Y14
Alcohol-Induced Deaths	291, 303, 305.0, 357.5, 425.5, 535.3, 571.0-571.3, 790.3, E860	F10, G31.2, G62.1, I42.6, K29.2, K70, R78.0, X45, X65, Y15