

For more information about these tables contact the [Health Statistics Section](#) of the Colorado Department of Public Health and Environment at 303.692.2160.

## **Pueblo County Births and Deaths 1999**

<b>Selected birth characteristics with 95% confidence limit: Pueblo County residents, 1999 .....</b>	<b>2</b>
<b>Selected birth characteristics by age group of mother: Pueblo County residents, 1999 .....</b>	<b>3</b>
<b>Selected birth characteristics by race/ethnicity of mother: Pueblo County residents, 1999 .....</b>	<b>4</b>
<b>Live births and fertility rates with 95% confidence limits by age of mother: Pueblo County residents, 1999 .....</b>	<b>5</b>
<b>Vital statistics summary: Pueblo County residents, 1989, 1995-1999 .....</b>	<b>6</b>
<b>Deaths from selected causes by race/ethnicity: Pueblo County residents, 1999 .....</b>	<b>7</b>
<b>Deaths and crude death rates with 95% confidence limits by age group: Pueblo County residents, 1999 .....</b>	<b>8</b>
<b>Deaths and crude death rates from selected causes by age group: Pueblo County residents, 1999 .....</b>	<b>9</b>
<b>Deaths, crude death rates and age-adjusted death rates with 95% confidence limits from selected causes: Pueblo County residents, 1999 .....</b>	<b>10</b>
<b>Appendix: Conversion Table of ICD-9 to ICD-10 Codes for Disease Mortality Used in Report .....</b>	<b>11</b>

## Selected birth characteristics with 95% confidence limit: Pueblo County residents, 1999

CHARACTERISTIC	NUMBER	PERCENT	LOWER LIMIT	UPPER LIMIT
Total Live Births	1,934	100.0	100.0	100.0
Age of Mother				
10-17	145	7.5	6.3	8.7
18-19	214	11.1	9.6	12.5
20-29	1,133	58.6	56.4	60.8
30+	442	22.9	21.0	24.8
Low Weight Births (<2,500 Grams)	158	8.2	6.9	9.4
Very Low Weight Births (<1,500 Grams)	24	1.2	0.7	1.8
Prenatal Care Later than 1st Trimester	355	18.4	16.6	20.2
No Prenatal Care	12	0.6	0.2	1.0
Preterm Births (<37 Weeks)	188	9.7	8.4	11.1
Education of Mother <12 Years	484	25.5	23.5	27.5
Live Births to Unmarried Women	865	44.7	42.5	47.0
Smoking During Pregnancy	327	16.9	15.2	18.6

\*Fewer than three events in the category. Sums may not add to total due to cases with age of mother unknown. Percentages are of total births, excluding cases with specific characteristics unknown. See the technical notes of Colorado Vital Statistics Annual Report for definitions of data items and explanation of confidence limits. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

## Selected birth characteristics by age group of mother: Pueblo County residents, 1999

CHARACTERISTIC	ALL AGES		10-17		18-19		20-29		30+	
	N	%	N	%	N	%	N	%	N	%
Total Live Births	1,934	100.0	145	100.0	214	100.0	1,133	100.0	442	100.0
Race/Ethnicity of Mother										
White/Non-Hispanic	938	48.5	33	22.8	92	43.0	554	48.9	259	58.6
White/Hispanic	925	47.8	107	73.8	114	53.3	541	47.7	163	36.9
Black	23	1.2	*	*	3	1.4	14	1.2	5	1.1
Other	48	2.5	4	2.8	5	2.3	24	2.1	15	3.4
Low Weight Births (2,500 Grams)	158	8.2	12	8.3	20	9.3	90	7.9	36	8.1
Very Low Weight Births (1,500 Grams)	24	1.2	*	*	3	1.4	17	1.5	4	0.9
Prenatal Care Started after 1st Trimester	355	18.4	57	39.3	52	24.4	196	17.4	50	11.3
No Prenatal Care	12	0.6	*	*	*	*	6	0.5	3	0.7
Preterm Births (<37 Weeks)	188	9.7	14	9.7	26	12.1	101	8.9	47	10.6
Education of Mother <12 Years	484	25.5	130	92.2	105	50.7	222	20.0	27	6.1
Births to Unmarried Women	865	44.7	139	95.9	171	79.9	472	41.7	83	18.8
Mother Smoked During Pregnancy	327	16.9	17	11.7	46	21.5	201	17.8	63	14.3

\*Fewer than three events in the category. Sums may not add to total due to cases with age of mother unknown. Percentages are of total births, excluding cases with specific characteristics unknown. See the technical notes of Colorado Vital Statistics Annual Report for definition of data items and explanation of confidence limits. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

## Selected birth characteristics by race/ethnicity of mother: Pueblo County residents, 1999

CHARACTERISTIC	WHITE/ NON-HISPANIC		WHITE /HISPANIC		BLACK		ASIAN		AMERICAN INDIAN	
	N	%	N	%	N	%	N	%	N	%
Total Live Births	938	100.0	925	100.0	23	100.0	18	100.0	30	100.0
Age of Mother										
10-17	33	3.5	107	11.6	*	*	*	*	4	13.3
18-19	92	9.8	114	12.3	3	13.0	*	*	4	13.3
20-29	554	59.1	541	58.5	14	60.9	8	44.4	16	53.3
30+	259	27.6	163	17.6	5	21.7	9	50.0	6	20.0
Low Weight Births (<2,500 Grams)	71	7.6	84	9.1	*	*	*	*	*	*
Very Low Weight Births (<1,500 Grams)	10	1.1	13	1.4	*	*	*	*	*	*
Prenatal Care Later than 1st Trimester	127	13.6	213	23.1	8	34.8	*	*	5	16.7
No Prenatal Care	*	*	10	1.1	*	*	*	*	*	*
Preterm Births (<37 Weeks)	86	9.2	96	10.4	*	*	*	*	*	*
Education of Mother <12 Years	149	16.1	317	35.1	4	18.2	*	*	12	41.4
Live Births to Unmarried Women	297	31.7	527	57.0	15	65.2	*	*	24	80.0
Mother Smoking During Pregnancy	178	19.0	128	13.9	5	21.7	*	*	14	46.7

\*Fewer than three events in the category. Sums may not add to total due to cases with age or race/ethnicity of mother unknown or not presented. Percentages are of total births of each race/ethnicity group, excluding cases with specific characteristics unknown. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

## Live births and fertility rates with 95% confidence limits by age of mother: Pueblo County residents, 1999

	BIRTHS	POPULATION	FERTILITY RATE	LOWER LIMIT	UPPER LIMIT
ALL AGES	1,934	30,445	63.5	60.8	66.3
TEENAGE GROUP					
13-14	9	1,916	4.7	1.4	8.0
15-17	136	3,033	44.8	37.3	52.4
18-19	214	2,451	87.3	75.9	98.7
10-17	145	7,741	18.7	15.6	21.8
10-19	359	10,192	35.2	31.6	38.9
ALL AGE GROUPS					
10-14	9	4,708	1.9	0.6	3.3
15-19	350	5,484	63.8	57.3	70.4
20-24	615	5,759	106.8	98.7	114.9
25-29	518	4,787	108.2	99.3	117.1
30-34	294	4,221	69.7	61.9	77.4
35-39	126	4,993	25.2	20.8	29.7
40-49	22	9,923	2.2	1.2	3.2

\*Fewer than three events in the category. Sums may not add to total due to cases with age of mother unknown. Rates are live births per 1,000 female population in each age group. Population data for "all ages" are females aged 15-44. See the technical notes of Colorado Vital Statistics Annual Report for explanation of confidence limits. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

# Vital statistics summary: Pueblo County residents, 1989, 1995-1999

	1989	1995	1996	1997	1998	1999	1995-1999 ANNUAL AVERAGE
TOTAL POPULATION	123,409	130,184	131,714	133,870	136,309	138,500	134,115
Total Births							
Number	1,625	1,754	1,699	1,774	1,909	1,934	1,814
Birth Rate	13.2	13.5	12.9	13.3	14.0	14.0	13.5
General Fertility Rate	58.0	61.8	59.0	60.3	63.7	63.5	61.7
Age of Mother 10-17							
Number	127	145	153	158	154	145	151
Percent of Total Births	7.8	8.3	9.0	8.9	8.1	7.5	8.3
Fertility Rate	19.3	19.0	19.9	20.4	19.9	18.7	19.6
Low Weight Births (<2,500 Grams)							
Number	128	155	158	180	164	158	163
Percent	7.9	8.8	9.3	10.1	8.6	8.2	9.0
Prenatal Care Later Than 1st Trimester							
Number	516	297	286	299	406	355	329
Percent	32.0	17.2	16.9	16.9	21.3	18.4	18.2
Births To Unmarried Women							
Number	582	725	703	810	805	865	782
Percent	35.8	41.3	41.4	45.7	42.2	44.7	43.1
Mother's Education <12 Years							
Number	395	385	400	451	495	484	443
Percent	24.4	22.2	23.7	25.5	26.1	25.5	24.6
Infant Deaths							
Number	15	9	15	20	8	16	14
Rate	9.2	5.1	8.8	11.3	4.2	8.3	7.5
Neonatal Deaths							
Number	7	5	9	8	6	10	8
Rate	4.30	2.90	5.30	4.50	3.10	5.20	4.20
Underlying Cause of Death All Causes							
Number	1,159	1,312	1,300	1,366	1,348	1,398	1,345
Crude Rate	939.2	1,007.8	987.0	1,020.4	988.9	1,009.4	1,002.7
Age-Adjusted Rate	893.4	920.1	893.7	926.5	894.5	916.9	910.5
Cardiovascular Disease							
Number	457	465	456	472	468	466	465
Age-Adjusted Rate	351.2	322.7	311.3	315.6	306.1	301.3	311.3
Heart Disease							
Number	343	340	343	334	351	332	340
Age-Adjusted Rate	263.4	236.6	234.4	222.9	230.0	215.7	227.9
Cerebrovascular Disease							
Number	87	85	76	83	80	83	81
Age-Adjusted Rate	67.1	59.0	51.5	55.9	52.3	53.4	54.3
Malignant Neoplasms							
Number	230	272	251	277	253	250	261
Age-Adjusted Rate	171.3	188.5	168.9	188.0	165.0	163.8	174.5
Lung Cancer							
Number	54	61	69	62	73	66	66
Age-Adjusted Rate	38.6	43.5	45.7	41.4	46.5	42.8	43.9
Breast Cancer							
Number	16	25	9	21	21	21	19
Age-Adjusted Rate	23.2	31.1	12.4	25.7	25.7	24.8	24.0
Total Unintentional Injuries							
Number	45	79	71	74	67	71	72
Age-Adjusted Rate	34.4	57.6	52.2	52.7	46.9	49.5	51.6
Motor Vehicle							
Number	27	37	41	26	22	32	32
Age-Adjusted Rate	20.4	27.2	30.6	18.9	15.7	22.9	23.0
All Other Unintentional Injuries							
Number	18	42	30	48	45	39	41
Age-Adjusted Rate	14.0	30.4	21.6	33.8	31.2	26.5	28.7
Chronic Obstructive Pulmonary Disease							
Number	60	90	88	102	79	109	94
Age-Adjusted Rate	43.7	60.2	57.8	67.2	50.6	69.5	61.1
Suicide							
Number	32	17	17	29	30	22	23
Age-Adjusted Rate	26.3	13.8	13.4	22.0	21.8	16.1	17.5
Homicide and Legal Intervention							
Number	10	5	14	10	15	5	10
Age-Adjusted Rate	8.3	3.5	10.6	7.2	11.1	3.8	7.2
Work-Related Injury							
Number	3	*	13	6	3	*	5
Age-Adjusted Rate	3.0	*	10.3	4.4	2.4	*	4.0

\*Fewer than three events in the category. Birth rates are per 1,000 total population. General fertility rates are births per 1,000 females aged 15-44. Fertility rates for mothers age 10-17 are births per 1,000 females of this age group. Infant and neonatal mortality rates are per 1,000 live births. Other death rates are per 100,000 population. Age-adjusted rates are adjusted to the 2000 U.S. population using the direct method applied to 10-year age groups. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

## Deaths from selected causes by race/ethnicity: Pueblo County residents, 1999

CAUSE OF DEATH (ICD-10)	ALL RACES		WHITE/ NON-HISPANIC		WHITE /HISPANIC		BLACK		ASIAN		AMERICAN INDIAN	
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	1,398	100.0	1,017	100.0	354	100.0	22	100.0	5	100.0	*	*
Cardiovascular Disease	466	33.3	354	34.8	102	28.8	9	40.9	*	*	*	*
Heart Disease	332	23.7	253	24.9	74	20.9	4	18.2	*	*	*	*
Cerebrovascular Disease	83	5.9	56	5.5	23	6.5	4	18.2	*	*	*	*
Atherosclerosis	15	1.1	11	1.1	3	0.8	*	*	*	*	*	*
Malignant Neoplasms	250	17.9	195	19.2	50	14.1	3	13.6	*	*	*	*
Lung Cancer	66	4.7	58	5.7	8	2.3	*	*	*	*	*	*
Breast Cancer	21	1.5	15	1.5	5	1.4	*	*	*	*	*	*
Chronic Obstructive Pulmonary Disease	109	7.8	88	8.7	20	5.6	*	*	*	*	*	*
Unintentional Injuries	71	5.1	50	4.9	21	5.9	*	*	*	*	*	*
Motor Vehicle	32	2.3	20	2.0	12	3.4	*	*	*	*	*	*
All Other	39	2.8	30	2.9	9	2.5	*	*	*	*	*	*
Pneumonia and Influenza	46	3.3	37	3.6	9	2.5	*	*	*	*	*	*
Suicide	22	1.6	16	1.6	6	1.7	*	*	*	*	*	*
Diabetes Mellitus	54	3.9	30	2.9	24	6.8	*	*	*	*	*	*
HIV Infection	*	*	*	*	*	*	*	*	*	*	*	*
Chronic Liver Disease and Cirrhosis	17	1.2	6	0.6	11	3.1	*	*	*	*	*	*
Alzheimer's Disease	17	1.2	13	1.3	4	1.1	*	*	*	*	*	*
Nephritis, Nephrosis, Nephrotic Syndrome	27	1.9	16	1.6	11	3.1	*	*	*	*	*	*
Homicide and Legal Intervention	5	0.4	*	*	*	*	*	*	*	*	*	*
Septicemia	23	1.6	15	1.5	8	2.3	*	*	*	*	*	*
Congenital Anomalies	5	0.4	*	*	3	0.8	*	*	*	*	*	*
Perinatal Period Conditions	8	0.6	4	0.4	4	1.1	*	*	*	*	*	*
All Other	277	19.8	189	18.6	78	22.0	9	40.9	*	*	*	*
Injury by Firearms	22	1.6	18	1.8	3	0.8	*	*	*	*	*	*
Drug-Induced Deaths	15	1.1	11	1.1	4	1.1	*	*	*	*	*	*
Alcohol-Induced Deaths	17	1.2	8	0.8	8	2.3	*	*	*	*	*	*
Work Related Injury (Y/N Check Death Certificate)	*	*	*	*	*	*	*	*	*	*	*	*

\*Fewer than three events in the category. Percentages are of total deaths of each race/ethnicity category. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

**Deaths and crude death rates with 95% confidence limits by age group: Pueblo County residents, 1999**

AGE GROUP	DEATHS	POPULATION	AGE-SPECIFIC DEATH RATE	LOWER LIMIT	UPPER LIMIT
ALL AGES	1,398	138,500	10.1	9.6	10.6
INFANT	16	1,934	8.3	4.0	12.6
NEONATAL	10	1,934	5.2	1.7	8.6
1-4	6	7,408	0.8	0.1	1.5
5-9	*	9,531	*	*	*
10-14	3	9,532	0.3	0.0	0.7
15-19	7	11,042	0.6	0.1	1.1
20-24	6	11,687	0.5	0.1	1.0
25-29	14	9,653	1.5	0.6	2.3
30-34	16	8,301	1.9	0.9	2.9
35-39	14	9,657	1.4	0.6	2.3
40-44	33	10,201	3.2	2.1	4.4
45-49	42	9,446	4.4	3.1	5.8
50-54	37	7,944	4.7	3.1	6.2
55-59	53	6,001	8.8	6.4	11.3
60-64	73	5,457	13.4	10.2	16.5
65-69	94	5,518	17.0	13.5	20.5
70-74	182	5,478	33.2	28.4	38.1
75-79	209	4,372	47.8	41.4	54.2
80-84	201	2,970	67.7	58.5	76.9
85+	392	2,372	165.3	150.1	180.4
1-14	9	26,471	0.3	0.1	0.6
15-24	13	22,729	0.6	0.2	0.9
25-64	282	66,660	4.2	3.7	4.7
65+	1,078	20,710	52.1	49.0	55.1

\*Fewer than three events in the category. Infant death is death in the first year of life. Neonatal death is death occurring prior to the 28th day of life. Infant and neonatal mortality rates are per 1,000 live births. Other death rates are per 1,000 population of the age group. Population figures for infant and neonatal groups are live births. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

## Deaths and crude death rates from selected causes by age group: Pueblo County residents, 1999

CAUSE OF DEATH (ICD-10)	<1		1-14		15-24		25-44		45-64		65+	
	N	RATE	N	RATE	N	RATE	N	RATE	N	RATE	N	RATE
TOTAL	16	8.3	9	0.3	13	0.6	77	2.0	205	7.1	1,078	52.1
Cardiovascular Disease	*	*	*	*	*	*	8	0.2	56	1.9	400	19.3
Heart Disease	*	*	*	*	*	*	8	0.2	43	1.5	280	13.5
Cerebrovascular Disease	*	*	*	*	*	*	*	*	11	0.4	71	3.4
Atherosclerosis	*	*	*	*	*	*	*	*	*	*	15	0.7
Malignant Neoplasms	*	*	*	*	*	*	12	0.3	54	1.9	184	8.9
Lung Cancer	*	*	*	*	*	*	*	*	15	0.5	50	2.4
Breast Cancer	*	*	*	*	*	*	*	*	4	0.3	15	1.2
Chronic Obstructive Pulmonary Disease	*	*	*	*	*	*	*	*	11	0.4	95	4.6
Unintentional Injuries	*	*	*	*	7	0.3	22	0.6	9	0.3	31	1.5
Motor Vehicle	*	*	*	*	5	0.2	16	0.4	*	*	8	0.4
All Other	*	*	*	*	*	*	6	0.2	7	0.2	23	1.1
Pneumonia and Influenza	*	*	*	*	*	*	*	*	5	0.2	40	1.9
Suicide	*	*	*	*	*	*	10	0.3	6	0.2	5	0.2
Diabetes Mellitus	*	*	*	*	*	*	*	*	8	0.3	46	2.2
HIV Infection	*	*	*	*	*	*	*	*	*	*	*	*
Chronic Liver Disease and Cirrhosis	*	*	*	*	*	*	*	*	10	0.3	5	0.2
Alzheimer's Disease	*	*	*	*	*	*	*	*	*	*	17	0.8
Nephritis, Nephrosis, Nephrotic Syndrome	*	*	*	*	*	*	*	*	*	*	23	1.1
Homicide and Legal Intervention	*	*	*	*	*	*	3	0.1	*	*	*	*
Septicemia	*	*	*	*	*	*	*	*	5	0.2	17	0.8
Congenital Anomalies	4	2.1	*	*	*	*	*	*	*	*	*	*
Perinatal Period Conditions	8	4.1	*	*	*	*	*	*	*	*	*	*
All Other	3	1.6	4	0.2	3	0.1	14	0.4	38	1.3	215	10.4
Injury by Firearms	*	*	*	*	*	*	10	0.3	5	0.2	6	0.3
Drug-Induced Deaths	*	*	*	*	*	*	8	0.2	5	0.2	*	*
Alcohol-Induced Deaths	*	*	*	*	*	*	*	*	10	0.3	4	0.2
Work Related Injury (Y/N Check Death Certificate)	*	*	*	*	*	*	*	*	*	*	*	*

\*Fewer than three events in the category. Crude death rates are calculated without age adjustment. Infant (<1 year) mortality rates are per 1,000 live births. Other rates are deaths per 1,000 population of the age group. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

**Deaths, crude death rates and age-adjusted death rates with 95% confidence limits from selected causes: Pueblo County residents, 1999**

CAUSE OF DEATH (ICD-10)	DEATHS	CRUDE RATE	AGE-ADJUSTED DEATH RATE		
			RATE	LOWER LIMIT	UPPER LIMIT
TOTAL	1,398	1,009.4	916.9	870.3	963.6
Cardiovascular Disease	466	336.5	301.3	274.3	328.3
Heart Disease	332	239.7	215.7	192.7	238.7
Cerebrovascular Disease	83	59.9	53.4	41.9	64.9
Atherosclerosis	15	10.8	9.5	4.7	14.3
Malignant Neoplasms	250	180.5	163.8	143.4	184.1
Lung Cancer	66	47.7	42.8	32.5	53.2
Breast Cancer	21	29.6	24.8	14.0	35.6
Chronic Obstructive Pulmonary Disease	109	78.7	69.5	56.5	82.6
Unintentional Injuries	71	51.3	49.5	37.9	61.1
Motor Vehicle	32	23.1	22.9	14.9	30.9
All Other	39	28.2	26.5	18.2	34.9
Pneumonia and Influenza	46	33.2	30.1	21.4	38.7
Suicide	22	15.9	16.1	9.4	22.9
Diabetes Mellitus	54	39.0	34.6	25.4	43.9
HIV Infection	*	*	*	*	*
Chronic Liver Disease and Cirrhosis	17	12.3	12.4	6.5	18.4
Alzheimer's Disease	17	12.3	10.8	5.7	15.9
Nephritis, Nephrosis, Nephrotic Syndrome	27	19.5	17.6	10.9	24.2
Homicide and Legal Intervention	5	3.6	3.8	0.4	7.1
Septicemia	23	16.6	15.3	9.0	21.5
Congenital Anomalies	5	3.6	3.5	0.4	6.5
Perinatal Period Conditions	8	5.8	5.7	1.8	9.7
All Other	277	200.0	182.3	160.9	203.7
Injury by Firearms	22	15.9	16.1	9.3	22.8
Drug-Induced Deaths	15	10.8	11.5	5.7	17.4
Alcohol-Induced Deaths	17	12.3	12.4	6.5	18.3
Work Related Injury (Y/N Check Death Certificate)	*	*	*	*	*

\*Fewer than three events in the category. Rates are deaths per 100,000 population. Crude death rates are calculated without age adjustment. Age-adjusted rates are adjusted to the 2000 U.S. standard population using the direct method applied to 10-year age groups. Age-adjusted rates provide a better basis for comparison among different geographical areas or time periods. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

## Appendix: Conversion Table of ICD-9 to ICD-10 Codes for Disease Mortality Used in Report

The *International Classification of Diseases (ICD)* is a classification system developed collaboratively between the World Health Organization (WHO) and 10 international centers so that the medical terms reported by physicians, medical examiners, and coroners on death certificates can be grouped together for statistical purposes. The purpose of the ICD and of WHO sponsorship is to promote international comparability in the collection, classification, processing, and presentation of mortality statistics. New revisions of the ICD are implemented periodically so that the classification reflects advances in medical science. Since 1900, the ICD has been modified about once every 10 years, except for the 20-year interval between the last two revisions, ICD-9 and ICD-10. Effective with deaths occurring in 1999, the United States began using the ICD-10, replacing ICD-9 used with 1979-98 data. Publications showing mortality data under ICD-9 will differ substantially from those under ICD-10 because of changes in coding rules, changes in category names and ICD numbers, and changes in the tabulation lists used to produce mortality data. The following table shows the ICD-9 and ICD-10 codes for diseases and injuries reported in this document. Data users should be mindful of the huge impact of the ICD-10 on mortality statistics and are encouraged to contact National Center for Health Statistics or the Health Statistics Section of the Colorado Department of Public Health and Environment (303-692-2160) for assistance in using the ICD-10 and data interpretation.

CAUSE	ICD-9	ICD-10
Cardiovascular Disease	390-434,436-448	I00-I78
Heart Disease	390-398,402,404,410-429	I00-I09,I11,I13,I20-I51
Cerebrovascular Diseases	430-434,436-438	I60-I69
Atherosclerosis	440	I70
Malignant Neoplasms	140-208	C00-C97
Lung Cancer	162	C33-C34
Breast Cancer	174-175	C50
Chronic Obstructive Pulmonary Disease	490-494,496	J40-J47
Unintentional Injuries	E800-E869,E880-E929	V01-X59,Y85-Y86
Motor Vehicle	E810-E825	V02-V04,V09.0,V90.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2
All Other Unintentional Injuries	E800-E809,E826-E869,E880-E929	V01,V05-V08,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9,V90-V99,W00-X59,Y85-Y86
Pneumonia And Influenza	480-487	J10-J18
Suicide	E950-E959	X60-X84,Y87.0
Diabetes Mellitus	250	E10-E14
Human Immunodeficiency Virus Infection	042-044	B20-B24
Chronic Liver Disease And Cirrhosis	571	K70,K73-K74
Alzheimer's Disease	331.0	G30
Nephritis, Nephrosis, Nephrotic Syndrome	580-589	N00-N07,N17-N19,N25-N27
Homicide And Legal Intervention	E960-E978	X85-Y09,Y35,Y87.1,Y89.0
Septicemia	038	A40-A41
Congenital Anomalies	740-759	Q00-Q99
Perinatal Period Conditions	760-771.2,771.4-779	P00-P96
Injury By Firearms	E922,E955.0-E955.4,E965.0-E965.4,E970,E985.0-E985.4	W32-W34,X72-X74,X93-X95,Y22-Y24,Y35.0
Drug-Induced Deaths	292,304,305.2-305.9,E850-E858,E950.0-E950.5,E962.0,E980.0-E980.5	F11.0-F11.5,F11.7-F11.9,F12.0-F12.5,F12.7-F12.9,F13.0-F13.5,F13.7-F13.9,F14.0-F14.5,F14.7-F14.9,F15.0-F15.5,F15.7-F15.9,F16.0-F16.5,F16.7-F16.9,F17.0,F17.3-F17.5,F17.7-F17.9,F18.0-F18.5,F18.7-F18.9,F19.0-F19.5,F19.7-F19.9,X40-X44,X60-X64,X85,Y10-Y14
Alcohol-Induced Deaths	291,303,305.0,357.5,425.5,535.3,571.0-571.3,790.3,E860	F10,G31.2,G62.1,I42.6,K29.2,K70,R78.0,X45,X65,Y15