

For more information about these tables contact the [Health Statistics Section](#) of the Colorado Department of Public Health and Environment at 303.692.2160.

## Crowley County Births and Deaths 2000

Selected birth characteristics with 95% confidence limit: Crowley County residents, 2000 .....	2
Selected birth characteristics by age group of mother: Crowley County residents, 2000 .....	3
Selected birth characteristics by race/ethnicity of mother: Crowley County residents, 2000 .....	4
Live births and fertility rates with 95% confidence limits by age of mother: Crowley County residents, 2000 .....	5
Vital statistics summary: Crowley County residents, 1990, 1996-2000 .....	6
Deaths from selected causes by race/ethnicity: Crowley County residents, 2000 .....	7
Deaths and crude death rates with 95% confidence limits by age group: Crowley County residents, 2000 .....	8
Deaths and crude death rates from selected causes by age group: Crowley County residents, 2000 .....	9
Deaths, crude death rates and age-adjusted death rates with 95% confidence limits from selected causes: Crowley County residents, 2000 .....	10

## Selected birth characteristics with 95% confidence limit: Crowley County residents, 2000

CHARACTERISTIC	NUMBER	PERCENT	LOWER LIMIT	UPPER LIMIT
Total Live Births	50	100.0	100.0	100.0
Age of Mother				
10-17	3	6.0	0.0	12.9
18-19	4	8.0	0.0	16.0
20-29	28	56.0	41.2	70.8
30+	15	30.0	16.3	43.7
Low Weight Births (<2,500 Grams)	*	*	*	*
Very Low Weight Births (<1,500 Grams)	*	*	*	*
Prenatal Care Later than 1st Trimester	11	22.0	9.5	34.5
No Prenatal Care	*	*	*	*
Preterm Births (<37 Weeks)	*	*	*	*
Education of Mother <12 Years	10	20.4	8.1	32.7
Births to Unmarried Women	14	28.0	14.6	41.4
Smoking During Pregnancy	10	20.4	8.1	32.7

\*Fewer than three events in the category. Sums may not add to total due to cases with age of mother unknown. Percentages are of total births, excluding cases with specific characteristics unknown. See the technical notes of Colorado Vital Statistics Annual Report for definitions of data items and explanation of confidence limits. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

## Selected birth characteristics by age group of mother: Crowley County residents, 2000

CHARACTERISTIC	ALL AGES		10-17		18-19		20-29		30+	
	N	%	N	%	N	%	N	%	N	%
Total Live Births	50	100.0	3	100.0	4	100.0	28	100.0	15	100.0
Race/Ethnicity of Mother										
White/Non-Hispanic	40	80.0	3	100.0	3	75.0	21	75.0	13	86.7
White/Hispanic	8	16.0	*	*	*	*	6	21.4	*	*
Black	*	*	*	*	*	*	*	*	*	*
Other	*	*	*	*	*	*	*	*	*	*
Low Weight Births (<2,500 Grams)	*	*	*	*	*	*	*	*	*	*
Very Low Weight Births (<1,500 Grams)	*	*	*	*	*	*	*	*	*	*
Prenatal Care Started after 1st Trimester	11	22.0	*	*	*	*	9	32.1	*	*
No Prenatal Care	*	*	*	*	*	*	*	*	*	*
Preterm Births (<37 Weeks)	*	*	*	*	*	*	*	*	*	*
Education of Mother <12 Years	10	20.4	*	*	*	*	7	25.9	*	*
Births to Unmarried Women	14	28.0	*	*	*	*	8	28.6	*	*
Smoking During Pregnancy	10	20.4	*	*	*	*	8	28.6	*	*

\*Fewer than three events in the category. Sums may not add to total due to cases with age of mother unknown. Percentages are of total births, excluding cases with specific characteristics unknown. See the technical notes of Colorado Vital Statistics Annual Report for definition of data items and explanation of confidence limits. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

## Selected birth characteristics by race/ethnicity of mother: Crowley County residents, 2000

CHARACTERISTIC	WHITE/ NON-HISPANIC		WHITE /HISPANIC		BLACK		ASIAN		AMERICAN INDIAN	
	N	%	N	%	N	%	N	%	N	%
Total Live Births	40	100.0	8	100.0	*	*	*	*	*	*
Age of Mother										
10-17	3	7.5	*	*	*	*	*	*	*	*
18-19	3	7.5	*	*	*	*	*	*	*	*
20-29	21	52.5	6	75.0	*	*	*	*	*	*
30+	13	32.5	*	*	*	*	*	*	*	*
Low Weight Births (<2,500 Grams)	*	*	*	*	*	*	*	*	*	*
Very Low Weight Births (<1,500 Grams)	*	*	*	*	*	*	*	*	*	*
Prenatal Care Later than 1st Trimester	11	27.5	*	*	*	*	*	*	*	*
No Prenatal Care	*	*	*	*	*	*	*	*	*	*
Preterm Births (<37 Weeks)	*	*	*	*	*	*	*	*	*	*
Education of Mother <12 Years	8	20.0	*	*	*	*	*	*	*	*
Live Births to Unmarried Women	13	32.5	*	*	*	*	*	*	*	*
Mother Smoking During Pregnancy	9	23.1	*	*	*	*	*	*	*	*

\*Fewer than three events in the category. Sums may not add to total due to cases with age or race/ethnicity of mother unknown or not presented. Percentages are of total births of each race/ethnicity group, excluding cases with specific characteristics unknown. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

## Live births and fertility rates with 95% confidence limits by age of mother: Crowley County residents, 2000

	BIRTHS	POPULATION	FERTILITY RATE	LOWER LIMIT	UPPER LIMIT
ALL AGES	50	679	73.6	53.3	94.0
TEENAGE GROUP					
13-14	*	58	*	*	*
15-17	3	100	30.0	0.0	68.4
18-19	4	49	81.6	0.0	168.5
10-17	3	232	12.9	0.0	29.6
10-19	7	281	24.9	4.9	44.9
ALL AGE GROUPS					
10-14	*	132	*	*	*
15-19	7	149	47.0	9.6	84.3
20-24	17	71	239.4	133.1	345.7
25-29	11	76	144.7	59.1	230.4
30-34	11	120	91.7	35.9	147.5
35-39	3	141	21.3	0.0	48.6
40-49	*	243	*	*	*

\*Fewer than three events in the category. Sums may not add to total due to cases with age of mother unknown. Rates are live births per 1,000 female population in each age group. Population data for "all ages" are females aged 15-44. See the technical notes of Colorado Vital Statistics Annual Report for explanation of confidence limits. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

## Vital statistics summary: Crowley County residents, 1990, 1996-2000

	1990	1996	1997	1998	1999	2000	1996-2000 ANNUAL AVERAGE
TOTAL POPULATION	3,932	4,268	4,304	4,288	4,996	5,545	4,680
Total Births							
Number	49	45	46	53	45	50	48
Birth Rate	12.5	10.5	10.7	12.4	9.0	9.0	10.2
General Fertility Rate	89.9	81.8	83.8	98.5	72.2	73.6	81.3
Age of Mother 10-17							
Number	5	4	5	*	3	3	3
Percent of Total Births	10.2	8.9	10.9	*	6.7	6.0	7.1
Fertility Rate	33.6	23.4	28.6	*	14.4	12.9	17.7
Low Weight Births (<2,500 Grams)							
Number	9	4	3	*	3	*	*
Percent	18.4	8.9	6.5	*	6.7	*	*
Prenatal Care Later Than 1st Trimester							
Number	10	10	12	16	10	11	12
Percent	20.8	22.2	26.1	30.8	22.2	22.0	24.8
Births to Unmarried Women							
Number	11	20	15	15	14	14	16
Percent	22.4	44.4	32.6	28.3	31.1	28.0	32.6
Mother's Education <12 Years							
Number	6	13	8	13	6	10	10
Percent	12.2	28.9	17.4	24.5	13.3	20.4	21.0
Infant Deaths							
Number	*	*	*	*	*	*	*
Rate	*	*	*	*	*	*	*
Neonatal Deaths							
Number	*	*	*	*	*	*	*
Rate	*	*	*	*	*	*	*
Total Deaths							
Number	27	50	37	46	36	34	41
Crude Rate	686.7	1,171.5	859.7	1,072.8	720.6	613.2	867.5
Age-Adjusted Rate	623.5	1,221.7	920.6	1,161.4	807.8	718.2	948.5
Cardiovascular Disease							
Number	9	18	14	17	17	5	14
Age-Adjusted Rate	200.3	446.0	343.3	431.2	379.6	108.4	333.7
Heart Disease							
Number	6	17	12	14	13	4	12
Age-Adjusted Rate	134.6	421.2	293.4	354.0	292.1	86.1	281.9
Cerebrovascular Disease							
Number	*	*	*	*	*	*	*
Age-Adjusted Rate	*	*	*	*	*	*	*
Malignant Neoplasms							
Number	5	7	5	10	6	9	7
Age-Adjusted Rate	114.1	167.4	123.9	240.6	134.0	195.4	171.1
Lung Cancer							
Number	*	*	4	*	*	*	*
Age-Adjusted Rate	*	*	99.3	*	*	*	*
Breast Cancer							
Number	*	*	*	*	*	*	*
Age-Adjusted Rate	*	*	*	*	*	*	*
Total Unintentional Injuries							
Number	*	7	*	3	*	*	*
Age-Adjusted Rate	*	168.2	*	73.7	*	*	*
Motor Vehicle							
Number	*	7	*	*	*	*	*
Age-Adjusted Rate	*	168.2	*	*	*	*	*
Other Unintentional Injuries							
Number	*	*	*	*	*	*	*
Age-Adjusted Rate	*	*	*	*	*	*	*
Chronic Lower Respiratory Diseases							
Number	*	*	5	3	4	3	3
Age-Adjusted Rate	*	*	125.6	75.7	92.8	62.6	79.9
Suicide							
Number	*	*	*	*	*	*	*
Age-Adjusted Rate	*	*	*	*	*	*	*
Homicide and Legal Intervention							
Number	*	*	*	*	*	*	*
Age-Adjusted Rate	*	*	*	*	*	*	*
Work-Related Injury							
Number	*	*	*	*	*	*	*
Age-Adjusted Rate	*	*	*	*	*	*	*

\*Fewer than three events in the category. Birth rates are per 1,000 total population. General fertility rates are births per 1,000 females aged 15-44. Fertility rates for mothers age 10-17 are births per 1,000 females of this age group. Infant and neonatal mortality rates are per 1,000 live births. Other death rates are per 100,000 population. Age-adjusted rates are adjusted to the 2000 U.S. population using the direct method applied to 10-year age groups. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

## Deaths from selected causes by race/ethnicity: Crowley County residents, 2000

CAUSE OF DEATH (ICD-10)	ALL RACES		WHITE/ NON-HISPANIC		WHITE /HISPANIC		BLACK		ASIAN		AMERICAN INDIAN	
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	34	100.0	29	100.0	5	100.0	*	*	*	*	*	*
Cardiovascular Disease	5	14.7	4	13.8	*	*	*	*	*	*	*	*
Heart Disease	4	11.8	3	10.3	*	*	*	*	*	*	*	*
Cerebrovascular Disease	*	*	*	*	*	*	*	*	*	*	*	*
Atherosclerosis	*	*	*	*	*	*	*	*	*	*	*	*
Malignant Neoplasms	9	26.5	9	31.0	*	*	*	*	*	*	*	*
Lung Cancer	*	*	*	*	*	*	*	*	*	*	*	*
Breast Cancer	*	*	*	*	*	*	*	*	*	*	*	*
Chronic Lower Respiratory Disease	3	8.8	3	10.3	*	*	*	*	*	*	*	*
Unintentional Injuries	*	*	*	*	*	*	*	*	*	*	*	*
Motor Vehicle	*	*	*	*	*	*	*	*	*	*	*	*
Other Unintentional Injuries	*	*	*	*	*	*	*	*	*	*	*	*
Pneumonia and Influenza	3	8.8	*	*	*	*	*	*	*	*	*	*
Suicide	*	*	*	*	*	*	*	*	*	*	*	*
Diabetes Mellitus	4	11.8	4	13.8	*	*	*	*	*	*	*	*
HIV Infection	*	*	*	*	*	*	*	*	*	*	*	*
Chronic Liver Disease and Cirrhosis	*	*	*	*	*	*	*	*	*	*	*	*
Alzheimer's Disease	*	*	*	*	*	*	*	*	*	*	*	*
Nephritis, Nephrosis, Nephrotic Syndrome	*	*	*	*	*	*	*	*	*	*	*	*
Homicide and Legal Intervention	*	*	*	*	*	*	*	*	*	*	*	*
Septicemia	*	*	*	*	*	*	*	*	*	*	*	*
Congenital Anomalies	*	*	*	*	*	*	*	*	*	*	*	*
Perinatal Period Conditions	*	*	*	*	*	*	*	*	*	*	*	*
All Other	7	20.6	5	17.2	*	*	*	*	*	*	*	*
Injury by Firearm	*	*	*	*	*	*	*	*	*	*	*	*
Drug-Induced Deaths	*	*	*	*	*	*	*	*	*	*	*	*
Alcohol-Induced Deaths	*	*	*	*	*	*	*	*	*	*	*	*
Work-Related Injury	*	*	*	*	*	*	*	*	*	*	*	*

\*Fewer than three events in the category. Percentages are of total deaths of each race/ethnicity category. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

**Deaths and crude death rates with 95% confidence limits by age group: Crowley County residents, 2000**

AGE GROUP	DEATHS	POPULATION	AGE-SPECIFIC DEATH RATE	LOWER LIMIT	UPPER LIMIT
ALL AGES	34	5,545	6.1	4.0	8.3
INFANT	*	50	*	*	*
NEONATAL	*	50	*	*	*
1-4	*	200	*	*	*
5-9	*	290	*	*	*
10-14	*	301	*	*	*
15-19	*	333	*	*	*
20-24	*	427	*	*	*
25-29	*	446	*	*	*
30-34	*	542	*	*	*
35-39	*	640	*	*	*
40-44	*	569	*	*	*
45-49	*	422	*	*	*
50-54	*	358	*	*	*
55-59	*	230	*	*	*
60-64	*	150	*	*	*
65-69	*	154	*	*	*
70-74	6	159	37.7	5.0	70.5
75-79	10	120	83.3	29.7	137.0
80-84	6	81	74.1	10.9	137.3
85+	6	81	74.1	10.9	137.3
1-14	*	791	*	*	*
15-24	*	760	*	*	*
25-64	3	3,357	0.9	0.0	2.1
65+	30	595	50.4	32.0	68.8

\*Fewer than three events in the category. Infant death is death in the first year of life. Neonatal death is death occurring prior to the 28th day of life. Infant and neonatal mortality rates are per 1,000 live births. Other death rates are per 1,000 population of the age group. Population figures for infant and neonatal groups are live births. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

## Deaths and crude death rates from selected causes by age group: Crowley County residents, 2000

CAUSE OF DEATH (ICD-10)	<1		1-14		15-24		25-44		45-64		65+	
	N	RATE	N	RATE	N	RATE	N	RATE	N	RATE	N	RATE
TOTAL	*	*	*	*	*	*	*	*	*	*	30	50.4
Cardiovascular Disease	*	*	*	*	*	*	*	*	*	*	5	8.4
Heart Disease	*	*	*	*	*	*	*	*	*	*	4	6.7
Cerebrovascular Disease	*	*	*	*	*	*	*	*	*	*	*	*
Atherosclerosis	*	*	*	*	*	*	*	*	*	*	*	*
Malignant Neoplasms	*	*	*	*	*	*	*	*	*	*	8	13.4
Lung Cancer	*	*	*	*	*	*	*	*	*	*	*	*
Breast Cancer	*	*	*	*	*	*	*	*	*	*	*	*
Chronic Lower Respiratory Diseases	*	*	*	*	*	*	*	*	*	*	3	5.0
Unintentional Injuries	*	*	*	*	*	*	*	*	*	*	*	*
Motor Vehicle	*	*	*	*	*	*	*	*	*	*	*	*
Other Unintentional Injuries	*	*	*	*	*	*	*	*	*	*	*	*
Pneumonia and Influenza	*	*	*	*	*	*	*	*	*	*	3	5.0
Suicide	*	*	*	*	*	*	*	*	*	*	*	*
Diabetes Mellitus	*	*	*	*	*	*	*	*	*	*	3	5.0
HIV Infection	*	*	*	*	*	*	*	*	*	*	*	*
Chronic Liver Disease and Cirrhosis	*	*	*	*	*	*	*	*	*	*	*	*
Alzheimer's Disease	*	*	*	*	*	*	*	*	*	*	*	*
Nephritis, Nephrosis, Nephrotic Syndrome	*	*	*	*	*	*	*	*	*	*	*	*
Homicide and Legal Intervention	*	*	*	*	*	*	*	*	*	*	*	*
Septicemia	*	*	*	*	*	*	*	*	*	*	*	*
Congenital Anomalies	*	*	*	*	*	*	*	*	*	*	*	*
Perinatal Period Conditions	*	*	*	*	*	*	*	*	*	*	*	*
All Other	*	*	*	*	*	*	*	*	*	*	7	11.8
Injury by Firearm	*	*	*	*	*	*	*	*	*	*	*	*
Drug-Induced Deaths	*	*	*	*	*	*	*	*	*	*	*	*
Alcohol-Induced Deaths	*	*	*	*	*	*	*	*	*	*	*	*
Work-Related Injury	*	*	*	*	*	*	*	*	*	*	*	*

\*Fewer than three events in the category. Crude death rates are calculated without age adjustment. Infant (<1 year) mortality rates are per 1,000 live births. Other rates are deaths per 1,000 population of the age group. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

**Deaths, crude death rates and age-adjusted death rates with 95% confidence limits from selected causes: Crowley County residents, 2000**

CAUSE OF DEATH (ICD-10)	DEATHS	CRUDE RATE	AGE-ADJUSTED DEATH RATE		
			RATE	LOWER LIMIT	UPPER LIMIT
TOTAL	34	613.2	718.2	483.0	953.4
Cardiovascular Disease	5	90.2	108.4	14.1	202.7
Heart Disease	4	72.1	86.1	2.2	170.0
Cerebrovascular Disease	*	*	*	*	*
Atherosclerosis	*	*	*	*	*
Malignant Neoplasms	9	162.3	195.4	68.6	322.2
Lung Cancer	*	*	*	*	*
Breast Cancer	*	*	*	*	*
Chronic Lower Respiratory Diseases	3	54.1	62.6	0.0	133.2
Unintentional Injuries	*	*	*	*	*
Motor Vehicle	*	*	*	*	*
Other Unintentional Injuries	*	*	*	*	*
Pneumonia and Influenza	3	54.1	66.9	0.0	142.1
Suicide	*	*	*	*	*
Diabetes Mellitus	4	72.1	86.7	1.9	171.6
HIV Infection	*	*	*	*	*
Chronic Liver Disease and Cirrhosis	*	*	*	*	*
Alzheimer's Disease	*	*	*	*	*
Nephritis, Nephrosis, Nephrotic Syndrome	*	*	*	*	*
Homicide and Legal Intervention	*	*	*	*	*
Septicemia	*	*	*	*	*
Congenital Anomalies	*	*	*	*	*
Perinatal Period Conditions	*	*	*	*	*
All Other	7	126.2	147.4	38.8	256.0
Injury by Firearm	*	*	*	*	*
Drug-Induced Deaths	*	*	*	*	*
Alcohol-Induced Deaths	*	*	*	*	*
Work-Related Injury	*	*	*	*	*

\*Fewer than three events in the category. Rates are deaths per 100,000 population. Crude death rates are calculated without age adjustment. Age-adjusted rates are adjusted to the 2000 U.S. standard population using the direct method applied to 10-year age groups. Age-adjusted rates provide a better basis for comparison among different geographical areas or time periods. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.