

For more information about these tables contact the [Health Statistics Section](#) of the Colorado Department of Public Health and Environment at 303.692.2160.

Phillips County Births and Deaths 2000

Selected birth characteristics with 95% confidence limit: Phillips County residents, 2000	2
Selected birth characteristics by age group of mother: Phillips County residents, 2000	3
Selected birth characteristics by race/ethnicity of mother: Phillips County residents, 2000	4
Live births and fertility rates with 95% confidence limits by age of mother: Phillips County residents, 2000	5
Vital statistics summary: Phillips County residents, 1990, 1996-2000	6
Deaths from selected causes by race/ethnicity: Phillips County residents, 2000	7
Deaths and crude death rates with 95% confidence limits by age group: Phillips County residents, 2000	8
Deaths and crude death rates from selected causes by age group: Phillips County residents, 2000	9
Deaths, crude death rates and age-adjusted death rates with 95% confidence limits from selected causes: Phillips County residents, 2000	10

Selected birth characteristics with 95% confidence limit: Phillips County residents, 2000

CHARACTERISTIC	NUMBER	PERCENT	LOWER LIMIT	UPPER LIMIT
Total Live Births	68	100.0	100.0	100.0
Age of Mother				
10-17	*	*	*	*
18-19	*	*	*	*
20-29	48	70.6	59.0	82.2
30+	16	23.5	12.7	34.3
Low Weight Births (<2,500 Grams)	5	7.4	0.4	14.3
Very Low Weight Births (<1,500 Grams)	*	*	*	*
Prenatal Care Later than 1st Trimester	12	17.6	7.9	27.4
No Prenatal Care	*	*	*	*
Preterm Births (<37 Weeks)	*	*	*	*
Education of Mother <12 Years	13	19.4	9.2	29.6
Births to Unmarried Women	15	22.1	11.5	32.6
Smoking During Pregnancy	14	20.6	10.2	30.9

*Fewer than three events in the category. Sums may not add to total due to cases with age of mother unknown. Percentages are of total births, excluding cases with specific characteristics unknown. See the technical notes of Colorado Vital Statistics Annual Report for definitions of data items and explanation of confidence limits. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

Selected birth characteristics by age group of mother: Phillips County residents, 2000

CHARACTERISTIC	ALL AGES		10-17		18-19		20-29		30+	
	N	%	N	%	N	%	N	%	N	%
Total Live Births	68	100.0	*	*	*	*	48	100.0	16	100.0
Race/Ethnicity of Mother										
White/Non-Hispanic	56	82.4	*	*	*	*	41	85.4	13	81.3
White/Hispanic	12	17.6	*	*	*	*	7	14.6	3	18.8
Black	*	*	*	*	*	*	*	*	*	*
Other	*	*	*	*	*	*	*	*	*	*
Low Weight Births (<2,500 Grams)	5	7.4	*	*	*	*	3	6.3	*	*
Very Low Weight Births (<1,500 Grams)	*	*	*	*	*	*	*	*	*	*
Prenatal Care Started after 1st Trimester	12	17.6	*	*	*	*	9	18.8	*	*
No Prenatal Care	*	*	*	*	*	*	*	*	*	*
Preterm Births (<37 Weeks)	*	*	*	*	*	*	*	*	*	*
Education of Mother <12 Years	13	19.4	*	*	*	*	9	19.1	*	*
Births to Unmarried Women	15	22.1	*	*	*	*	12	25.0	*	*
Smoking During Pregnancy	14	20.6	*	*	*	*	11	22.9	3	18.8

*Fewer than three events in the category. Sums may not add to total due to cases with age of mother unknown. Percentages are of total births, excluding cases with specific characteristics unknown. See the technical notes of Colorado Vital Statistics Annual Report for definition of data items and explanation of confidence limits. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

Selected birth characteristics by race/ethnicity of mother: Phillips County residents, 2000

CHARACTERISTIC	WHITE/ NON-HISPANIC		WHITE /HISPANIC		BLACK		ASIAN		AMERICAN INDIAN	
	N	%	N	%	N	%	N	%	N	%
Total Live Births	56	100.0	12	100.0	*	*	*	*	*	*
Age of Mother										
10-17	*	*	*	*	*	*	*	*	*	*
18-19	*	*	*	*	*	*	*	*	*	*
20-29	41	73.2	7	58.3	*	*	*	*	*	*
30+	13	23.2	3	25.0	*	*	*	*	*	*
Low Weight Births (<2,500 Grams)	5	8.9	*	*	*	*	*	*	*	*
Very Low Weight Births (<1,500 Grams)	*	*	*	*	*	*	*	*	*	*
Prenatal Care Later than 1st Trimester	8	14.3	4	33.3	*	*	*	*	*	*
No Prenatal Care	*	*	*	*	*	*	*	*	*	*
Preterm Births (<37 Weeks)	*	*	*	*	*	*	*	*	*	*
Education of Mother <12 Years	4	7.3	9	75.0	*	*	*	*	*	*
Live Births to Unmarried Women	11	19.6	4	33.3	*	*	*	*	*	*
Mother Smoking During Pregnancy	13	23.2	*	*	*	*	*	*	*	*

*Fewer than three events in the category. Sums may not add to total due to cases with age or race/ethnicity of mother unknown or not presented. Percentages are of total births of each race/ethnicity group, excluding cases with specific characteristics unknown. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

Live births and fertility rates with 95% confidence limits by age of mother: Phillips County residents, 2000

	BIRTHS	POPULATION	FERTILITY RATE	LOWER LIMIT	UPPER LIMIT
ALL AGES	68	807	84.3	64.5	104.0
TEENAGE GROUP					
13-14	*	72	*	*	*
15-17	*	103	*	*	*
18-19	*	40	*	*	*
10-17	*	274	*	*	*
10-19	4	314	12.7	0.0	26.7
ALL AGE GROUPS					
10-14	*	171	*	*	*
15-19	4	143	28.0	0.0	58.5
20-24	24	99	242.4	153.0	331.9
25-29	24	113	212.4	132.6	292.2
30-34	11	113	97.3	38.3	156.4
35-39	5	147	34.0	1.3	66.7
40-49	*	342	*	*	*

*Fewer than three events in the category. Sums may not add to total due to cases with age of mother unknown. Rates are live births per 1,000 female population in each age group. Population data for "all ages" are females aged 15-44. See the technical notes of Colorado Vital Statistics Annual Report for explanation of confidence limits. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

Vital statistics summary: Phillips County residents, 1990, 1996-2000

	1990	1996	1997	1998	1999	2000	1996-2000 ANNUAL AVERAGE
TOTAL POPULATION	4,191	4,506	4,573	4,568	4,517	4,505	4,534
Total Births							
Number	59	57	60	74	51	68	62
Birth Rate	14.1	12.6	13.1	16.2	11.3	15.1	13.7
General Fertility Rate	76.4	69.9	72.5	89.8	62.8	84.3	75.9
Age of Mother 10-17							
Number	3	4	3	*	*	*	*
Percent of Total Births	5.1	7.0	5.0	*	*	*	*
Fertility Rate	12.0	14.7	10.8	*	*	*	*
Low Weight Births (<2,500 Grams)							
Number	*	5	*	6	*	5	4
Percent	*	8.8	*	8.1	*	7.4	6.5
Prenatal Care Later Than 1st Trimester							
Number	10	12	15	12	9	12	12
Percent	16.9	21.1	25.0	16.4	17.6	17.6	19.4
Births to Unmarried Women							
Number	5	12	10	12	5	15	11
Percent	8.5	21.1	16.7	16.2	9.8	22.1	17.4
Mother's Education <12 Years							
Number	9	9	17	13	13	13	13
Percent	15.3	15.8	28.3	17.6	25.5	19.4	21.0
Infant Deaths							
Number	*	*	*	*	*	*	*
Rate	*	*	*	*	*	*	*
Neonatal Deaths							
Number	*	*	*	*	*	*	*
Rate	*	*	*	*	*	*	*
Total Deaths							
Number	53	53	72	48	51	58	56
Crude Rate	1,264.6	1,176.2	1,574.5	1,050.8	1,129.1	1,287.5	1,244.0
Age-Adjusted Rate	784.6	731.9	946.7	655.7	655.1	747.2	750.6
Cardiovascular Disease							
Number	29	22	29	15	19	25	22
Age-Adjusted Rate	402.9	275.9	358.8	183.8	197.8	292.6	262.9
Heart Disease							
Number	22	19	25	13	16	20	19
Age-Adjusted Rate	315.4	242.0	311.5	154.6	170.4	233.5	223.4
Cerebrovascular Disease							
Number	7	3	4	*	3	3	3
Age-Adjusted Rate	87.5	33.9	47.3	*	27.4	33.7	34.4
Malignant Neoplasms							
Number	11	14	11	13	11	11	12
Age-Adjusted Rate	188.9	196.6	170.3	191.8	168.4	166.1	178.9
Lung Cancer							
Number	*	*	3	*	4	3	*
Age-Adjusted Rate	*	*	44.2	*	66.2	54.9	*
Breast Cancer							
Number	*	*	*	*	*	*	*
Age-Adjusted Rate	*	*	*	*	*	*	*
Total Unintentional Injuries							
Number	*	*	3	3	3	5	3
Age-Adjusted Rate	*	*	47.0	60.7	53.6	85.7	52.4
Motor Vehicle							
Number	*	*	*	*	*	*	*
Age-Adjusted Rate	*	*	*	*	*	*	*
Other Unintentional Injuries							
Number	*	*	*	*	*	3	*
Age-Adjusted Rate	*	*	*	*	*	38.9	*
Chronic Lower Respiratory Diseases							
Number	3	*	5	*	5	*	3
Age-Adjusted Rate	48.9	*	61.7	*	58.4	*	36.8
Suicide							
Number	*	*	*	*	*	*	*
Age-Adjusted Rate	*	*	*	*	*	*	*
Homicide and Legal Intervention							
Number	*	*	*	*	*	*	*
Age-Adjusted Rate	*	*	*	*	*	*	*
Work-Related Injury							
Number	*	*	*	*	*	*	*
Age-Adjusted Rate	*	*	*	*	*	*	*

*Fewer than three events in the category. Birth rates are per 1,000 total population. General fertility rates are births per 1,000 females aged 15-44. Fertility rates for mothers age 10-17 are births per 1,000 females of this age group. Infant and neonatal mortality rates are per 1,000 live births. Other death rates are per 100,000 population. Age-adjusted rates are adjusted to the 2000 U.S. population using the direct method applied to 10-year age groups. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

Deaths from selected causes by race/ethnicity: Phillips County residents, 2000

CAUSE OF DEATH (ICD-10)	ALL RACES		WHITE/ NON-HISPANIC		WHITE /HISPANIC		BLACK		ASIAN		AMERICAN INDIAN	
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	58	100.0	57	100.0	*	*	*	*	*	*	*	*
Cardiovascular Disease	25	43.1	25	43.9	*	*	*	*	*	*	*	*
Heart Disease	20	34.5	20	35.1	*	*	*	*	*	*	*	*
Cerebrovascular Disease	3	5.2	3	5.3	*	*	*	*	*	*	*	*
Atherosclerosis	*	*	*	*	*	*	*	*	*	*	*	*
Malignant Neoplasms	11	19.0	11	19.3	*	*	*	*	*	*	*	*
Lung Cancer	3	5.2	3	5.3	*	*	*	*	*	*	*	*
Breast Cancer	*	*	*	*	*	*	*	*	*	*	*	*
Chronic Lower Respiratory Disease	*	*	*	*	*	*	*	*	*	*	*	*
Unintentional Injuries	5	8.6	4	7.0	*	*	*	*	*	*	*	*
Motor Vehicle	*	*	*	*	*	*	*	*	*	*	*	*
Other Unintentional Injuries	3	5.2	3	5.3	*	*	*	*	*	*	*	*
Pneumonia and Influenza	*	*	*	*	*	*	*	*	*	*	*	*
Suicide	*	*	*	*	*	*	*	*	*	*	*	*
Diabetes Mellitus	*	*	*	*	*	*	*	*	*	*	*	*
HIV Infection	*	*	*	*	*	*	*	*	*	*	*	*
Chronic Liver Disease and Cirrhosis	*	*	*	*	*	*	*	*	*	*	*	*
Alzheimer's Disease	*	*	*	*	*	*	*	*	*	*	*	*
Nephritis, Nephrosis, Nephrotic Syndrome	*	*	*	*	*	*	*	*	*	*	*	*
Homicide and Legal Intervention	*	*	*	*	*	*	*	*	*	*	*	*
Septicemia	*	*	*	*	*	*	*	*	*	*	*	*
Congenital Anomalies	*	*	*	*	*	*	*	*	*	*	*	*
Perinatal Period Conditions	*	*	*	*	*	*	*	*	*	*	*	*
All Other	11	19.0	11	19.3	*	*	*	*	*	*	*	*
Injury by Firearm	*	*	*	*	*	*	*	*	*	*	*	*
Drug-Induced Deaths	*	*	*	*	*	*	*	*	*	*	*	*
Alcohol-Induced Deaths	*	*	*	*	*	*	*	*	*	*	*	*
Work-Related Injury	*	*	*	*	*	*	*	*	*	*	*	*

*Fewer than three events in the category. Percentages are of total deaths of each race/ethnicity category. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

Deaths and crude death rates with 95% confidence limits by age group: Phillips County residents, 2000

AGE GROUP	DEATHS	POPULATION	AGE-SPECIFIC DEATH RATE	LOWER LIMIT	UPPER LIMIT
ALL AGES	58	4,505	12.9	9.5	16.3
INFANT	*	68	*	*	*
NEONATAL	*	68	*	*	*
1-4	*	242	*	*	*
5-9	*	338	*	*	*
10-14	*	351	*	*	*
15-19	*	306	*	*	*
20-24	*	188	*	*	*
25-29	*	217	*	*	*
30-34	*	244	*	*	*
35-39	*	306	*	*	*
40-44	*	374	*	*	*
45-49	*	323	*	*	*
50-54	*	256	*	*	*
55-59	*	216	*	*	*
60-64	*	208	*	*	*
65-69	5	216	23.1	0.8	45.5
70-74	4	191	20.9	0.0	43.9
75-79	4	169	23.7	0.0	49.5
80-84	3	123	24.4	0.0	55.7
85+	34	169	201.2	137.8	264.6
1-14	*	931	*	*	*
15-24	*	494	*	*	*
25-64	7	2,144	3.3	0.6	5.9
65+	50	868	57.6	41.5	73.7

*Fewer than three events in the category. Infant death is death in the first year of life. Neonatal death is death occurring prior to the 28th day of life. Infant and neonatal mortality rates are per 1,000 live births. Other death rates are per 1,000 population of the age group. Population figures for infant and neonatal groups are live births. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

Deaths and crude death rates from selected causes by age group: Phillips County residents, 2000

CAUSE OF DEATH (ICD-10)	<1		1-14		15-24		25-44		45-64		65+	
	N	RATE	N	RATE	N	RATE	N	RATE	N	RATE	N	RATE
TOTAL	*	*	*	*	*	*	*	*	5	5.0	50	57.6
Cardiovascular Disease	*	*	*	*	*	*	*	*	*	*	23	26.5
Heart Disease	*	*	*	*	*	*	*	*	*	*	18	20.7
Cerebrovascular Disease	*	*	*	*	*	*	*	*	*	*	3	3.5
Atherosclerosis	*	*	*	*	*	*	*	*	*	*	*	*
Malignant Neoplasms	*	*	*	*	*	*	*	*	*	*	9	10.4
Lung Cancer	*	*	*	*	*	*	*	*	*	*	*	*
Breast Cancer	*	*	*	*	*	*	*	*	*	*	*	*
Chronic Lower Respiratory Diseases	*	*	*	*	*	*	*	*	*	*	*	*
Unintentional Injuries	*	*	*	*	*	*	*	*	*	*	*	*
Motor Vehicle	*	*	*	*	*	*	*	*	*	*	*	*
Other Unintentional Injuries	*	*	*	*	*	*	*	*	*	*	*	*
Pneumonia and Influenza	*	*	*	*	*	*	*	*	*	*	*	*
Suicide	*	*	*	*	*	*	*	*	*	*	*	*
Diabetes Mellitus	*	*	*	*	*	*	*	*	*	*	*	*
HIV Infection	*	*	*	*	*	*	*	*	*	*	*	*
Chronic Liver Disease and Cirrhosis	*	*	*	*	*	*	*	*	*	*	*	*
Alzheimer's Disease	*	*	*	*	*	*	*	*	*	*	*	*
Nephritis, Nephrosis, Nephrotic Syndrome	*	*	*	*	*	*	*	*	*	*	*	*
Homicide and Legal Intervention	*	*	*	*	*	*	*	*	*	*	*	*
Septicemia	*	*	*	*	*	*	*	*	*	*	*	*
Congenital Anomalies	*	*	*	*	*	*	*	*	*	*	*	*
Perinatal Period Conditions	*	*	*	*	*	*	*	*	*	*	*	*
All Other	*	*	*	*	*	*	*	*	*	*	11	12.7
Injury by Firearm	*	*	*	*	*	*	*	*	*	*	*	*
Drug-Induced Deaths	*	*	*	*	*	*	*	*	*	*	*	*
Alcohol-Induced Deaths	*	*	*	*	*	*	*	*	*	*	*	*
Work-Related Injury	*	*	*	*	*	*	*	*	*	*	*	*

*Fewer than three events in the category. Crude death rates are calculated without age adjustment. Infant (<1 year) mortality rates are per 1,000 live births. Other rates are deaths per 1,000 population of the age group. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.

Deaths, crude death rates and age-adjusted death rates with 95% confidence limits from selected causes: Phillips County residents, 2000

CAUSE OF DEATH (ICD-10)	DEATHS	CRUDE RATE	AGE-ADJUSTED DEATH RATE		
			RATE	LOWER LIMIT	UPPER LIMIT
TOTAL	58	1,287.5	747.2	547.9	946.5
Cardiovascular Disease	25	554.9	292.6	172.7	412.6
Heart Disease	20	444.0	233.5	125.3	341.7
Cerebrovascular Disease	3	66.6	33.7	0.0	73.0
Atherosclerosis	*	*	*	*	*
Malignant Neoplasms	11	244.2	166.1	64.4	267.9
Lung Cancer	3	66.6	54.9	0.0	118.0
Breast Cancer	*	*	*	*	*
Chronic Lower Respiratory Diseases	*	*	*	*	*
Unintentional Injuries	5	111.0	85.7	5.4	166.0
Motor Vehicle	*	*	*	*	*
Other Unintentional Injuries	3	66.6	38.9	0.0	86.5
Pneumonia and Influenza	*	*	*	*	*
Suicide	*	*	*	*	*
Diabetes Mellitus	*	*	*	*	*
HIV Infection	*	*	*	*	*
Chronic Liver Disease and Cirrhosis	*	*	*	*	*
Alzheimer's Disease	*	*	*	*	*
Nephritis, Nephrosis, Nephrotic Syndrome	*	*	*	*	*
Homicide and Legal Intervention	*	*	*	*	*
Septicemia	*	*	*	*	*
Congenital Anomalies	*	*	*	*	*
Perinatal Period Conditions	*	*	*	*	*
All Other	11	244.2	113.3	45.8	180.8
Injury by Firearm	*	*	*	*	*
Drug-Induced Deaths	*	*	*	*	*
Alcohol-Induced Deaths	*	*	*	*	*
Work-Related Injury	*	*	*	*	*

*Fewer than three events in the category. Rates are deaths per 100,000 population. Crude death rates are calculated without age adjustment. Age-adjusted rates are adjusted to the 2000 U.S. standard population using the direct method applied to 10-year age groups. Age-adjusted rates provide a better basis for comparison among different geographical areas or time periods. Prepared by Health Statistics Section, Colorado Department of Public Health and Environment.