

2010 Colorado Child Health Survey

Colorado Department of Public Health and Environment, Center for Health and Environmental Information and Statistics, Health Statistics Section

Table of Contents

Click to go to:

[Demographics](#)

[General Health & Weight Status](#)

[Health Care Coverage](#)

[Medical Home](#)

[Asthma](#)

[School](#)

[Nutrition](#)

[Food Insecurity](#)

[Breastfeeding](#)

[Physical Activity](#)

[Environmental Supports](#)

[Sun Protective Behavior](#)

[Oral Health](#)

[Second Hand Smoke Exposure](#)

[Growth and Development](#)

[Behavioral Health](#)

[Immunization](#)

[Safety](#)

[Injury](#)

[Special Health Care Needs](#)

For further information or assistance contact the Health Statistics Section:
303-692-2160 or by e-mail: health.statistics@state.co.us.

Is (child's name) Hispanic or Latino?					
Variable	Level	N	Percent	95% CL for Percent	
CH18	Yes	238	19.2%	16.4%	22.1%
	No	1070	80.8%	77.9%	83.6%

Child's Calculated Race					
Variable	Level	N	Percent	95% CL for Percent	
CRACE	WHITE, NON-HISPANIC	968	72.7%	69.5%	75.9%
	WHITE HISPANIC	206	16.8%	14.1%	19.5%
	BLACK	37	4.4%	2.8%	6.0%
	ASIAN PI	38	2.8%	1.8%	3.9%
	AMERICAN INDIAN, ALASKA NATIVE	12	0.8%	0.2%	1.3%
	OTHER	34	2.5%	1.4%	3.6%

What is the highest grade or year of school completed by anyone in your household?					
Variable	Level	N	Percent	95% CL for Percent	
CH21	grades 1-8	12	1.0%	0.3%	1.7%
	grades 9-11	25	2.4%	1.2%	3.7%
	grade 12/GED	125	8.1%	6.3%	9.8%
	college 1-3 years/technical school	255	17.0%	14.4%	19.5%
	college 4+ years/college grad	896	71.5%	68.4%	74.6%

Are you: Married, Divorced, Widowed, Separated, Never married, or a member of an unmarried couple?					
Variable	Level	N	Percent	95% CL for Percent	
CH21b	Married	1102	84.6%	82.1%	87.1%
	Divorced	95	6.0%	4.6%	7.5%
	Widowed	14	0.5%	0.2%	0.9%
	Separated	30	2.6%	1.4%	3.8%
	Never married	40	3.4%	2.1%	4.8%
	member of an unmarried couple	31	2.8%	1.5%	4.0%

Respondent's age category					
Variable	Level	N	Percent	95% CL for Percent	
_agecat	18 to 24	20	1.4%	0.6%	2.2%
	25 to 34	307	25.0%	21.9%	28.1%
	35 to 44	582	50.2%	46.7%	53.7%
	45 to 54	321	19.4%	16.9%	22.0%
	55+	77	3.9%	2.8%	5.1%

Annual household income from all sources					
Variable	Level	N	Percent	95% CL for Percent	
Income	Less than 10K	34	2.4%	1.4%	3.4%
	10K <= Income < 15K	29	2.1%	1.2%	3.1%
	15K <= Income < 20K	36	3.4%	2.0%	4.7%
	20K <= Income < 25K	77	5.6%	3.8%	7.3%
	25K <= Income < 35K	73	5.4%	3.8%	7.1%
	35K <= Income < 50K	159	11.4%	9.3%	13.6%
	50K <= Income < 75K	239	20.3%	17.3%	23.2%
	>= 75K	590	49.4%	45.8%	53.0%

Child age Categories					
Variable	Level	N	Percent	95% CL for Percent	
chldageg	1 to 4 years	307	29.2%	25.9%	32.6%
	5 to 9 years	455	36.9%	33.6%	40.2%
	10 to 14 years	563	33.9%	30.8%	37.0%

Gender of Child					
Variable	Level	N	Percent	95% CL for Percent	
Respnd	Male	678	51.1%	47.7%	54.6%
	Female	647	48.9%	45.4%	52.3%

In general, how would you describe (child's name)'s health?					
Variable	Level	N	Percent	95% CL for Percent	
ch10	Excellent	825	61.6%	58.2%	64.9%
	Very good	324	24.4%	21.5%	27.4%
	Good	146	11.8%	9.5%	14.1%
	Fair	28	2.1%	1.1%	3.1%
	Poor	2	0.1%	0.0%	0.2%
Calculated BMI Percentile for Children					
Variable	Level	N	Percent	95% CL for Percent	
_bmicat	Underweight-Less than the 5th%	120	11.1%	8.6%	13.6%
	Healthy weight-5th%-<85th%	770	66.0%	62.5%	69.4%
	Overweight-85th-95th%	131	10.0%	8.0%	12.0%
	Obese- =>95th%	151	12.9%	10.4%	15.5%

Does (child's name) have any kind of health care coverage, including health insurance, prepaid plans such as HMOs, or government plans such as Medicaid?					
Variable	Level	N	Percent	95% CL for Percent	
CH13	Yes	1247	94.9%	93.3%	96.5%
	No	75	5.1%	3.5%	6.7%

Is (he/she) insured by Medicaid or the State Children's Health Insurance Program, sometimes called CHP+ (pronounced 'chip')?					
Variable	Level	N	Percent	95% CL for Percent	
CH13b	Yes, Medicaid	156	13.2%	10.7%	15.7%
	Yes, CHP+	87	6.1%	4.3%	7.9%
	No	1000	80.7%	77.9%	83.6%

Please tell me if your child currently has any of the following types of health insurance. Please do not include any health insurance plans that cover only ONE type of service, like plans for dental care or prescription drugs.

HEALTH INSURANCE THROUGH SOMEONE ELSE'S WORK OR UNION					
Variable	Level	N	Percent	95% CL for Percent	
H1_a	Yes	864	70.9%	67.6%	74.1%
	No	382	29.1%	25.9%	32.4%

Is this an individual policy or is it a family policy? (if H1_a=Yes)					
Variable	Level	N	Percent	95% CL for Percent	
H1ba	INDIVIDUAL POLICY	13	1.2%	0.3%	2.1%
	FAMILY POLICY	848	98.7%	97.8%	99.6%
	DON'T KNOW / NOT SURE	2	0.1%	0.0%	0.2%

MEDICARE					
Variable	Level	N	Percent	95% CL for Percent	
H1_b	Yes	7	1.0%	0.2%	1.8%
	No	1232	99.0%	98.2%	99.8%

VETERAN'S AFFAIRS, MILITARY HEALTH, TRICARE OR CHAMPUS					
Variable	Level	N	Percent	95% CL for Percent	
H1_c	Yes	47	4.4%	2.9%	5.9%
	No	1198	95.6%	94.1%	97.1%

INDIAN HEALTH SERVICE					
Variable	Level	N	Percent	95% CL for Percent	
H1_d	Yes	4	0.2%	0.0%	0.5%
	No	1240	99.8%	99.5%	100.0%

HEALTH INSURANCE BOUGHT DIRECTLY BY SOMEONE ELSE					
Variable	Level	N	Percent	95% CL for Percent	
H1_e	Yes	123	8.6%	6.7%	10.5%
	No	1122	91.4%	89.5%	93.3%

Is this an individual policy or is it a family policy?					
Variable	Level	N	Percent	95% CL for Percent	
H1be	INDIVIDUAL POLICY	24	18.6%	9.9%	27.3%
	FAMILY POLICY	99	81.4%	72.7%	90.1%

OTHER TYPE OF HEALTH INSURANCE					
Variable	Level	N	Percent	95% CL for Percent	
H1_f	Yes	58	4.4%	2.9%	5.8%
	No	1187	95.6%	94.2%	97.1%

During the past 12 months, was there any time when (he/she) was not covered by ANY health insurance?					
Variable	Level	N	Percent	95% CL for Percent	
CH14	Yes	87	6.1%	4.5%	7.7%
	No	1157	93.9%	92.3%	95.5%

During the past 12 months, have you delayed or gone without needed health care for (child's name)?					
Variable	Level	N	Percent	95% CL for Percent	
CH146	Yes	128	9.2%	7.3%	11.1%
	No	1191	90.8%	88.9%	92.7%
Why did (child's name) not get all the health care that (he/she) needed? (Check all that apply)					
COST TOO MUCH					
Variable	Level	N	Percent	95% CL for Percent	
ch17a	No	69	52.8%	41.7%	64.0%
	Yes	59	47.2%	36.0%	58.3%
NO INSURANCE					
Variable	Level	N	Percent	95% CL for Percent	
ch17b	No	97	80.9%	73.2%	88.6%
	Yes	31	19.1%	11.4%	26.8%
HEALTH PLAN PROBLEM					
Variable	Level	N	Percent	95% CL for Percent	
ch17c	No	102	79.3%	69.7%	88.9%
	Yes	26	20.7%	11.1%	30.3%
CAN'T FIND A DOCTOR WHO ACCEPTS CHILD'S INSURANCE					
Variable	Level	N	Percent	95% CL for Percent	
ch17d	No	128	100.0%	100.0%	100.0%
NOT AVAILABLE IN AREA/TRANSPORTATION PROBLEMS					
Variable	Level	N	Percent	95% CL for Percent	
ch17e	No	127	99.3%	97.8%	100.0%
	Yes	1	0.7%	0.0%	2.2%
NO CONVENIENT TIMES/COULD NOT GET APPOINTMENT					
Variable	Level	N	Percent	95% CL for Percent	
ch17f	No	124	96.2%	91.7%	100.0%
	Yes	4	3.8%	0.0%	8.3%
OTHER					
Variable	Level	N	Percent	95% CL for Percent	
ch17g	No	104	80.0%	71.0%	89.0%
	Yes	24	20.0%	11.0%	29.0%

Personal doctor or nurse Component					
1-Personal Doctor or Nurse sub-component of MEDICAL HOME composite measure					
Variable	Level	N	Percent	95% CL for Percent	
pdn	Do not have personal doctor or nurse	73	4.6%	3.2%	6.0%
	Yes, has personal doctor or nurse	1246	95.4%	94.0%	96.8%
Comprehensive Care Component					
2-Getting Needed Referrals sub-component of MEDICAL HOME composite measure					
Variable	Level	N	Percent	95% CL for Percent	
norefprb	Big or small problem	26	2.0%	1.1%	2.9%
	No problem	122	11.1%	8.8%	13.4%
	No referral needed	1018	86.9%	84.5%	89.3%
3-Usual Sources for Sick and Well Care sub-component of MEDICAL HOME composite measure					
Variable	Level	N	Percent	95% CL for Percent	
usuals	No usual source	35	2.2%	1.2%	3.2%
	Yes, has usual source	1137	97.8%	96.8%	98.8%
Coordinated Care Component					
Received counseling or treatment from mental hlth professional, last 12 mos					
Variable	Level	N	Percent	95% CL for Percent	
K4Q22R	No	1010	91.6%	89.5%	93.6%
	Yes	103	8.4%	6.4%	10.5%
	Refused	1	0.0%	0.0%	0.0%
Doctor communication needed if specialist, MH, PT/OT/ST, sub abuse, or home health care used					
Variable	Level	N	Percent	95% CL for Percent	
doccommneed	No specialist or mental health	834	71.3%	68.1%	74.6%
	Used 1 or both	342	28.7%	25.4%	31.9%
Level of satisfaction with doctor to doctor communication					
Variable	Level	N	Percent	95% CL for Percent	
drcomm_sat	Less than very satisfied	42	4.1%	2.7%	5.6%
	Very satisfied	63	5.4%	3.8%	6.9%
	Not needed or did not use services	1071	90.5%	88.4%	92.6%

Needed doctor communication with school or other services					
Variable	Level	N	Percent	95% CL for Percent	
K5Q31R	No	932	81.5%	78.6%	84.4%
	Yes	217	18.5%	15.6%	21.4%
Level of satisfaction with doctor communication w/ school or other services					
Variable	Level	N	Percent	95% CL for Percent	
othcomm	Less than very satisfied	62	5.2%	3.6%	6.8%
	Very satisfied	155	13.3%	10.8%	15.8%
	Not needed or did not use services	932	81.5%	78.6%	84.4%
Does anyone help to arrange or coordinate child's health care					
Variable	Level	N	Percent	95% CL for Percent	
K5Q20R	No	83	54.0%	44.0%	64.1%
	Yes	55	40.0%	30.2%	49.7%
	Don't need care arranged	8	6.0%	1.3%	10.7%
Could use extra help to arrange/coordinate child's health care					
Variable	Level	N	Percent	95% CL for Percent	
K5Q21R	No	125	81.2%	72.8%	89.6%
	Yes	23	18.8%	10.4%	27.2%
Gets help with care coordination when needed					
Variable	Level	N	Percent	95% CL for Percent	
carehelp	Needed but did not get extra help	18	1.8%	0.8%	2.9%
	Got help with and/or extra help needed	59	5.6%	3.9%	7.2%
	Less than 2 service types or help not needed	1085	92.6%	90.7%	94.5%
4-Effective Care Coordination sub-component of MEDICAL HOME composite measure					
Variable	Level	N	Percent	95% CL for Percent	
carecoor	Received all needed components of care	196	16.9%	14.2%	19.7%
	Did not need coordination or less than 2	861	76.1%	72.9%	79.2%

Family Centered Care Component

How often doctor spends enough time					
Variable	Level	N	Percent	95% CL for Percent	
time	Sometimes/never	116	9.9%	7.7%	12.0%
	Always/usually	1043	80.6%	77.9%	83.4%
	Did not see doctor	151	9.5%	7.6%	11.4%
How often doctor listens carefully					
Variable	Level	N	Percent	95% CL for Percent	
listen	Sometimes/never	60	4.9%	3.4%	6.5%
	Always/usually	1100	85.6%	83.2%	87.9%
	Did not see doctor	151	9.5%	7.6%	11.4%
How often doctor sensitive to family values and customs					
Variable	Level	N	Percent	95% CL for Percent	
sensitiv	Sometimes/never	74	6.4%	4.6%	8.2%
	Always/usually	1079	84.1%	81.6%	86.6%
	Did not see doctor	151	9.5%	7.6%	11.4%
How often doctor provides needed information					
Variable	Level	N	Percent	95% CL for Percent	
info	Sometimes/never	136	10.1%	7.9%	12.3%
	Always/usually	1019	80.3%	77.6%	83.1%
	Did not see doctor	151	9.6%	7.6%	11.5%
How often doctor makes parent feel like partner in child's care					
Variable	Level	N	Percent	95% CL for Percent	
partner	Sometimes/never	137	9.4%	7.5%	11.3%
	Always/usually	1013	81.0%	78.4%	83.6%
	Did not see doctor	151	9.6%	7.6%	11.5%
How often able to access interpreter help, if needed (non-Eng PHL only)					
Variable	Level	N	Percent	95% CL for Percent	
interpret	Sometimes/never	1	0.0%	0.0%	0.1%
	Always/usually	20	2.3%	1.0%	3.5%
	Did not see doctor	1297	97.7%	96.5%	99.0%
5-Family-centered care sub-component of MEDICAL HOME measure					
Variable	Level	N	Percent	95% CL for Percent	
famcent	Does not have FCC	278	22.7%	19.7%	25.7%

	Yes, has FCC	837	67.6%	64.3%	70.9%
	Did not see doctor	151	9.8%	7.8%	11.7%

MEDICAL HOME COMPOSITE MEASURE

Children whose health care meets criteria for all 5 components of medical home: personal doctor or nurse, family centered care, getting needed referrals, usual source of care, and effective carecoordination

Variable	Level	N	Percent	95% CL for Percent	
Medical Home	One or more criteria not met	333	30.6%	27.1%	34.1%
	Met all Medical Home criteria	752	69.4%	65.9%	72.9%

Has a doctor or health professional ever told you that (child's name) had asthma?					
Variable	Level	N	Percent	95% CL for Percent	
CH24	Yes	159	11.7%	9.5%	13.9%
	No	1150	88.3%	86.1%	90.5%
Does (child's name) still have asthma?					
Variable	Level	N	Percent	95% CL for Percent	
CH25	Yes	122	80.6%	72.2%	89.0%
	No	31	19.4%	11.0%	27.8%
Calculated current asthma					
Variable	Level	N	Percent	95% CL for Percent	
_CASTHMST	Current	122	9.3%	7.3%	11.2%
	Former	31	2.2%	1.2%	3.3%
	Never	1150	88.5%	86.3%	90.7%
Has a doctor or other health professional ever given you an asthma management plan for your child?					
Variable	Level	N	Percent	95% CL for Percent	
CH31a	Yes	86	55.4%	45.3%	65.6%
	No	71	44.6%	34.4%	54.7%

During the past 12 months, about how many days did (child's name) miss school because of illness or injury? (ages 5-14 only)					
Variable	Level	N	Percent	95% CL for Percent	
ch32cat	none	177	19.7%	16.5%	23.0%
	1 to 5 days	615	62.5%	58.6%	66.4%
	6 to 10 days	126	13.2%	10.4%	16.0%
	11 to 15 days	28	2.5%	1.4%	3.6%
	16 to 109 days	23	2.0%	1.0%	3.1%
How many times per week does [CHILD'S NAME] currently attend physical education class?					
Variable	Level	N	Percent	95% CL for Percent	
SH17	1	95	11.2%	8.5%	13.9%
	2	215	23.9%	20.5%	27.3%
	3	194	20.4%	17.2%	23.6%
	4	65	4.6%	3.1%	6.0%
	5	201	20.0%	16.9%	23.1%
	6	2	0.2%	0.0%	0.5%
	Don't know	70	7.1%	5.0%	9.2%
	Does not attend PE class	136	12.7%	10.1%	15.2%
Do you think physical education should be required in schools every year?					
Variable	Level	N	Percent	95% CL for Percent	
SH8	Yes	1240	96.4%	95.0%	97.8%
	No	51	3.6%	2.2%	5.0%
Would you support a state law that requires all Colorado schools to offer physical education classes?					
Variable	Level	N	Percent	95% CL for Percent	
SH18	Yes	1170	92.6%	90.9%	94.4%
	No	102	7.4%	5.6%	9.1%

--	--	--	--	--	--

How strongly would you support a required level of PE in your child's school, knowing that it might take time away from other subjects? [ages 5-14 only, if in school]

Variable	Level	N	Percent	95% CL for Percent	
SH14	Strongly support	576	60.1%	56.2%	64.0%
	Moderately support	327	34.4%	30.6%	38.2%
	Dont support	65	5.6%	3.9%	7.2%

For each one, please tell me if you support school children receiving age-appropriate education about it in school.

DENTAL AND ORAL HEALTH

Variable	Level	N	Percent	95% CL for Percent	
SH6a	Yes	1243	95.1%	93.5%	96.7%
	No	56	4.9%	3.3%	6.5%

NUTRITION AND DIETARY BEHAVIOR

Variable	Level	N	Percent	95% CL for Percent	
SH6b	Yes	1263	97.5%	96.4%	98.6%
	No	35	2.5%	1.4%	3.6%

HUMAN SEXUALITY

Variable	Level	N	Percent	95% CL for Percent	
SH6c	Yes	1064	84.2%	81.5%	86.9%
	No	194	15.8%	13.1%	18.5%

SEXUALLY TRANSMITTED DISEASE OR STD PREVENTION

Variable	Level	N	Percent	95% CL for Percent	
SH6d	Yes	1127	87.2%	84.7%	89.8%
	No	141	12.8%	10.2%	15.3%

EMOTIONAL AND MENTAL HEALTH

Variable	Level	N	Percent	95% CL for Percent	
SH6e	Yes	1179	93.0%	91.3%	94.6%
	No	105	7.0%	5.4%	8.7%

SUICIDE PREVENTION

Variable	Level	N	Percent	95% CL for Percent	
SH6f	Yes	1190	93.0%	91.2%	94.7%
	No	90	7.0%	5.3%	8.8%

TOBACCO USE PREVENTION

Variable	Level	N	Percent	95% CL for Percent	
SH6g	Yes	1248	95.7%	94.0%	97.3%
	No	50	4.3%	2.7%	6.0%

ALCOHOL OR OTHER DRUG USE PREVENTION

Variable	Level	N	Percent	95% CL for Percent	
SH6h	Yes	1259	96.6%	95.3%	98.0%
	No	41	3.4%	2.0%	4.7%

VIOLENCE PREVENTION, SUCH AS BULLYING, FIGHTING, AND HOMICIDE

Variable	Level	N	Percent	95% CL for Percent	
SH6i	Yes	1265	97.3%	96.1%	98.5%
	No	32	2.7%	1.5%	3.9%

SUN SAFETY

Variable	Level	N	Percent	95% CL for Percent	
SH6j	Yes	1139	88.8%	86.4%	91.1%
	No	144	11.2%	8.9%	13.6%

How strongly would you support putting only nutritious items in school vending machines, knowing that it might reduce the profit from vending machines? [ages 5-14 only, if in school]

Variable	Level	N	Percent	95% CL for Percent	
SH15	Strongly support	548	57.4%	53.5%	61.3%
	Moderately support	324	34.2%	30.4%	37.9%
	Dont support	90	8.4%	6.3%	10.6%

How strongly would you support healthy food and snacks for school fundraisers, school celebrations or school events instead of high calorie foods and snacks? [ages 5-14 only, if in school]

Variable	Level	N	Percent	95% CL for Percent	
SH19	Strongly support	530	55.8%	51.8%	59.7%
	Moderately support	353	35.5%	31.7%	39.3%
	Dont support	84	8.7%	6.4%	11.1%

Are you satisfied with the amount of health care services available to children through your child's school?
[ages 5-14 only, if in school]

Variable	Level	N	Percent	95% CL for Percent	
SH20	Yes	612	79.2%	75.5%	82.8%
	No	163	20.8%	17.2%	24.5%

Calculated fruit juice consumption per day					
Variable	Level	N	Percent	95% CL for Percent	
_ch34i	never	80	6.5%	4.7%	8.2%
	<1	688	50.7%	47.2%	54.1%
	1+ less than 2	333	26.7%	23.6%	29.8%
	2+ less than 3	133	10.5%	8.4%	12.6%
	3+ less than 4	36	3.2%	1.8%	4.6%
	4+ less than 5	19	1.7%	0.8%	2.7%
	5+	11	0.7%	0.2%	1.2%
Calculated fruit consumption per day					
Variable	Level	N	Percent	95% CL for Percent	
_ch35i	never	11	0.8%	0.2%	1.3%
	<1	338	22.1%	19.4%	24.9%
	1+ less than 2	363	28.1%	24.9%	31.3%
	2+ less than 3	386	31.8%	28.5%	35.1%
	3+ less than 4	139	11.1%	8.9%	13.4%
	4+ less than 5	49	4.5%	2.9%	6.0%
	5+	16	1.6%	0.6%	2.6%
Calculated vegetable consumption per day					
Variable	Level	N	Percent	95% CL for Percent	
_ch36i	never	11	1.2%	0.3%	2.2%
	<1	307	21.6%	18.9%	24.4%
	1+ less than 2	411	29.5%	26.4%	32.5%
	2+ less than 3	439	36.3%	32.9%	39.7%
	3+ less than 4	106	9.5%	7.2%	11.8%
	4+ less than 5	23	1.6%	0.8%	2.4%
	5+	4	0.2%	0.0%	0.6%

Calculated dairy consumption per day					
Variable	Level	N	Percent	95% CL for Percent	
_ch37i	never	21	1.8%	0.9%	2.6%
	<1	80	5.4%	3.9%	6.9%
	1+ less than 2	180	13.4%	10.9%	15.9%
	2+ less than 3	352	26.7%	23.6%	29.7%
	3+ less than 4	417	31.4%	28.3%	34.6%
	4+ less than 5	160	13.1%	10.7%	15.4%
	5+	93	8.3%	6.2%	10.3%

On a typical day, how many glasses or cans of regular soda pop or other sweetened drinks, such as fruit punch or sports drinks does (child's name) drink? Do NOT count diet drinks. (Includes any drinks with added sugar such as Cola, sunny delight, iced tea, lemonade, Hawaiian punch, Hi-C, Snapple, Gatorade, Kool-Aid.)

Variable	Level	N	Percent	95% CL for Percent	
_ch194	0	1066	83.8%	81.2%	86.3%
	1	187	12.9%	10.6%	15.2%
	2 or more	46	3.3%	2.1%	4.5%

On a typical day, how many servings of sweets, such as cookies, candy, doughnuts, pastries, cake or popsicles does (child's name) have?

Variable	Level	N	Percent	95% CL for Percent	
_ch195	0	415	30.9%	27.8%	34.1%
	1	642	50.4%	46.9%	53.9%
	2 or more	237	18.6%	15.9%	21.4%

In the past 7 days, how many times did (he/she) eat fast food? Include fast food meals eaten at school or at home, or at fast food restaurants, carryout or drive thru.

Variable	Level	N	Percent	95% CL for Percent	
_ch196	0	493	36.7%	33.3%	40.0%
	1	453	36.2%	32.8%	39.6%
	2	235	18.7%	15.9%	21.4%
	3	78	5.4%	4.0%	6.9%
	4 or more times/wk	38	3.0%	1.8%	4.2%

Calculated 2+ fruits and 3+ vegetables per day					
Variable	Level	N	Percent	95% CL for Percent	
_hpfrtveg	meets goal	114	9.7%	7.4%	12.0%
	does not meet goal	1186	90.3%	88.0%	92.6%
Calculated consumption of 5 servings fruits and/or vegetables per day					
Variable	Level	N	Percent	95% CL for Percent	
_frtveg5	consumption of 5 or more fruits and/or	217	18.7%	15.8%	21.6%
	less than 5 fruits and/or vegetables per day	1086	81.3%	78.4%	84.2%
Calculated fruit consumption 2 per day					
Variable	Level	N	Percent	95% CL for Percent	
_ch35_2day	consumption of 2 or more per day	590	49.0%	45.5%	52.5%
	less than 2 per day	712	51.0%	47.5%	54.5%
Calculated vegetable consumption 3 per day					
Variable	Level	N	Percent	95% CL for Percent	
_ch36_3day	consumption of 3 or more per day	133	11.4%	9.0%	13.8%
	less than 3 per day	1168	88.6%	86.2%	91.0%

You relied on only a few kinds of low-cost food to feed (child's name) because you were running out of money to buy food. Was that often, sometimes, or never true in the last 12 months?

Variable	Level	N	Percent	95% CL for Percent	
CH41	Often true	57	4.4%	3.0%	5.8%
	Sometimes true	265	20.9%	18.0%	23.7%
	Never true	979	74.7%	71.7%	77.8%

Was (child's name) ever breastfed or fed breast milk?					
Variable	Level	N	Percent	95% CL for Percent	
CH44	Yes	126	90.4%	83.9%	96.8%
	No	16	9.6%	3.2%	16.1%
How old was (he/she) when (he/she) completely stopped breastfeeding or being fed breast milk?					
Variable	Level	N	Percent	95% CL for Percent	
_ch45wk	Less than a week	16	9.7%	3.2%	16.1%
	1 week	4	5.1%	0.0%	11.3%
	2 weeks	2	0.4%	0.0%	1.2%
	3 weeks	2	2.8%	0.0%	7.2%
	4 weeks	3	1.6%	0.0%	3.6%
	6 weeks	1	1.0%	0.0%	3.0%
	8 weeks	5	2.6%	0.0%	5.2%
	9 weeks	1	0.9%	0.0%	2.6%
	12 weeks	9	5.8%	1.4%	10.1%
	14 weeks	1	0.5%	0.0%	1.5%
	16 weeks	7	5.1%	0.9%	9.2%
	24 weeks	4	3.3%	0.0%	8.8%
	28 weeks	14	12.5%	4.9%	20.1%
	30 weeks	1	0.2%	0.0%	0.5%
	31 weeks	1	0.7%	0.0%	2.0%
	32 weeks	5	2.7%	0.1%	5.3%
	36 weeks	2	1.8%	0.0%	4.4%
	40 weeks	3	1.4%	0.0%	3.2%
	44 weeks	8	4.9%	0.5%	9.4%
	48 weeks	5	2.3%	0.2%	4.5%
	52 weeks	20	17.7%	8.3%	27.1%
	53 weeks	26	17.1%	9.6%	24.6%

Calculated breastfeeding 3 months					
Variable	Level	N	Percent	95% CL for Percent	
BF3	BF never	16	9.7%	3.2%	16.1%
	BF less than 3 months	27	20.2%	11.5%	28.9%
	BF at 3 months	97	70.1%	60.1%	80.2%
Calculated breastfeeding 6 months					
Variable	Level	N	Percent	95% CL for Percent	
BF6	BF never	16	9.7%	3.2%	16.1%
	BF less than 6 months	39	29.1%	18.9%	39.3%
	BF at 6 months	85	61.2%	50.4%	72.0%
Calculated breastfeeding 12 months					
Variable	Level	N	Percent	95% CL for Percent	
BF12	BF never	16	9.7%	3.2%	16.1%
	BF less than 12 months	78	55.5%	44.6%	66.5%
	BF at 12 months	46	34.8%	24.2%	45.4%
Calculated age- first time drank liquids other than breast milk					
Variable	Level	N	Percent	95% CL for Percent	
ch165m	1 week	17	17.1%	7.3%	26.9%
	2 weeks	2	0.5%	0.0%	1.3%
	3 weeks	2	2.8%	0.0%	6.9%
	1 month	8	7.1%	1.9%	12.2%
	2 months	6	3.9%	0.5%	7.2%
	3 months	10	8.9%	1.6%	16.3%
	4 months	12	9.8%	3.3%	16.3%
	5 months	6	4.6%	0.0%	10.9%
	6 months	23	19.6%	10.3%	28.9%
	7 months	34	25.7%	15.8%	35.6%

Calculated age in months- first time ate soft food

Variable	Level	N	Percent	95% CL for Percent	
ch166m	2 months	2	1.2%	0.0%	3.0%
	3 months	9	10.0%	1.8%	18.2%
	4 months	32	19.9%	11.8%	28.0%
	5 months	28	21.2%	11.5%	30.9%
	6 months	38	35.6%	24.2%	47.1%
	7 months	5	3.6%	0.0%	7.2%
	8 months	5	3.9%	0.0%	7.9%
	9 months	1	0.1%	0.0%	0.2%
	11 months	1	0.7%	0.0%	2.1%
	12 months	4	3.8%	0.0%	7.7%

Calculated hours watch TV on average weekday					
Variable	Level	N	Percent	95% CL for Percent	
TVWD	Less than 2 hours	627	65.9%	62.3%	69.5%
	2 or more hours	366	34.1%	30.5%	37.7%
Calculated hours watch TV on average weekend day					
Variable	Level	N	Percent	95% CL for Percent	
TVWE	Less than 2 hours	287	29.1%	25.5%	32.6%
	2 or more hours	702	70.9%	67.4%	74.5%
Calculated computer time on average weekday					
Variable	Level	N	Percent	95% CL for Percent	
PCWD	Less than 2 hours	874	89.0%	86.7%	91.3%
	2 or more hours	117	11.0%	8.7%	13.3%
Calculated computer time on avg weekend day					
Variable	Level	N	Percent	95% CL for Percent	
PCWE	Less than 2 hours	870	89.1%	86.8%	91.4%
	2 or more hours	116	10.9%	8.6%	13.2%
Calculated number of hours of moderate physical activity per week					
Variable	Level	N	Percent	95% CL for Percent	
MODPA7	<7 hours/week	610	62.0%	58.2%	65.9%
	7+ hours/week	369	38.0%	34.1%	41.8%
During the school year, on how many days during a typical week does (child's name) walk, bicycle, or skateboard to or from school?					
Variable	Level	N	Percent	95% CL for Percent	
CH167	1	23	1.9%	0.9%	2.9%
	2	18	2.0%	0.6%	3.4%
	3	31	3.7%	2.1%	5.2%

	4	24	2.7%	1.4%	4.0%
	5	186	20.9%	17.6%	24.3%
	Ride the bus	253	22.9%	19.7%	26.0%
	Driven to school	405	43.9%	39.9%	47.9%
	Homeschooled	16	1.6%	0.7%	2.6%
	none	4	0.4%	0.0%	0.8%

Has (child's name) been to a park, playground or public open space in the past 30 days?					
Variable	Level	N	Percent	95% CL for Percent	
CH197	Yes	852	88.5%	86.0%	90.9%
	No	139	11.5%	9.1%	14.0%
Calculated number of days child went to the playground or park in the past 30 days.					
Variable	Level	N	Percent	95% CL for Percent	
_ch197a	1 to 7	475	55.9%	51.7%	60.1%
	8 to 14	153	17.8%	14.6%	21.0%
	15 or more	218	26.3%	22.6%	29.9%
In the past 7 days, how many days did (child's name) do physical activity or sports at any of these locations					
SCHOOL GROUNDS (AFTER-SCHOOL ONLY)					
Variable	Level	N	Percent	95% CL for Percent	
CH198a	0	561	56.1%	52.1%	60.0%
	1	70	7.4%	5.3%	9.5%
	2	85	10.2%	7.6%	12.9%
	3	83	7.1%	5.2%	8.9%
	4	54	5.7%	3.8%	7.6%
	5	98	10.7%	8.3%	13.1%
	6	13	1.0%	0.3%	1.8%
	7	15	1.8%	0.6%	3.0%
PARK OR PLAYGROUND					
Variable	Level	N	Percent	95% CL for Percent	
CH198b	0	351	31.0%	27.4%	34.5%
	1	223	23.5%	20.1%	26.9%
	2	170	19.3%	16.1%	22.6%
	3	96	10.3%	7.9%	12.6%
	4	44	4.4%	2.9%	5.9%
	5	68	7.3%	5.2%	9.3%
	6	11	1.3%	0.4%	2.2%

	7	26	3.0%	1.6%	4.4%
--	---	----	------	------	------

PUBLIC RECREATION CENTER

Variable	Level	N	Percent	95% CL for Percent	
CH198c	0	686	68.7%	65.1%	72.3%
	1	153	16.2%	13.4%	19.1%
	2	78	8.2%	6.0%	10.4%
	3	38	3.9%	2.4%	5.4%
	4	16	1.8%	0.6%	2.9%
	5	11	0.8%	0.2%	1.4%
	6	2	0.0%	0.0%	0.1%
	7	4	0.3%	0.0%	0.6%

LOCAL STREET, ALLEYWAY, CUL DE SAC

Variable	Level	N	Percent	95% CL for Percent	
CH198d	0	457	43.7%	39.8%	47.6%
	1	97	10.2%	7.7%	12.7%
	2	124	12.9%	10.3%	15.6%
	3	64	6.9%	5.0%	8.8%
	4	36	3.4%	2.1%	4.7%
	5	50	6.5%	4.3%	8.6%
	6	8	1.1%	0.3%	2.0%
	7	151	15.2%	12.4%	18.0%

It is difficult for my child to be active in the local park or playground because it lacks adequate space or equipment....

Variable	Level	N	Percent	95% CL for Percent	
CH199	Yes	46	4.4%	2.8%	6.0%
	No	836	86.2%	83.4%	89.0%
	does not apply to my neighborhood	104	9.4%	7.0%	11.8%

It is difficult for my child to be active in the local park or playground because it is not safe due to crime (strangers, gangs, drugs)....

Variable	Level	N	Percent	95% CL for Percent	
CH200	Yes	61	7.4%	5.2%	9.6%
	No	833	85.1%	82.3%	88.0%

	does not apply to my neighborhood	91	7.5%	5.4%	9.5%

It is difficult for my child to be active in the local street, alleyway, or cul de sac because it is unsafe due to traffic (volume and speed of cars).

Variable	Level	N	Percent	95% CL for Percent	
CH201	Yes	222	24.5%	21.1%	28.0%
	No	705	70.8%	67.2%	74.4%
	does not apply to my neighborhood	62	4.6%	3.1%	6.2%

It is difficult for my child to be active in the local street, alleyway, or cul de sac because it is unsafe due to crime (strangers, gangs, drugs).

Variable	Level	N	Percent	95% CL for Percent	
CH202	Yes	62	8.2%	5.8%	10.6%
	No	852	85.7%	82.8%	88.6%
	does not apply to my neighborhood	74	6.1%	4.2%	8.0%

Calculated: On a sunny summer day, on average how much time does (child's name) spend outside in the sun between 11am and 3pm?

Variable	Level	N	Percent	95% CL for Percent	
_ch55i	None	140	12.2%	9.7%	14.8%
	<1 Hour	369	31.8%	28.4%	35.1%
	1+ less than 2	320	25.7%	22.6%	28.8%
	2+ less than 4	189	14.4%	11.9%	16.9%
	4 hours	196	15.9%	13.3%	18.5%

When (child's name) is outside for more than 15 minutes between 11 am and 3 pm on a sunny summer day, how often does (he/she) use sunscreen with a Sun Protection Factor or SPF of 15 or more?

Variable	Level	N	Percent	95% CL for Percent	
CH56	Always	453	36.8%	33.4%	40.2%
	Nearly always	427	34.3%	31.0%	37.7%
	Sometimes	257	17.6%	15.0%	20.2%
	Seldom	77	5.9%	4.1%	7.6%
	Never	70	5.4%	3.8%	7.0%

On a sunny summer day, when (child's name) is outside for more than 15 minutes between 11 am and 3 pm, how often does (he/she) stay in the shade?

Variable	Level	N	Percent	95% CL for Percent	
CH57	Always	24	2.1%	0.9%	3.2%
	Nearly always	147	12.6%	10.1%	15.1%
	Sometimes	786	61.9%	58.4%	65.3%
	Seldom	266	18.8%	16.2%	21.4%
	Never	60	4.7%	3.2%	6.2%

On a sunny summer day, when (child's name) is outside for more than 15 minutes between 11 am and 3 pm, how often does (he/she) wear clothes covering most of (his/her) arms and legs?

Variable	Level	N	Percent	95% CL for Percent	
CH58	Always	49	3.7%	2.3%	5.2%
	Nearly always	196	14.4%	11.9%	16.9%
	Sometimes	473	37.6%	34.2%	41.0%
	Seldom	364	29.0%	25.8%	32.2%
	Never	204	15.3%	12.9%	17.7%

Thinking back over the past 12 months, tell me as best as you can whether (child's name) has had any sunburns during that time.

Variable	Level	N	Percent	95% CL for Percent	
CH59	Yes	617	43.9%	40.5%	47.3%
	No	663	56.1%	52.7%	59.5%

Do you think a tan makes a child look healthy?

Variable	Level	N	Percent	95% CL for Percent	
CH60	Yes	316	23.4%	20.4%	26.3%
	No	906	76.6%	73.7%	79.6%

During the past twelve months, was there any time your child needed but did not get dental care?					
Variable	Level	N	Percent	95% CL for Percent	
CH61	Yes	84	5.7%	4.2%	7.3%
	No	1202	94.3%	92.7%	95.8%
How would you rate the condition of your child's teeth? Would you say the condition is:					
Variable	Level	N	Percent	95% CL for Percent	
CH62	Excellent	564	45.5%	42.0%	49.0%
	Very good	437	34.2%	30.9%	37.6%
	Good	220	15.0%	12.5%	17.5%
	Fair	48	3.9%	2.6%	5.2%
	Poor	18	1.4%	0.7%	2.2%
Which of the following, if any, is the main problem (child's name) has with (his/her) teeth?					
Variable	Level	N	Percent	95% CL for Percent	
CH63	Pain	4	0.4%	0.0%	0.8%
	Cavities	177	13.7%	11.3%	16.0%
	Broken or missing fillings	5	0.3%	0.0%	0.6%
	Teeth pulled because of cavities	7	0.6%	0.1%	1.2%
	Broken front tooth or teeth that need	24	1.7%	0.9%	2.5%
	Bleeding gums	4	0.3%	0.0%	0.5%
	Crooked teeth, or teeth that need braces	271	18.2%	15.7%	20.8%
	Some other problem	68	5.8%	4.1%	7.5%
	No problems	725	59.0%	55.6%	62.4%
Calculated: Children ages 1-5 years who first went to the dentist before 12 months of age					
Variable	Level	N	Percent	95% CL for Percent	
denvisit	VISIT DDS by 12 months of age	12	3.4%	1.2%	5.6%
	VISIT DDS after 12 months of age	237	62.7%	56.5%	68.8%
	NEVER SEEN A DENTIST	137	33.9%	27.9%	39.9%

Does (child's name) have a regular source of dental care, including a dentist, hygienist, orthodontist, or oral surgeon?					
Variable	Level	N	Percent	95% CL for Percent	
CH63b	Yes	1039	92.3%	90.3%	94.3%
	No	101	7.7%	5.7%	9.7%

Has a Health Care Provider ever: Told you how to prevent cavities					
Variable	Level	N	Percent	95% CL for Percent	
CH63c_a	Yes	698	58.1%	54.6%	61.6%
	No	547	41.9%	38.4%	45.4%

Applied fluoride to your child's teeth					
Variable	Level	N	Percent	95% CL for Percent	
CH63c_b	Yes	295	22.8%	19.9%	25.7%
	No	969	77.2%	74.3%	80.1%

Helped you identify strategies to work on improving our child's teeth					
Variable	Level	N	Percent	95% CL for Percent	
CH63c_c	Yes	450	37.6%	34.2%	41.1%
	No	814	62.4%	58.9%	65.8%

Refer your child to a dentist					
Variable	Level	N	Percent	95% CL for Percent	
CH63c_d	Yes	261	22.8%	19.8%	25.8%
	No	1011	77.2%	74.2%	80.2%

Including yourself, how many people who live in your house smoke cigarettes, cigars, or pipes?					
Variable	Level	N	Percent	95% CL for Percent	
CH64	1	140	10.7%	8.6%	12.7%
	2	59	3.8%	2.6%	4.9%
	3	5	0.4%	0.0%	1.0%
	4	3	0.3%	0.0%	0.8%
	none	1076	84.8%	82.4%	87.2%
During the past 7 days, how many days did anyone smoke cigarettes, cigars, or pipes anywhere inside your home?					
Variable	Level	N	Percent	95% CL for Percent	
CH65	1	5	0.5%	0.0%	1.2%
	2	4	0.1%	0.0%	0.3%
	4	1	0.1%	0.0%	0.2%
	5	3	0.2%	0.0%	0.5%
	6	1	0.1%	0.0%	0.2%
	7	28	1.7%	0.9%	2.4%
	none	1241	97.4%	96.3%	98.4%
During the past 7 days, how many days did (child's name) ride in a car with someone who was smoking cigarettes, cigars, or a pipe?					
Variable	Level	N	Percent	95% CL for Percent	
CH66	1	26	1.8%	0.8%	2.7%
	2	20	1.2%	0.6%	1.7%
	3	6	0.5%	0.0%	0.9%
	4	6	0.3%	0.0%	0.5%
	5	1	0.0%	0.0%	0.1%
	7	7	0.6%	0.1%	1.1%
	none	1213	95.7%	94.4%	97.0%

If smoking is allowed in some or all places inside your home, are any of these things done to reduce secondhand smoke exposure to children?

NO ONE SMOKES INSIDE THE HOME

Variable	Level	N	Percent	95% CL for Percent	
ch174a	No	175	12.6%	10.4%	14.9%
	Yes	1150	87.4%	85.1%	89.6%

SPRAY ROOM DEODORIZERS OR AIR FRESHENERS

Variable	Level	N	Percent	95% CL for Percent	
ch174b	No	1322	99.9%	99.8%	100.0%
	Yes	3	0.1%	0.0%	0.2%

OPEN A WINDOW OR TURN ON A FAN TO REMOVE SECONDHAND SMOKE

Variable	Level	N	Percent	95% CL for Percent	
ch174c	No	1315	99.4%	99.0%	99.9%
	Yes	10	0.6%	0.1%	1.0%

SMOKE IN A ROOM AWAY FROM OTHERS/THE CHILDREN

Variable	Level	N	Percent	95% CL for Percent	
ch174d	No	1298	98.3%	97.5%	99.1%
	Yes	27	1.7%	0.9%	2.5%

SMOKE OUTSIDE

Variable	Level	N	Percent	95% CL for Percent	
ch174e	No	1210	90.9%	88.9%	92.9%
	Yes	115	9.1%	7.1%	11.1%

WASH HANDS AFTER SMOKING

Variable	Level	N	Percent	95% CL for Percent	
ch174f	No	1303	97.8%	96.6%	98.9%
	Yes	22	2.2%	1.1%	3.4%

WEAR A SMOKING JACKET

Variable	Level	N	Percent	95% CL for Percent	
ch174g	No	1320	99.7%	99.4%	100.0%
	Yes	5	0.3%	0.0%	0.6%

ANYTHING ELSE

Variable	Level	N	Percent	95% CL for Percent	
ch174h	No	1321	99.9%	99.8%	100.0%
	Yes	4	0.1%	0.0%	0.2%

NO ONE SMOKES INSIDE THE HOME					
Variable	Level	N	Percent	95% CL for Percent	
ch174j	No	1321	99.6%	99.0%	100.0%
	Yes	4	0.4%	0.0%	1.0%
If smoking is allowed inside your vehicle, are any of these things done to reduce secondhand smoke exposure to children?					
NO ONE SMOKES INSIDE THE VEHICLE					
Variable	Level	N	Percent	95% CL for Percent	
ch175a	No	123	8.3%	6.6%	10.1%
	Yes	1202	91.7%	89.9%	93.4%
SPRAY ROOM DEODORIZERS OR AIR FRESHENERS					
Variable	Level	N	Percent	95% CL for Percent	
ch175b	No	1317	99.3%	98.8%	99.8%
	Yes	8	0.7%	0.2%	1.2%
OPEN A WINDOW TO REMOVE SECONDHAND SMOKE					
Variable	Level	N	Percent	95% CL for Percent	
ch175c	No	1249	94.9%	93.4%	96.3%
	Yes	76	5.1%	3.7%	6.6%
OTHER					
Variable	Level	N	Percent	95% CL for Percent	
ch175d	No	1318	99.7%	99.4%	100.0%
	Yes	7	0.3%	0.0%	0.6%
During the past 12 months, did your child's healthcare provider (doctor or nurse) ask if you or anyone in your household smokes?					
Variable	Level	N	Percent	95% CL for Percent	
CH184	Yes	714	61.1%	57.6%	64.6%
	No	498	38.1%	34.7%	41.6%
	My child has not been to a health care	12	0.8%	0.3%	1.2%
Did the healthcare provider (doctor or nurse) talk to you about children being exposed to tobacco smoke?					
Variable	Level	N	Percent	95% CL for Percent	
CH185	Yes	355	30.1%	26.8%	33.4%

	No	887	69.9%	66.6%	73.2%

At the place you take your child for childcare or an early childhood education program, have you seen information about children being exposed to tobacco smoke?

Variable	Level	N	Percent	95% CL for Percent	
CH186	Yes	125	28.4%	22.9%	33.9%
	No	184	51.7%	45.2%	58.2%
	Not in childcare or an early childhood	65	19.9%	14.1%	25.7%

Has a teacher or staff member talked to you about children being exposed to tobacco smoke?

Variable	Level	N	Percent	95% CL for Percent	
CH187	Yes	28	7.6%	4.2%	11.1%
	No	291	92.4%	88.9%	95.8%

During the past 12 months, did (his/her) doctors or other health care providers give you specific information to address your concerns about (his/her) learning, development, or behavior? (ages 1-5 only)

Variable	Level	N	Percent	95% CL for Percent	
CH168	Yes	153	38.8%	32.6%	45.0%
	No	229	61.2%	55.0%	67.4%

During the past 12 months, did a doctor or other health care provider have you fill out a questionnaire about specific concerns or observations you may have about (child's name)'s development, communication, or social behaviors? (ages 1-5 only)

Variable	Level	N	Percent	95% CL for Percent	
CH169	Yes	159	43.8%	37.4%	50.1%
	No	215	56.2%	49.9%	62.6%

During the past week, on how many days did you or other family members read stories to (child's name)? (ages 1-5 only)

Variable	Level	N	Percent	95% CL for Percent	
CH83	1	5	1.5%	0.0%	2.9%
	2	13	4.0%	1.7%	6.3%
	3	34	9.1%	5.0%	13.1%
	4	21	4.4%	2.1%	6.8%
	5	33	9.3%	5.6%	13.1%
	6	21	4.8%	2.4%	7.2%
	7	248	65.0%	58.9%	71.2%
	none	6	1.9%	0.0%	3.9%

Overall, do you think that (child's name) has difficulties with one or more of the following areas: emotions, concentration, behavior, or being able to get along with other people?					
Variable	Level	N	Percent	95% CL for Percent	
CH84	Yes	284	21.6%	18.8%	24.3%
	No	994	78.4%	75.7%	81.2%
Would you describe these difficulties as minor, moderate, or severe?					
Variable	Level	N	Percent	95% CL for Percent	
CH85	Minor	123	45.1%	37.9%	52.4%
	Moderate	136	45.7%	38.4%	52.9%
	Severe	23	9.2%	5.0%	13.5%
Has (he/she) ever received counseling or treatment for these difficulties?					
Variable	Level	N	Percent	95% CL for Percent	
CH86	Yes, currently	97	32.5%	25.6%	39.5%
	Yes, in the past	48	18.1%	12.4%	23.8%
	No	137	49.4%	42.1%	56.6%

There are two ways to get the H1N1 flu vaccination. One is a shot in the arm and the other is a spray, mist or drop in the nose. Since September, 2009, has [he/she] been vaccinated either way for the H1N1 flu?

Variable	Level	N	Percent	95% CL for Percent	
M30_1	Yes	563	46.1%	42.6%	49.7%
	No	687	53.9%	50.3%	57.4%

Since September 2009, how many of these H1N1 vaccinations has [he/she] received?

Variable	Level	N	Percent	95% CL for Percent	
M30_2	One vaccination or dose	315	56.3%	51.1%	61.5%
	Two or more vaccination doses	235	43.7%	38.5%	48.9%

Was this a shot or was it a vaccine sprayed in the nose?

Variable	Level	N	Percent	95% CL for Percent	
M30_4	Flu shot	348	65.8%	60.7%	70.8%
	Flu nasal spray	196	34.2%	29.2%	39.3%

During the past 12 months, has [he/she] had a seasonal flu vaccination?

Variable	Level	N	Percent	95% CL for Percent	
M25_1	Yes	657	54.9%	51.4%	58.4%
	No	607	45.1%	41.6%	48.6%

Has he/she received a tetanus shot in the past 10 years?

Variable	Level	N	Percent	95% CL for Percent	
CH203	Yes	463	93.8%	91.3%	96.3%
	No	37	6.2%	3.7%	8.7%

Was his/her most recent tetanus given in 2005 or later?

Variable	Level	N	Percent	95% CL for Percent	
CH204	Yes	315	90.3%	86.8%	93.7%
	No	36	9.7%	6.3%	13.2%

Thinking back to his/her most recent tetanus shot, did the doctor tell you the vaccine included the pertussis or whooping cough vaccine?

Variable	Level	N	Percent	95% CL for Percent	
CH205	Yes	277	78.9%	73.2%	84.6%
	No	69	20.4%	14.7%	26.1%
	Doctor did not say	5	0.7%	0.1%	1.3%

Has this child EVER had the HPV vaccination? (female between ages 9 and 17 years)

Variable	Level	N	Percent	95% CL for Percent	
CH206	Yes	58	18.7%	13.2%	24.1%
	No	253	81.3%	75.9%	86.8%

How many HPV shots did she receive? (female between ages 9 and 17 years)

Variable	Level	N	Percent	95% CL for Percent	
CH207	One shot	16	35.1%	18.5%	51.7%
	Two shots	10	18.6%	5.4%	31.9%
	All shots	28	46.2%	30.4%	62.1%

How often do you feel (child's name) is safe in your community or neighborhood?					
Variable	Level	N	Percent	95% CL for Percent	
CH137	Always	862	66.3%	63.0%	69.6%
	Usually	364	28.9%	25.7%	32.1%
	Sometimes	44	4.3%	2.8%	5.9%
	Never	6	0.5%	0.0%	0.9%
How often do you feel (child's name) is safe at home?					
Variable	Level	N	Percent	95% CL for Percent	
CH138	Always	1170	90.9%	88.8%	92.9%
	Usually	97	7.8%	6.0%	9.7%
	Sometimes	10	1.2%	0.3%	2.2%
	Never	1	0.1%	0.0%	0.2%
How often do you feel (child's name) is safe at school or childcare?					
Variable	Level	N	Percent	95% CL for Percent	
CH139	Always	790	72.1%	69.0%	75.3%
	Usually	306	23.4%	20.5%	26.4%
	Sometimes	44	4.3%	2.8%	5.8%
	Never	3	0.1%	0.0%	0.2%

During the past 30 days, how often did (child's name) use a child safety seat, booster seat or seat belt when riding in a car, van, sports utility vehicle, or truck?

Variable	Level	N	Percent	95% CL for Percent	
CH92	Always	1169	92.9%	91.2%	94.6%
	Nearly always	56	3.8%	2.5%	5.1%
	Sometimes	10	0.6%	0.1%	1.0%
	Seldom	6	0.5%	0.1%	1.0%
	Never	35	2.2%	1.3%	3.1%

What is the primary mode of restraint used by (child's name) when riding in a car, van, sports utility vehicle, or truck?

Variable	Level	N	Percent	95% CL for Percent	
CH93	lap belt only	12	1.2%	0.4%	2.1%
	shoulder and lap belt only	713	49.5%	45.9%	53.0%
	rear facing infant car seat	14	1.4%	0.4%	2.4%
	forward facing car seat with harness	221	21.2%	18.1%	24.3%
	booster seat with car's lap or shoulder belt	255	23.9%	20.8%	27.0%
	something else	28	2.8%	1.5%	4.0%

Does (child's name) currently need or use medicine prescribed by a doctor, other than vitamins?					
Variable	Level	N	Percent	95% CL for Percent	
CH108	Yes	234	17.8%	15.2%	20.4%
	No	1044	82.2%	79.6%	84.8%
Is (his/her) need for prescription medicine because of ANY medical, behavioral, or other health condition?					
Variable	Level	N	Percent	95% CL for Percent	
CH109	Yes	210	90.5%	85.1%	95.8%
	No	19	9.5%	4.2%	14.9%
Is this a condition that has lasted or is expected to last 12 months or longer?					
Variable	Level	N	Percent	95% CL for Percent	
CH110	Yes	185	93.4%	89.8%	97.0%
	No	18	6.6%	3.0%	10.2%
Does (child's name) need or use more medical care, mental health, or educational services than is usual for most children of the same age?					
Variable	Level	N	Percent	95% CL for Percent	
CH111	Yes	150	11.6%	9.4%	13.8%
	No	1113	88.4%	86.2%	90.6%
Is (his/her) need for medical care, mental health, or educational services because of ANY medical, behavioral, or other health condition?					
Variable	Level	N	Percent	95% CL for Percent	
CH112	Yes	119	83.7%	76.4%	91.0%
	No	23	16.3%	9.0%	23.6%
Is this a condition that has lasted or is expected to last 12 months or longer?					
Variable	Level	N	Percent	95% CL for Percent	
CH113	Yes	115	98.5%	96.3%	100.0%
	No	2	1.5%	0.0%	3.7%

--	--	--	--	--	--

Is (child's name) limited or prevented in any way in (his/her) ability to do the things most children of the same age can do?

Variable	Level	N	Percent	95% CL for Percent	
CH114	Yes	77	5.6%	4.1%	7.1%
	No	1194	94.4%	92.9%	95.9%

Is (his/her) limitation in abilities because of ANY medical, behavioral, or other health condition?

Variable	Level	N	Percent	95% CL for Percent	
CH115	Yes	58	79.7%	68.8%	90.6%
	No	15	20.3%	9.4%	31.2%

Is this a condition that has lasted or is expected to last 12 months or longer?

Variable	Level	N	Percent	95% CL for Percent	
CH116	Yes	55	96.1%	90.3%	100.0%
	No	2	3.9%	0.0%	9.7%

Does (child's name) need or get special therapy, such as physical, occupational, or speech therapy?

Variable	Level	N	Percent	95% CL for Percent	
CH117	Yes	90	7.3%	5.5%	9.2%
	No	1184	92.7%	90.8%	94.5%

Is (his/her) need for special therapy because of ANY medical, behavioral, or other health condition?

Variable	Level	N	Percent	95% CL for Percent	
CH118	Yes	44	54.9%	41.0%	68.8%
	No	39	45.1%	31.2%	59.0%

Is this a condition that has lasted or is expected to last 12 months or longer?

Variable	Level	N	Percent	95% CL for Percent	
CH119	Yes	41	92.0%	81.6%	100.0%
	No	3	8.0%	0.0%	18.4%

Does (child's name) have any kind of emotional, developmental, or behavioral problem for which (he/she) needs treatment or counseling?

Variable	Level	N	Percent	95% CL for Percent	
CH120	Yes	92	6.9%	5.2%	8.6%
	No	1175	93.1%	91.4%	94.8%
Has (his/her) emotional, developmental, or behavioral problem lasted or is it expected to last 12 months or longer?					
Variable	Level	N	Percent	95% CL for Percent	
CH121	Yes	85	94.8%	90.1%	99.5%
	No	6	5.2%	0.5%	9.9%
Calculated: Children with special health care needs					
Variable	Level	N	Percent	95% CL for Percent	
shcn	No	1075	81.4%	78.8%	84.0%
	Yes-Special Health Care Needs	250	18.6%	16.0%	21.2%