

All Cancers Incidence Rates

Table 1: Age-adjusted incidence rates for all cancers in Colorado, 1996-2006.

Poverty Level & Race	Count	Rate	95% Confidence Intervals		
			Standard Error	Lower	Upper
<10% Poverty	122238	461.5	1.35	458.9	464.1
Non-Hispanic White	110793	468.3	1.43	465.5	471.1
Hispanic	7025	456.0	6.24	443.8	468.2
Black	2368	484.9	11.66	462.0	507.8
Asian/Pacific Islander	1522	333.4	9.97	313.9	352.9
American Indian	212	193.9	16.64	161.3	226.5
10-19% Poverty	42767	444.2	2.15	440.0	448.4
Non-Hispanic White	35381	458.3	2.45	453.5	463.1
Hispanic	5226	418.2	6.21	406.0	430.4
Black	1521	453.0	12.11	429.3	476.7
Asian/Pacific Islander	401	296.8	15.96	265.5	328.1
American Indian	132	166.7	16.58	134.2	199.2
20+% Poverty	16987	423.4	3.27	417.0	429.8
Non-Hispanic White	10951	456.1	4.42	447.4	464.8
Hispanic	4316	380.1	6.02	368.3	391.9
Black	1322	460.1	12.83	435.0	485.2
Asian/Pacific Islander	242	293.4	19.81	254.6	332.2
American Indian	91	162.4	18.86	125.4	199.4

Bolded numbers denote z-test statistical significance with regard to <10% poverty group by race.

Table 2: Age-adjusted incidence rates for all cancers among males in Colorado, 1996-2006.

Poverty Level & Race	Count	Rate	95% Confidence Intervals		
			Standard Error	Lower	Upper
<10% Poverty	61960	529.4	2.24	525.0	533.8
Non-Hispanic White	56377	536.9	2.36	532.3	541.5
Hispanic	3369	509.3	10.47	488.8	529.8
Black	1334	589.2	20.72	548.6	629.8
Asian/Pacific Islander	624	382.6	18.98	345.4	419.8
American Indian	98	192.9	25.48	143.0	242.8
10-19% Poverty	21469	516.1	3.57	509.1	523.1
Non-Hispanic White	17749	530.9	4.00	523.1	538.7
Hispanic	2610	485.4	10.57	464.7	506.1
Black	853	587.7	21.81	545.0	630.4
Asian/Pacific Islander	149	295.3	27.85	240.7	349.9
American Indian	57	167.8	26.26	116.3	219.3
20+% Poverty	8699	502.0	5.49	491.2	512.8
Non-Hispanic White	5497	534.8	7.26	520.6	549.0
Hispanic	2238	441.3	10.03	421.6	461.0
Black	773	616.6	23.36	570.8	662.4
Asian/Pacific Islander	124	360.1	34.72	292.0	428.2
American Indian	36	146.3	27.57	92.3	200.3

Bolded numbers denote z-test statistical significance with regard to <10% poverty group by race.

Table 3: Age-adjusted incidence rates for all cancers among females in Colorado, 1996-2006.

Poverty Level & Race	Count	Rate	95% Confidence Intervals		
			Standard Error	Lower	Upper
<10% Poverty	60278	414.5	1.71	411.1	417.9
Non-Hispanic White	54416	420.7	1.82	417.1	424.3
Hispanic	3656	420.1	7.77	404.9	435.3
Black	1034	403.0	13.94	375.7	430.3
Asian/Pacific Islander	898	309.7	11.66	286.8	332.6
American Indian	114	197.4	22.26	153.8	241.0
10-19% Poverty	21298	399.8	2.76	394.4	405.2
Non-Hispanic White	17632	413.1	3.17	406.9	419.3
Hispanic	2616	377.6	7.73	362.4	392.8
Black	668	355.2	14.07	327.6	382.8
Asian/Pacific Islander	252	307.3	20.28	267.6	347.0
American Indian	75	169.8	21.75	127.2	212.4
20+% Poverty	8288	374.6	4.18	366.4	382.8
Non-Hispanic White	5454	410.3	5.77	399.0	421.6
Hispanic	2078	340.1	7.63	325.1	355.1
Black	549	342.4	14.69	313.6	371.2
Asian/Pacific Islander	118	250.4	23.86	203.6	297.2
American Indian	55	175.6	25.80	125.0	226.2

Bolded numbers denote z-test statistical significance with regard to <10% poverty group by race.

Breast Cancer Incidence Rates

Table 4: Age-adjusted incidence rates for breast cancer among females in Colorado, 1996-2006.

Poverty Level & Race	Count	Rate	95% Confidence Intervals		
			Standard Error	Lower	Upper
<10% Poverty	20841	138.7	0.97	136.8	140.6
Non-Hispanic White	18982	142.5	1.04	140.5	144.5
Hispanic	1175	124.0	3.98	116.2	131.8
Black	346	121.9	7.22	107.7	136.1
Asian/Pacific Islander	262	79.4	5.27	69.1	89.7
American Indian	30	44.2	9.71	25.2	63.2
10-19% Poverty	6427	123.6	1.55	120.6	126.6
Non-Hispanic White	5411	131.1	1.81	127.6	134.6
Hispanic	723	101.7	3.91	94.0	109.4
Black	191	97.6	7.21	83.5	111.7
Asian/Pacific Islander	62	71.1	9.27	52.9	89.3
American Indian	20	41.1	9.71	22.1	60.1
20+% Poverty	2209	104.2	2.24	99.8	108.6
Non-Hispanic White	1486	118.4	3.16	112.2	124.6
Hispanic	525	86.0	3.81	78.5	93.5
Black	155	96.1	7.75	80.9	111.3
Asian/Pacific Islander	23	46.2	9.83	26.9	65.5
American Indian	11	38.3	12.30	14.2	62.4

Bolded numbers denote z-test statistical significance with regard to <10% poverty group by race.

Cervical Cancer Incidence Rates

Table 5: Age-adjusted incidence rates for cervical cancer among females in Colorado, 1996-2006.

Poverty Level & Race	Count	Rate	95% Confidence Intervals		
			Standard Error	Lower	Upper
<10% Poverty	1036	6.4	0.20	6.0	6.8
Non-Hispanic White	822	6.0	0.21	5.6	6.4
Hispanic	143	11.6	1.08	9.5	13.7
Black	23	6.7	1.51	3.7	9.7
Asian/Pacific Islander	42	10.7	1.76	7.3	14.1
American Indian	1	1.0	0.95	0.0	2.9
10-19% Poverty	451	8.7	0.41	7.9	9.5
Non-Hispanic White	290	7.6	0.45	6.7	8.5
Hispanic	121	13.9	1.34	11.3	16.5
Black	24	10.9	2.26	6.5	15.3
Asian/Pacific Islander	13	14.8	4.15	6.7	22.9
American Indian	2	2.7	1.91	0.0	6.4
20+% Poverty	245	11.4	0.74	9.9	12.9
Non-Hispanic White	118	10.1	0.96	8.2	12.0
Hispanic	103	14.6	1.48	11.7	17.5
Black	19	11.5	2.65	6.3	16.7
Asian/Pacific Islander	3	6.2	3.63	0.0	13.3
American Indian	2	4.3	3.07	0.0	10.3

Bolded numbers denote z-test statistical significance with regard to <10% poverty group by race.

Colorectal Cancer Incidence Rates

Table 6: Age-adjusted incidence rates for colorectal cancer in Colorado, 1996-2006.

Poverty Level & Race	Count	Rate	95% Confidence Intervals		
			Standard Error	Lower	Upper
<10% Poverty	11867	47.6	0.45	46.7	48.5
Non-Hispanic White	10619	47.1	0.46	46.2	48.0
Hispanic	763	56.5	2.30	52.0	61.0
Black	263	62.0	4.46	53.3	70.7
Asian/Pacific Islander	172	41.9	3.71	34.6	49.2
American Indian	21	19.7	5.22	9.5	29.9
10-19% Poverty	4557	47.6	0.71	46.2	49.0
Non-Hispanic White	3713	46.9	0.77	45.4	48.4
Hispanic	610	53.1	2.25	48.7	57.5
Black	167	52.8	4.28	44.4	61.2
Asian/Pacific Islander	46	34.5	5.43	23.9	45.1
American Indian	16	24.9	6.99	11.2	38.6
20+% Poverty	1967	49.8	1.13	47.6	52.0
Non-Hispanic White	1251	50.6	1.45	47.8	53.4
Hispanic	528	49.7	2.22	45.3	54.1
Black	136	47.6	4.13	39.5	55.7
Asian/Pacific Islander	29	37.7	7.24	23.5	51.9
American Indian	15	29.2	7.94	13.6	44.8

Bolded numbers denote z-test statistical significance with regard to <10% poverty group by race.

Table 7: Age-adjusted incidence rates for colorectal cancer among males in Colorado, 1996-2006.

Poverty Level & Race	Count	Rate	95% Confidence Intervals		
			Standard Error	Lower	Upper
<10% Poverty	6042	54.5	0.74	53.0	56.0
Non-Hispanic White	5393	54.0	0.77	52.5	55.5
Hispanic	415	64.6	3.74	57.3	71.9
Black	128	59.7	6.80	46.4	73.0
Asian/Pacific Islander	79	57.4	8.09	41.5	73.3
American Indian	10	18.0	7.24	3.8	32.2
10-19% Poverty	2259	56.1	1.19	53.8	58.4
Non-Hispanic White	1811	55.2	1.30	52.7	57.7
Hispanic	345	67.3	3.94	59.6	75.0
Black	81	58.1	7.16	44.1	72.1
Asian/Pacific Islander	12	20.9	6.12	8.9	32.9
American Indian	7	20.2	8.73	3.1	37.3
20+% Poverty	1024	60.9	1.93	57.1	64.7
Non-Hispanic White	622	61.4	2.47	56.6	66.2
Hispanic	297	61.0	3.74	53.7	68.3
Black	79	62.5	7.41	48.0	77.0
Asian/Pacific Islander	14	43.1	12.06	19.5	66.7
American Indian	8	37.9	14.36	9.8	66.0

Bolded numbers denote z-test statistical significance with regard to <10% poverty group by race.

Table 8: Age-adjusted incidence rates for colorectal cancer among females in Colorado, 1996-2006.

Poverty Level & Race	Count	Rate	95% Confidence Intervals		
			Standard Error	Lower	Upper
<10% Poverty	5825	42.2	0.56	41.1	43.3
Non-Hispanic White	5226	41.8	0.58	40.7	42.9
Hispanic	348	49.2	2.88	43.6	54.8
Black	135	63.1	5.97	51.4	74.8
Asian/Pacific Islander	93	33.6	3.84	26.1	41.1
American Indian	11	20.9	7.34	6.5	35.3
10-19% Poverty	2298	41.5	0.88	39.8	43.2
Non-Hispanic White	1902	41.0	0.96	39.1	42.9
Hispanic	265	42.3	2.67	37.1	47.5
Black	86	48.8	5.37	38.3	59.3
Asian/Pacific Islander	34	44.1	7.96	28.5	59.7
American Indian	9	27.3	9.94	7.8	46.8
20+% Poverty	943	41.4	1.37	38.7	44.1
Non-Hispanic White	629	42.6	1.77	39.1	46.1
Hispanic	231	40.3	2.68	35.0	45.6
Black	57	36.2	4.81	26.8	45.6
Asian/Pacific Islander	15	34.1	9.04	16.4	51.8
American Indian	7	22.6	8.89	5.2	40.0

Bolded numbers denote z-test statistical significance with regard to <10% poverty group by race.

Lung Cancer Incidence Rates

Table 9: Age-adjusted incidence rates for lung cancer in Colorado, 1996-2006.

Poverty Level & Race	Count	Rate	95% Confidence Intervals		
			Standard Error	Lower	Upper
<10% Poverty	12843	52.1	0.47	51.2	53.0
Non-Hispanic White	11763	52.6	0.49	51.6	53.6
Hispanic	597	48.0	2.15	43.8	52.2
Black	281	70.0	4.79	60.6	79.4
Asian/Pacific Islander	162	43.1	3.83	35.6	50.6
American Indian	19	25.8	6.99	12.1	39.5
10-19% Poverty	5637	59.7	0.80	58.1	61.3
Non-Hispanic White	4829	62.6	0.90	60.8	64.4
Hispanic	508	48.2	2.22	43.8	52.6
Black	228	74.3	5.07	64.4	84.2
Asian/Pacific Islander	48	39.4	6.17	27.3	51.5
American Indian	16	24.3	6.57	11.4	37.2
20+% Poverty	2331	60.1	1.25	57.7	62.6
Non-Hispanic White	1648	69.6	1.73	66.2	73.0
Hispanic	440	42.8	2.08	38.7	46.9
Black	195	70.3	5.08	60.3	80.3
Asian/Pacific Islander	32	43.9	8.04	28.1	59.7
American Indian	10	20.7	7.05	6.9	34.5

Bolded numbers denote z-test statistical significance with regard to <10% poverty group by race.

Table 10: Age-adjusted incidence rates for lung cancer among males in Colorado, 1996-2006.

Poverty Level & Race	Count	Rate	95% Confidence Intervals		
			Standard Error	Lower	Upper
<10% Poverty	6785	63.1	0.80	61.5	64.7
Non-Hispanic White	6212	63.5	0.84	61.9	65.1
Hispanic	296	55.8	3.73	48.5	63.1
Black	166	95.5	9.48	76.9	114.1
Asian/Pacific Islander	89	63.3	7.96	47.7	78.9
American Indian	8	21.4	9.50	2.8	40.0
10-19% Poverty	2984	73.9	1.36	71.2	76.6
Non-Hispanic White	2544	76.9	1.53	73.9	79.9
Hispanic	274	60.3	3.91	52.6	68.0
Black	131	99.3	9.29	81.1	117.5
Asian/Pacific Islander	24	49.8	11.92	26.4	73.2
American Indian	6	16.8	7.00	3.1	30.5
20+% Poverty	1318	79.5	2.21	75.2	83.8
Non-Hispanic White	898	89.4	2.99	83.5	95.3
Hispanic	269	58.8	3.77	51.4	66.2
Black	120	100.0	9.45	81.5	118.5
Asian/Pacific Islander	20	64.8	14.87	35.7	93.9
American Indian	8	40.7	15.67	10.0	71.4

Bolded numbers denote z-test statistical significance with regard to <10% poverty group by race.

Table 11: Age-adjusted incidence rates for lung cancer among females in Colorado, 1996-2006.

Poverty Level & Race	Count	Rate	95% Confidence Intervals		
			Standard Error	Lower	Upper
<10% Poverty	6058	44.4	0.57	43.3	45.5
Non-Hispanic White	5551	45.0	0.61	43.8	46.2
Hispanic	301	43.0	2.64	37.8	48.2
Black	115	52.7	5.35	42.2	63.2
Asian/Pacific Islander	73	30.2	3.91	22.5	37.9
American Indian	11	29.7	10.06	10.0	49.4
10-19% Poverty	2653	49.8	0.97	47.9	51.7
Non-Hispanic White	2285	52.4	1.11	50.2	54.6
Hispanic	234	39.6	2.64	34.4	44.8
Black	97	55.9	5.75	44.6	67.2
Asian/Pacific Islander	24	32.7	7.06	18.9	46.5
American Indian	10	28.9	9.78	9.7	48.1
20+% Poverty	1013	46.3	1.47	43.4	49.2
Non-Hispanic White	750	56.0	2.10	51.9	60.1
Hispanic	171	30.4	2.34	25.8	35.0
Black	75	47.7	5.53	36.9	58.5
Asian/Pacific Islander	12	29.6	8.92	12.1	47.1
American Indian	2	5.5	4.12	0.0	13.6

Bolded numbers denote z-test statistical significance with regard to <10% poverty group by race.

Melanoma Incidence Rates

Table 12: Age-adjusted incidence rates for melanoma among non-Hispanic whites in Colorado, 1996-2006.

Poverty Level & Race	Count	Rate	Standard Error	95% Confidence Intervals	
				Lower	Upper
<10% Poverty					
Non-Hispanic White	6157	24.3	0.32	23.7	24.9
10-19% Poverty					
Non-Hispanic White	1589	20.7	0.52	19.7	21.7
20+% Poverty					
Non-Hispanic White	429	17.8	0.87	16.1	19.5

Bolded numbers denote z-test statistical significance with regard to <10% poverty group by race.

Table 13: Age-adjusted incidence rates for melanoma among non-Hispanic white males in Colorado, 1996-2006.

Poverty Level & Race	Count	Rate	Standard Error	95% Confidence Intervals	
				Lower	Upper
<10% Poverty					
Non-Hispanic White	3483	30.0	0.53	28.7	31.0
10-19% Poverty					
Non-Hispanic White	887	25.7	0.87	24.0	27.4
20+% Poverty					
Non-Hispanic White	250	23.3	1.49	20.4	26.2

Bolded numbers denote z-test statistical significance with regard to <10% poverty group by race.

Table 14: Age-adjusted incidence rates for melanoma among non-Hispanic white females in Colorado, 1996-2006.

Poverty Level & Race	Count	Rate	Standard Error	95% Confidence Intervals	
				Lower	Upper
<10% Poverty					
Non-Hispanic White	2674	20.0	0.39	19.2	20.8
10-19% Poverty					
Non-Hispanic White	702	17.3	0.66	16.0	18.6
20+% Poverty					
Non-Hispanic White	179	14.2	1.10	12.0	16.4

Bolded numbers denote z-test statistical significance with regard to <10% poverty group by race.

Cancers of the Oral Cavity and Pharynx Incidence Rates

Table 15: Age-adjusted incidence rates for cancers of the oral cavity and pharynx in Colorado, 1996-2006.

Poverty Level & Race	Count	Rate	95% Confidence Intervals		
			Standard Error	Lower	Upper
<10% Poverty	2457	8.9	0.18	8.5	9.3
Non-Hispanic White	2259	9.2	0.20	8.8	9.6
Hispanic	113	7.0	0.75	5.5	8.5
Black	41	7.3	1.35	4.7	9.9
Asian/Pacific Islander	35	5.9	1.10	3.7	8.1
American Indian	4	2.1	1.09	0.0	4.2
10-19% Poverty	917	9.5	0.31	8.9	10.1
Non-Hispanic White	787	10.3	0.37	9.6	11.0
Hispanic	99	7.5	0.81	5.9	9.1
Black	20	5.6	1.30	3.1	8.1
Asian/Pacific Islander	6	5.3	2.44	0.5	10.1
American Indian	3	3.1	1.84	0.0	6.7
20+% Poverty	413	10.4	0.52	9.4	11.4
Non-Hispanic White	277	11.9	0.72	10.5	13.3
Hispanic	90	8.2	0.89	6.5	9.9
Black	36	11.2	1.90	7.5	14.9
Asian/Pacific Islander	7	7.3	2.92	1.6	13.0
American Indian	3	4.8	2.82	0.0	10.3

Bolded numbers denote z-test statistical significance with regard to <10% poverty group by race.

Table 16: Age-adjusted incidence rates for cancers of the oral cavity and pharynx among males in Colorado, 1996-2006.

Poverty Level & Race	Count	Rate	95% Confidence Intervals		
			Standard Error	Lower	Upper
<10% Poverty	1683	13.2	0.34	12.5	13.9
Non-Hispanic White	1547	13.6	0.36	12.9	14.3
Hispanic	77	10.8	1.49	7.9	13.7
Black	32	10.9	2.30	6.4	15.4
Asian/Pacific Islander	21	7.8	1.94	4.0	11.6
American Indian	4	4.0	2.10	0.0	8.1
10-19% Poverty	599	13.8	0.57	12.7	14.9
Non-Hispanic White	514	14.9	0.66	13.6	16.2
Hispanic	65	11.2	1.55	8.2	14.2
Black	15	9.6	2.78	4.2	15.0
Asian/Pacific Islander	2	3.6	2.57	0.0	8.6
American Indian	1	1.4	1.40	0.0	4.1
20+% Poverty	287	16.1	0.97	14.2	18.0
Non-Hispanic White	181	17.5	1.31	14.9	20.1
Hispanic	69	13.8	1.76	10.4	17.2
Black	29	19.3	3.75	12.0	26.7
Asian/Pacific Islander	6	14.0	6.28	1.7	26.3
American Indian	2	7.1	5.19	0.0	17.3

Bolded numbers denote z-test statistical significance with regard to <10% poverty group by race.

Table 17: Age-adjusted incidence rates for cancers of the oral cavity and pharynx among females in Colorado, 1996-2006.

Poverty Level & Race	Count	Rate	95% Confidence Intervals		
			Standard Error	Lower	Upper
<10% Poverty	774	5.4	0.20	5.0	5.8
Non-Hispanic White	712	5.6	0.21	5.2	6.0
Hispanic	36	4.0	0.74	2.5	5.5
Black	9	3.4	1.33	0.8	6.0
Asian/Pacific Islander	14	4.4	1.26	1.9	6.9
American Indian	0	0.0	0.00	0.0	0.0
10-19% Poverty	318	5.9	0.34	5.2	6.6
Non-Hispanic White	273	6.3	0.39	5.5	7.1
Hispanic	34	4.5	0.82	2.9	6.1
Black	5	2.7	1.19	0.4	5.0
Asian/Pacific Islander	4	6.0	3.33	0.0	12.5
American Indian	2	4.3	3.06	0.0	10.3
20+% Poverty	126	5.7	0.52	4.7	6.7
Non-Hispanic White	96	7.3	0.77	5.8	8.8
Hispanic	21	3.5	0.77	2.0	5.0
Black	7	4.2	1.60	1.1	7.3
Asian/Pacific Islander	1	2.3	2.31	0.0	6.8
American Indian	1	2.5	2.52	0.0	7.4

Bolded numbers denote z-test statistical significance with regard to <10% poverty group by race.

Prostate Cancer Incidence Rates

Table 18: Age-adjusted incidence rates for prostate cancer among males in Colorado, 1996-2006.

Poverty Level & Race	Count	Rate	Standard Error	95% Confidence Intervals	
				Lower	Upper
<10% Poverty	19879	168.6	1.24	166.2	171.0
Non-Hispanic White	18181	170.8	1.31	168.2	173.4
Hispanic	944	158.9	5.83	147.5	170.3
Black	575	236.1	12.06	212.5	259.7
Asian/Pacific Islander	118	75.3	7.64	60.3	90.3
American Indian	21	59.7	15.57	29.2	90.2
10-19% Poverty	6115	150.1	1.93	146.3	153.9
Non-Hispanic White	5099	153.5	2.16	149.3	157.7
Hispanic	653	138.1	5.74	126.8	149.4
Black	306	212.4	12.75	187.4	237.4
Asian/Pacific Islander	34	65.5	11.42	43.1	87.9
American Indian	9	37.3	14.16	9.5	65.1
20+% Poverty	2147	129.9	2.82	124.4	135.4
Non-Hispanic White	1370	136.8	3.70	129.5	144.1
Hispanic	510	110.9	5.09	100.9	120.9
Black	242	198.6	13.28	172.6	224.6
Asian/Pacific Islander	19	58.7	13.96	31.3	86.1
American Indian	2	13.1	10.09	0.0	32.9

Bolded numbers denote z-test statistical significance with regard to <10% poverty group by race.

Table 19A: Distribution of all Colorado cancer cases by stage of disease at diagnosis, race/ethnicity, and area poverty level, 1995-2000.

Poverty Level & Race	Total Count	% of Total	Stage of Disease					"Early" % ¹
			In-Situ %	Localized %	Regional %	Distant %	Unknown %	
< 10% Poverty								
All Races	65008	100%	7.9	42.9	17.6	18.0	13.6	58.7
Non-Hispanic White	59560	92%	8.0	43.3	17.3	17.9	13.5	59.2
Hispanic	3451	5%	6.7	38.4	20.6	19.3	15.0	53.1
Black	1156	2%	4.7	42.3	20.5	18.4	14.1	54.7
Asian/Pacific Islander	661	1%	6.1	36.6	23.6	19.7	14.1	49.6
American Indian	79	0%	12.7	40.5	24.1	16.5	6.3	56.8
10-19% Poverty								
All Races	24933	100%	6.9	39.2	17.8	20.2	15.9	54.8
Non-Hispanic White	20932	84%	7.3	39.6	17.4	19.8	15.9	55.8
Hispanic	2828	11%	4.6	37.7	20.1	21.1	16.5	50.6
Black	823	3%	3.4	35.7	21.0	26.1	13.7	45.4
Asian/Pacific Islander	232	1%	5.2	37.5	19.0	23.3	15.1	50.3
American Indian	61	0%	8.2	27.9	21.3	31.1	11.5	40.7
20+% Poverty								
All Races	10188	100%	5.6	36.4	18.6	22.9	16.5	50.3
Non-Hispanic White	6797	67%	6.0	37.6	17.8	22.1	16.6	52.2
Hispanic	2358	23%	4.8	35.2	20.4	23.5	16.2	47.7
Black	836	8%	5.0	32.2	18.9	27.6	16.3	44.4
Asian/Pacific Islander	123	1%	3.3	31.7	22.0	29.3	13.8	40.6
American Indian	46	0%	0.0	28.3	28.3	26.1	17.4	34.2

Source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment, May 2008. ¹ "Early" = in situ + localized proportion of staged cancers.

Table 19B: Distribution of all Colorado cancer cases by stage of disease at diagnosis, race/ethnicity, and area poverty level, 2001-2006.

Poverty Level & Race	Total Count	% of Total	Stage of Disease					"Early" % ¹
			In-Situ %	Localized %	Regional %	Distant %	Unknown %	
< 10% Poverty								
All Races	81550	100%	9.3	42.8	17.7	18.2	12.0	59.1
Non-Hispanic White	73506	90%	9.6	43.1	17.4	18.1	11.9	59.7
Hispanic	4883	6%	6.7	40.0	21.1	19.4	12.8	53.5
Black	1618	2%	5.8	42.5	17.6	20.4	13.7	55.9
Asian/Pacific Islander	1113	1%	6.0	37.1	22.7	20.4	13.7	50.0
American Indian	170	0%	6.5	40.0	18.2	20.6	14.7	54.5
10-19% Poverty								
All Races	25934	100%	7.6	39.6	17.8	21.0	13.9	54.9
Non-Hispanic White	21283	82%	8.1	40.0	17.4	20.8	13.7	55.7
Hispanic	3292	13%	6.0	37.5	19.9	22.3	14.4	50.7
Black	953	4%	5.0	39.5	18.5	21.9	15.1	52.4
Asian/Pacific Islander	249	1%	4.4	33.7	19.3	23.3	19.3	47.3
American Indian	92	0%	4.3	34.8	22.8	25.0	13.0	45.0
20+% Poverty								
All Races	10081	100%	6.7	36.0	18.4	23.5	15.4	50.5
Non-Hispanic White	6364	63%	7.8	37.2	17.5	22.5	15.1	53.0
Hispanic	2687	27%	4.7	34.4	20.3	24.8	15.8	46.4
Black	763	8%	6.6	32.8	17.6	27.1	16.0	46.8
Asian/Pacific Islander	165	2%	3.0	37.6	19.4	26.1	12.7	46.5
American Indian	57	1%	1.8	26.3	26.3	21.1	24.6	37.2

Source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment, May 2008. ¹ "Early" = *in situ* + localized proportion of staged cancers.

Table 20: Five-year cause-specific survival rates (%) for all Colorado cancers and standard errors (SE) by stage of disease, race/ethnicity, and area poverty level, 1999-2002.

Poverty Level & Race	Stage of Disease											
	Total Count	%	SE	Localized (Count)	%	SE	Regional (Count)	%	SE	Distant (Count)	%	SE
< 10% Poverty												
All Races	34723	67.6	0.3	17376	89.4	0.3	7108	66.6	0.6	6816	25.9	0.6
Non-Hispanic White	31416	68.0	0.3	15872	89.5	0.3	6294	66.9	0.6	6149	26.1	0.6
Hispanic	2007	64.1	1.2	920	86.7	1.2	498	63.9	2.3	391	22.7	2.4
Black	679	64.8	2.0	316	89.9	1.9	156	66.7	4.0	145	21.2	3.6
Asian/Pacific Islander	463	63.7	2.4	193	89.3	2.4	124	59.1	4.8	101	30.9	5.1
American Indian	53	70.3	6.8	23	88.7	7.6	10	66.7	16.1	13	49.4	14.9
10-19% Poverty												
All Races	12193	58.4	0.5	5555	84.1	0.5	2449	57.5	1.1	2777	20.2	0.8
Non-Hispanic White	10041	59.1	0.5	4629	84.8	0.6	1992	58.5	1.2	2244	19.6	0.9
Hispanic	1528	54.7	1.4	658	80.1	1.8	331	52.9	3.0	365	24.1	2.5
Black	435	53.1	2.6	184	82.7	3.2	83	54.8	6.0	123	15.9	3.5
Asian/Pacific Islander	119	53.9	5.0	47	86.5	5.7	27	35.8	10.4	33	34.6	8.9
American Indian	29	62.4	9.5	15	71.1	12.3	6	83.3	15.2	6	20.0	17.9
20+% Poverty												
All Races	4828	53.9	0.8	1965	84.1	0.9	1030	54.2	1.7	1212	16.2	1.2
Non-Hispanic White	3081	55.8	1.0	1322	84.9	1.1	618	55.8	2.1	731	16.1	1.5
Hispanic	1280	50.7	1.6	484	82.3	1.9	298	53.0	3.3	343	16.1	2.4
Black	352	48.0	2.9	123	83.4	3.7	84	44.7	6.1	102	13.8	4.0
Asian/Pacific Islander	66	59.7	6.3	24	87.1	6.9	13	60.2	13.9	22	24.0	9.3
American Indian	24	46.8	11.4	5	66.7	27.2	9	50.8	17.7	5	*	*

Source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment, May 2008. * = not displayed due to insufficient numbers.

Table 21A: Distribution of Colorado female breast cancer cases by stage of disease at diagnosis, race/ethnicity, and area poverty level, 1995-2000.

Poverty Level & Race	Total Count	% of Total	Stage of Disease					
			In-Situ %	Localized %	Regional %	Distant %	Unknown %	"Early" % ¹
< 10% Poverty								
All Races	12393	100%	16.7	53.0	23.5	2.8	4.0	72.6
Non-Hispanic White	11358	92%	16.6	53.6	23.1	2.7	4.0	73.1
Hispanic	673	5%	18.3	45.6	29.3	3.1	3.7	66.4
Black	187	2%	13.4	44.9	29.4	7.5	4.8	61.2
Asian/Pacific Islander	140	1%	20.0	52.1	22.9	1.4	3.6	74.8
American Indian	15	0%	33.3	53.3	6.7	0.0	6.7	92.9
10-19% Poverty								
All Races	4262	100%	15.3	50.9	24.9	3.9	5.0	69.6
Non-Hispanic White	3636	85%	15.2	51.5	24.4	3.7	5.1	70.3
Hispanic	434	10%	14.1	47.0	29.5	5.3	4.1	63.7
Black	128	3%	18.0	45.3	25.8	4.7	6.3	67.5
Asian/Pacific Islander	39	1%	25.6	51.3	15.4	7.7	0.0	76.9
American Indian	13	0%	15.4	46.2	30.8	0.0	7.7	66.7
20+ % Poverty								
All Races	1520	100%	15.3	52.0	24.7	4.2	3.8	69.9
Non-Hispanic White	1061	70%	14.8	52.9	23.3	4.9	4.1	70.6
Hispanic	320	21%	15.0	52.5	27.2	3.1	2.2	69.0
Black	116	8%	20.7	43.1	29.3	1.7	5.2	67.3
Asian/Pacific Islander	15	1%	20.0	53.3	26.7	0.0	0.0	73.3
American Indian	7	0%	0.0	42.9	57.1	0.0	0.0	42.9

Source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment, May 2008. ¹ "Early" = *in situ* + localized proportion of staged cancers.

Table 21B: Distribution of Colorado female breast cancer cases by stage of disease at diagnosis, race/ethnicity, and area poverty level, 2001-2006.

Poverty Level & Race	Total Count	% of Total	Stage of Disease					
			In-Situ %	Localized %	Regional %	Distant %	Unknown %	"Early" % ¹
< 10% Poverty								
All Races	15074	100%	20.1	50.1	24.3	2.7	2.8	72.3
Non-Hispanic White	13651	91%	20.1	50.2	24.0	2.7	2.9	72.5
Hispanic	882	6%	19.5	48.8	27.2	2.8	1.7	69.4
Black	263	2%	19.8	50.2	26.6	1.1	2.3	71.6
Asian/Pacific Islander	209	1%	22.0	47.8	24.9	3.8	1.4	70.9
American Indian	25	0%	12.0	60.0	20.0	4.0	4.0	75.0
10-19% Poverty								
All Races	4092	100%	17.4	50.1	25.4	3.8	3.3	69.8
Non-Hispanic White	3412	83%	17.6	50.8	24.6	3.7	3.3	70.7
Hispanic	479	12%	16.1	47.8	29.0	4.8	2.3	65.4
Black	136	3%	19.9	44.9	26.5	5.1	3.7	67.2
Asian/Pacific Islander	42	1%	11.9	50.0	26.2	0.0	11.9	70.3
American Indian	11	0%	9.1	36.4	45.5	9.1	0.0	45.5
20+ % Poverty								
All Races	1390	100%	17.5	48.6	26.3	3.8	3.8	68.7
Non-Hispanic White	906	65%	18.2	50.1	24.2	3.6	3.9	71.1
Hispanic	349	25%	14.0	46.1	31.8	3.7	4.3	62.9
Black	103	7%	25.2	40.8	25.2	5.8	2.9	68.0
Asian/Pacific Islander	16	1%	12.5	75.0	12.5	0.0	0.0	87.5
American Indian	8	1%	12.5	37.5	37.5	12.5	0.0	50.0

Source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment, May 2008. ¹ "Early" = *in situ* + localized proportion of staged cancers

Table 22: Five-year cause-specific Colorado female breast cancer survival rates (%) and standard errors (SE) by stage of disease, race/ethnicity, and area poverty level, 1999-2002.

Poverty Level & Race	Total Count	%	SE	Stage of Disease								
				Localized (Count)	%	SE	Regional (Count)	%	SE	Distant (Count)	%	SE
< 10% Poverty												
All Races	6433	90.9	0.4	4111	96.9	0.3	1883	87.0	0.8	203	26.7	3.4
Non-Hispanic White	5858	91.2	0.4	3762	99.2	0.2	1693	87.3	0.9	185	26.8	3.6
Hispanic	353	88.8	1.8	210	96.6	1.4	122	85.7	3.4	10	22.7	14.1
Black	104	84.3	3.7	61	90.8	3.9	36	82.1	6.6	4	25.0	21.7
10-19% Poverty												
All Races	1971	86.2	0.8	1198	96.3	0.6	610	80.3	1.7	87	18.9	5.0
Non-Hispanic White	1660	87.4	0.9	1020	97.0	0.6	506	82.3	1.9	73	17.5	5.4
Hispanic	218	78.2	3.0	126	93.2	2.5	70	64.9	6.0	10	30.0	14.5
Black	62	81.9	5.2	38	87.0	6.1	20	89.3	7.1	2	0.0	0.0
20+% Poverty												
All Races	680	86.6	1.4	411	96.8	1.0	220	79.8	3.0	32	15.4	8.7
Non-Hispanic White	459	87.1	1.7	288	95.8	1.3	135	83.8	3.4	23	15.5	9.3
Hispanic	166	86.1	3.1	94	100.0	0.0	64	71.2	6.7	4	0.0	0.0
Black	42	80.2	6.3	20	100.0	0.0	17	69.3	11.5	5	*	*

Source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment, May 2008. * = not displayed due to insufficient numbers.

Table 23A: Distribution of Colorado invasive cervix cancer cases by stage of disease at diagnosis, race/ethnicity, and area poverty level, 1995-2000.

Poverty Level & Race	Total Count	% of Total	Stage of Disease				
			In-Situ %	Localized %	Regional %	Distant %	Unknown %
< 10% Poverty							
All Races	558	100%	NA	62.0	25.6	8.4	3.9
Non-Hispanic White	458	82%	NA	64.0	24.0	7.9	4.1
Hispanic	70	13%	NA	54.3	30.0	11.4	4.3
Black	12	2%	NA	33.3	41.7	25.0	0.0
10-19% Poverty							
All Races	264	100%	NA	50.8	34.5	11.0	3.8
Non-Hispanic White	170	64%	NA	49.4	33.5	11.8	5.3
Hispanic	72	27%	NA	50.0	40.3	9.7	0.0
Black	11	4%	NA	63.6	18.2	9.1	9.1
20+% Poverty							
All Races	134	100%	NA	62.7	23.9	9.7	3.7
Non-Hispanic White	62	46%	NA	62.9	25.8	9.7	1.6
Hispanic	60	45%	NA	63.3	21.7	10.0	5.0
Black	9	7%	NA	66.7	33.3	0.0	0.0

Source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment, May 2008. NA = not available

Table 23B: Distribution of Colorado invasive cervix cancer cases by stage of disease at diagnosis, race/ethnicity, and area poverty level, 2001-2006.

Poverty Level & Race	Total Count	% of Total	Stage of Disease				
			In-Situ %	Localized %	Regional %	Distant %	Unknown %
< 10% Poverty							
All Races	566	100%	NA	58.3	24.9	11.0	5.8
Non-Hispanic White	438	77%	NA	58.4	23.1	12.6	5.9
Hispanic	82	14%	NA	62.2	29.3	4.9	3.7
Black	14	2%	NA	28.6	57.1	7.1	7.1
10-19% Poverty							
All Races	247	100%	NA	50.6	31.6	10.1	7.7
Non-Hispanic White	156	63%	NA	48.1	32.1	10.9	9.0
Hispanic	71	29%	NA	56.3	31.0	7.0	5.6
Black	13	5%	NA	46.2	38.5	15.4	0.0
20+% Poverty							
All Races	133	100%	NA	42.9	38.3	10.5	8.3
Non-Hispanic White	67	50%	NA	41.8	38.8	11.9	7.5
Hispanic	52	39%	NA	42.3	42.3	9.6	5.8
Black	12	9%	NA	50.0	25.0	8.3	16.7

Source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment, May 2008. NA = not available

Table 24: Five-year cause-specific Colorado invasive cervix cancer survival rates (%) and standard errors (SE) by stage of disease, race/ethnicity, and area poverty level, 1999-2002.

Poverty Level & Race	Total Count	%	SE	Stage of Disease								
				Localized (Count)	%	SE	Regional (Count)	%	SE	Distant (Count)	%	SE
< 10% Poverty												
All Races	317	78.3	2.5	198	91.9	2.2	80	65.3	5.7	26	35.4	9.9
Non-Hispanic White	256	77.3	2.8	162	92.4	2.3	61	60.7	6.6	22	34.3	10.5
Hispanic	36	89.7	5.7	22	86.7	8.8	10	100.0	0.0	2	50.0	35.4
Black	6	60.0	21.9	1	100.0	0.0	3	66.7	27.2	2	0.0	0.0
10-19% Poverty												
All Races	142	76.5	4.1	81	90.7	4.0	41	66.5	8.6	15	32.6	13.2
Non-Hispanic White	78	73.8	5.7	41	92.8	4.9	23	63.1	11.8	9	13.3	12.3
Hispanic	49	85.0	6.2	30	94.9	5.0	15	72.6	13.7	4	66.7	27.2
Black	8	34.3	19.5	5	33.3	27.2	2	50.0	35.4	1	0.0	0.0
20+% Poverty												
All Races	69	70.5	6.8	39	81.5	7.5	22	56.9	13.8	4	*	*
Non-Hispanic White	29	76.2	8.6	17	85.1	9.7	9	62.2	17.8	2	*	*
Hispanic	35	66.4	10.2	20	84.6	10.0	12	45.5	21.2	1	0.0	0.0
Black	4	*	*	2	*	*	1	*	*	1	*	*

Source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment, May 2008. * = not displayed due to insufficient numbers.

Table 25A: Distribution of Colorado colorectal cancer cases by stage of disease at diagnosis, race/ethnicity, and area poverty level, 1995-2000.

Poverty Level & Race	Total Count	% of Total	Stage of Disease					
			In-Situ %	Localized %	Regional %	Distant %	Unknown %	"Early" % ¹
< 10% Poverty								
All Races	6363	100%	6.3	34.0	35.1	18.4	6.2	42.9
Non-Hispanic White	5739	90%	6.2	34.6	34.9	18.2	6.1	43.4
Hispanic	378	6%	7.4	28.0	38.4	19.6	6.6	38.0
Black	148	2%	8.1	32.4	29.1	20.9	9.5	44.8
Asian/Pacific Islander	82	1%	4.9	24.4	40.2	26.8	3.7	30.4
American Indian	9	0%	11.1	22.2	55.6	0.0	11.1	37.5
10-19% Poverty								
All Races	2654	100%	6.2	32.9	35.6	17.0	8.4	42.6
Non-Hispanic White	2210	83%	6.4	32.8	35.5	16.8	8.6	42.8
Hispanic	325	12%	5.2	35.1	33.5	18.2	8.0	43.8
Black	88	3%	4.5	27.3	45.5	18.2	4.5	33.3
Asian/Pacific Islander	25	1%	8.0	32.0	32.0	12.0	16.0	47.6
American Indian	4	0%	0.0	50.0	25.0	25.0	0.0	50.0
20+% Poverty								
All Races	1132	100%	5.7	31.4	35.3	18.9	8.7	40.6
Non-Hispanic White	723	64%	5.4	32.4	33.6	17.6	11.1	42.5
Hispanic	282	25%	5.3	30.1	38.7	20.6	5.3	37.5
Black	101	9%	9.9	30.7	33.7	21.8	4.0	42.3
Asian/Pacific Islander	14	1%	0.0	21.4	50.0	28.6	0.0	21.4
American Indian	7	1%	0.0	28.6	42.9	28.6	0.0	28.6

Source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment, May 2008. ¹ "Early" = *in situ* + localized proportion of staged cancers

Table 25B: Distribution of Colorado colorectal cancer cases by stage of disease at diagnosis, race/ethnicity, and area poverty level, 2001-2006.

Poverty Level & Race	Total Count	% of Total	In-Situ %	Stage of Disease				
				Localized %	Regional %	Distant %	Unknown %	"Early" % ¹
< 10% Poverty								
All Races	7314	100%	6.8	35.5	32.7	18.4	6.6	45.3
Non-Hispanic White	6520	89%	7.0	35.8	32.4	18.1	6.7	45.8
Hispanic	490	7%	4.3	33.3	36.7	20.8	4.9	39.5
Black	155	2%	7.7	32.3	25.8	25.8	8.4	43.7
Asian/Pacific Islander	110	2%	6.4	30.0	41.8	16.4	5.5	38.5
American Indian	16	0%	18.8	37.5	31.3	6.3	6.3	60.0
10-19% Poverty								
All Races	2612	100%	6.4	36.2	31.2	17.9	8.4	46.4
Non-Hispanic White	2091	80%	6.5	36.5	30.8	17.5	8.8	47.1
Hispanic	374	14%	6.4	35.0	33.2	18.4	7.0	44.5
Black	104	4%	4.8	31.7	35.6	22.1	5.8	38.8
Asian/Pacific Islander	27	1%	0.0	44.4	25.9	25.9	3.7	46.2
American Indian	12	0%	0.0	41.7	16.7	25.0	16.7	50.0
20+% Poverty								
All Races	1137	100%	5.3	34.7	31.1	20.8	8.1	43.4
Non-Hispanic White	706	62%	5.1	36.7	30.9	19.5	7.8	45.3
Hispanic	327	29%	4.0	31.5	32.4	23.2	8.9	38.9
Black	74	7%	12.2	28.4	25.7	25.7	8.1	44.1
Asian/Pacific Islander	19	2%	10.5	42.1	31.6	10.5	5.3	55.6
American Indian	8	1%	0.0	25.0	62.5	0.0	12.5	28.6

Source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment, May 2008. ¹ "Early" = *in situ* + localized proportion of staged cancers

Table 26: Five-year cause-specific Colorado colorectal cancer survival rates (%) and standard errors (SE) by stage of disease, race/ethnicity, and area poverty level, 1999-2002.

Poverty Level & Race	Total Count	%	SE	Stage of Disease								
				Localized (Count)	%	SE	Regional (Count)	%	SE	Distant (Count)	%	SE
< 10% Poverty												
All Races	3162	64.1	0.9	1128	92.0	0.9	1254	69.0	1.4	628	10.6	1.4
Non-Hispanic White	2804	64.9	1.0	1021	91.9	0.9	1108	69.5	1.5	542	11.5	1.5
Hispanic	218	57.8	3.6	69	93.4	3.2	90	63.1	5.5	48	6.3	3.9
Black	70	57.0	6.2	23	89.8	6.9	22	73.4	10.3	21	6.7	6.3
10-19% Poverty												
All Races	1200	58.1	1.6	451	85.2	1.9	439	60.9	2.6	227	8.6	2.1
Non-Hispanic White	986	58.8	1.7	376	85.0	2.1	358	61.3	2.9	182	8.0	2.3
Hispanic	153	54.7	4.4	54	85.3	5.6	57	60.5	7.0	32	8.5	5.5
Black	41	51.0	8.2	12	78.6	13.9	18	52.0	12.4	10	10.0	9.5
20+% Poverty												
All Races	557	50.8	2.4	188	84.8	3.4	194	55.7	4.1	127	6.0	2.5
Non-Hispanic White	345	50.7	3.0	126	85.5	3.9	114	56.9	5.2	74	1.5	1.5
Hispanic	163	52.7	4.5	50	82.7	7.2	61	54.5	7.2	39	19.4	7.1
Black	31	37.6	10.7	7	100.0	0.0	11	38.1	19.9	10	*	*

Source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment, May 2008. * = not displayed due to insufficient numbers.

Table 27A: Distribution of Colorado lung cancer cases by stage of disease at diagnosis, race/ethnicity, and area poverty level, 1995-2000.

Poverty Level & Race	Total Count	% of Total	Stage of Disease					
			In-Situ %	Localized %	Regional %	Distant %	Unknown %	"Early" % ¹
< 10% Poverty								
All Races	6295	100%	0.1	17.9	19.6	49.8	12.5	20.6
Non-Hispanic White	5841	93%	0.1	17.9	19.4	50.0	12.6	20.6
Hispanic	263	4%	0.0	18.6	20.9	47.5	12.9	21.4
Black	124	2%	0.0	17.7	23.4	46.8	12.1	20.2
Asian/Pacific Islander	58	1%	0.0	10.3	27.6	51.7	10.3	11.5
American Indian	4	0%	0.0	50.0	25.0	25.0	0.0	50.0
10-19% Poverty								
All Races	2966	100%	0.1	16.6	18.9	49.6	14.8	19.6
Non-Hispanic White	2530	85%	0.1	17.2	18.4	49.4	14.9	20.3
Hispanic	270	9%	0.0	13.0	19.6	48.9	18.5	15.9
Black	125	4%	0.0	10.4	25.6	54.4	9.6	11.5
Asian/Pacific Islander	29	1%	0.0	17.2	31.0	44.8	6.9	18.5
American Indian	8	0%	0.0	25.0	0.0	75.0	0.0	25.0
20+% Poverty								
All Races	1322	100%	0.0	15.2	19.3	51.0	14.5	17.8
Non-Hispanic White	954	72%	0.0	15.5	19.7	49.0	15.8	18.4
Hispanic	224	17%	0.0	13.8	18.8	56.3	11.2	15.6
Black	122	9%	0.0	15.6	17.2	57.4	9.8	17.3
Asian/Pacific Islander	11	1%	0.0	18.2	27.3	54.5	0.0	18.2
American Indian	6	0%	0.0	0.0	0.0	33.3	66.7	0.0

Source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment, May 2008. ¹ "Early" = *in situ* + localized proportion of staged cancers

Table 27B: Distribution of Colorado lung cancer cases by stage of disease at diagnosis, race/ethnicity, and area poverty level, 2001-2006.

Poverty Level & Race	Total Count	% of Total	Stage of Disease					
			In-Situ %	Localized %	Regional %	Distant %	Unknown %	"Early" % ¹
< 10% Poverty								
All Races	7513	100%	0.1	18.4	22.1	49.4	10.0	20.5
Non-Hispanic White	6814	91%	0.1	18.5	22.1	49.3	10.0	20.6
Hispanic	380	5%	0.0	18.2	23.2	50.8	7.9	19.7
Black	177	2%	0.0	20.3	19.2	46.3	14.1	23.7
Asian/Pacific Islander	110	1%	0.0	16.4	23.6	51.8	8.2	17.8
American Indian	16	0%	0.0	6.3	0.0	68.8	25.0	8.3
10-19% Poverty								
All Races	3148	100%	0.0	16.5	20.9	49.4	13.1	19.0
Non-Hispanic White	2697	86%	0.0	16.5	20.9	49.8	12.8	18.9
Hispanic	285	9%	0.4	15.4	22.5	48.1	13.7	18.3
Black	124	4%	0.0	19.4	17.7	45.2	17.7	23.5
Asian/Pacific Islander	28	1%	0.0	14.3	21.4	50.0	14.3	16.7
American Indian	10	0%	0.0	20.0	30.0	30.0	20.0	25.0
20+% Poverty								
All Races	1260	100%	0.2	15.6	18.2	54.0	12.0	17.9
Non-Hispanic White	879	70%	0.1	16.2	18.5	52.8	12.4	18.6
Hispanic	254	20%	0.4	13.8	16.1	59.1	10.6	15.9
Black	100	8%	0.0	14.0	18.0	56.0	12.0	15.9
Asian/Pacific Islander	22	2%	0.0	27.3	18.2	45.5	9.1	30.0
American Indian	4	0%	0.0	0.0	50.0	25.0	25.0	0.0

Source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment, May 2008. ¹ "Early" = *in situ* + localized proportion of staged cancers

Table 28: Five-year cause-specific Colorado lung cancer survival rates (%) and standard errors (SE) by stage of disease, race/ethnicity, and area poverty level, 1999-2002.

Poverty Level & Race	Total Count	%	SE	Stage of Disease								
				Localized (Count)	%	SE	Regional (Count)	%	SE	Distant (Count)	%	SE
< 10% Poverty												
All Races	3347	18.4	0.7	566	56.3	2.3	701	26.1	1.8	1739	3.8	0.5
Non-Hispanic White	3070	18.9	0.8	521	57.3	2.4	631	27.0	2.0	1601	4.0	0.6
Hispanic	143	10.6	2.8	26	30.4	9.5	36	18.3	6.7	68	0.0	0.0
Black	73	15.8	4.7	10	59.1	19.8	17	25.4	10.9	40	3.0	2.9
10-19% Poverty												
All Races	1603	14.2	1.0	254	48.3	3.5	341	15.5	2.2	802	3.1	0.7
Non-Hispanic White	1358	15.0	1.1	215	50.7	3.8	282	17.5	2.6	690	3.3	0.8
Hispanic	150	10.2	2.9	21	33.1	11.5	38	8.9	4.9	66	*	*
Black	65	2.9	2.6	6	16.7	15.2	16	*	*	35	0.0	0.0
20+% Poverty												
All Races	635	14.1	1.6	88	44.5	5.8	128	20.2	4.0	354	3.2	1.3
Non-Hispanic White	438	15.5	2.0	58	49.1	7.0	85	20.5	5.0	243	4.6	1.7
Hispanic	126	8.4	3.1	19	18.8	9.7	25	26.2	10.1	74	0.0	0.0
Black	50	15.9	5.7	8	68.6	18.6	13	7.7	7.4	26	*	*

Source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment, May 2008. * = not displayed due to insufficient numbers.

Table 29A: Distribution of Colorado melanoma cases by stage of disease at diagnosis, race/ethnicity, and area poverty level, 1995-2000.

Poverty Level & Race	Total Count	% of Total	Stage of Disease					"Early" % ¹
			In-Situ %	Localized %	Regional %	Distant %	Unknown %	
< 10% Poverty								
All Races	4341	100%	28.2	63.1	2.5	2.1	4.0	NA
Non-Hispanic White	4209	97%	28.3	63.2	2.5	2.0	4.0	79.5
Hispanic	102	2%	28.4	61.8	1.0	5.9	2.9	NA
Black	10	0%	10.0	70.0	10.0	10.0	0.0	NA
10-19% Poverty								
All Races	1270	100%	25.7	62.8	2.8	3.1	5.7	NA
Non-Hispanic White	1207	95%	26.3	62.4	2.6	3.1	5.7	74.1
Hispanic	57	4%	14.0	70.2	5.3	3.5	7.0	NA
Black	3	0%	0.0	100.0	0.0	0.0	0.0	NA
20+% Poverty								
All Races	346	100%	24.6	62.1	3.2	3.8	6.4	NA
Non-Hispanic White	318	92%	23.6	62.9	3.1	3.8	6.6	71.2
Hispanic	21	6%	38.1	47.6	4.8	4.8	4.8	NA
Black	3	1%	33.3	66.7	0.0	0.0	0.0	NA

Source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment, May 2008. ¹ "Early" = depth less than or equal to 1mm or *in situ* stage. NA = not available.

Table 29B: Distribution of Colorado melanoma cases by stage of disease at diagnosis, race/ethnicity, and area poverty level, 2001-2006.

Poverty Level & Race	Total Count	% of Total	Stage of Disease					"Early" % ¹
			In-Situ %	Localized %	Regional %	Distant %	Unknown %	
< 10% Poverty								
All Races	5648	100%	33.2	55.8	5.5	2.5	3.0	NA
Non-Hispanic White	5483	97%	33.4	55.8	5.4	2.4	2.9	78.0
Hispanic	104	2%	28.8	55.8	8.7	2.9	3.8	NA
Black	19	0%	26.3	36.8	5.3	5.3	26.3	NA
10-19% Poverty								
All Races	1280	100%	31.5	55.2	6.7	2.6	4.0	NA
Non-Hispanic White	1206	94%	31.5	55.6	6.6	2.6	3.8	78.3
Hispanic	66	5%	33.3	48.5	10.6	1.5	6.1	NA
Black	0	0%	*	*	*	*	*	NA
20+% Poverty								
All Races	367	100%	29.2	57.2	7.4	3.8	2.5	NA
Non-Hispanic White	332	90%	29.8	57.2	6.3	3.9	2.7	72.4
Hispanic	31	8%	25.8	51.6	19.4	3.2	0.0	NA
Black	1	0%	0.0	100.0	0.0	0.0	0.0	NA

Source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment, May 2008.

¹ "Early" = depth less than or equal to 1mm or *in situ* stage. * = not displayed due to insufficient numbers. NA = not available.

Table 30: Five-year cause-specific Colorado melanoma survival rates (%) and standard errors (SE) by stage of disease, race/ethnicity, and area poverty level, 1999-2002.

Poverty Level & Race	Total Count	%	SE	Stage of Disease								
				Localized (Count)	%	SE	Regional (Count)	%	SE	Distant (Count)	%	SE
< 10% Poverty												
All Races	1670	86.6	1.0	1392	93.0	0.8	125	62.7	4.8	57	15.5	5.0
Non-Hispanic White	1615	86.5	1.0	1351	93.0	0.8	118	61.6	5.0	54	14.3	5.0
Hispanic	40	85.2	6.2	30	91.4	5.8	5	75.0	21.7	2	50.0	35.4
Black	6	83.3	15.2	3	100.0	0.0	1	100.0	0.0	1	0.0	0.0
10-19% Poverty												
All Races	431	84.7	2.0	355	91.0	1.8	33	60.0	9.1	18	27.8	10.6
Non-Hispanic White	406	85.2	2.0	336	90.9	1.9	30	63.6	9.2	16	25.0	10.8
Hispanic	25	75.7	10.9	19	91.7	8.0	3	33.3	27.2	2	50.0	35.4
Black	0	*	*	0	*	*	0	*	*	0	*	*
20+% Poverty												
All Races	120	80.3	4.6	94	85.3	5.1	12	66.7	13.6	3	33.3	27.2
Non-Hispanic White	108	79.3	5.0	86	84.1	5.4	8	62.5	17.1	3	33.3	27.2
Hispanic	11	88.9	10.5	7	100.0	0.0	4	75.0	21.7	0	*	*
Black	0	*	*	0	*	*	0	*	*	0	*	*

Source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment, May 2008. * = not displayed due to insufficient numbers.

Table 31A: Distribution of Colorado cancers of the oral cavity and pharynx by stage of disease at diagnosis, race/ethnicity, and area poverty level, 1995-2000.

Poverty Level & Race	Total Count	% of Total	Stage of Disease					"Early" % ¹
			In-Situ %	Localized %	Regional %	Distant %	Unknown %	
< 10% Poverty								
All Races	1231	100%	2.5	41.0	39.2	8.3	8.9	47.8
Non-Hispanic White	1141	93%	2.6	41.8	38.9	7.8	8.9	48.8
Hispanic	55	4%	0.0	30.9	45.5	12.7	10.9	34.7
Black	20	2%	5.0	35.0	40.0	15.0	5.0	42.1
10-19% Poverty								
All Races	484	100%	1.4	36.8	42.8	8.3	10.7	42.8
Non-Hispanic White	418	86%	1.2	37.6	42.6	6.7	12.0	44.0
Hispanic	47	10%	4.3	27.7	42.6	21.3	4.3	33.3
Black	13	3%	0.0	38.5	46.2	15.4	0.0	38.5
20+% Poverty								
All Races	253	100%	2.0	36.8	42.7	12.6	5.9	41.2
Non-Hispanic White	180	71%	2.2	40.6	41.7	10.0	5.6	45.3
Hispanic	51	20%	2.0	27.5	47.1	17.6	5.9	31.3
Black	20	8%	0.0	30.0	45.0	20.0	5.0	31.6

Source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment, May 2008. ¹ "Early" = *in situ* + localized proportion of staged cancers

Table 31B: Distribution of Colorado cancers of the oral cavity and pharynx by stage of disease at diagnosis, race/ethnicity, and area poverty level, 2001-2006.

Poverty Level & Race	Total Count	% of Total	Stage of Disease					"Early" % ¹
			In-Situ %	Localized %	Regional %	Distant %	Unknown %	
< 10% Poverty								
All Races	1504	100%	2.0	37.8	42.0	11.5	6.7	42.6
Non-Hispanic White	1374	91%	1.9	38.4	41.6	11.5	6.6	43.1
Hispanic	69	5%	1.4	34.8	43.5	11.6	8.7	39.7
Black	27	2%	0.0	25.9	51.9	14.8	7.4	28.0
10-19% Poverty								
All Races	526	100%	1.7	35.6	42.6	12.7	7.4	40.2
Non-Hispanic White	450	86%	1.6	36.0	42.9	12.0	7.6	40.6
Hispanic	60	11%	1.7	35.0	40.0	16.7	6.7	39.3
Black	10	2%	10.0	20.0	40.0	20.0	10.0	33.3
20+% Poverty								
All Races	219	100%	2.3	26.5	46.1	17.8	7.3	31.0
Non-Hispanic White	149	68%	3.4	31.5	44.3	14.1	6.7	37.4
Hispanic	45	21%	0.0	24.4	51.1	17.8	6.7	26.2
Black	17	8%	0.0	0.0	41.2	41.2	17.6	0.0

Source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment, May 2008. ¹ "Early" = *in situ* + localized proportion of staged cancers

Table 32: Five-year cause-specific survival rates (%) for Colorado cancers of the oral cavity and pharynx and standard errors (SE) by stage of disease, race/ethnicity, and area poverty level, 1999-2002.

Poverty Level & Race	Total Count	%	SE	Stage of Disease								
				Localized (Count)	%	SE	Regional (Count)	%	SE	Distant (Count)	%	SE
< 10% Poverty												
All Races	674	81.1	1.7	279	88.8	2.1	294	78.7	2.6	44	62.1	8.9
Non-Hispanic White	626	80.7	1.8	266	88.1	2.2	265	78.3	2.8	43	60.8	9.1
Hispanic	28	85.9	7.8	7	100.0	0.0	18	84.4	10.4	0	*	*
Black	9	76.2	14.8	2	100.0	0.0	6	62.5	21.3	0	*	*
10-19% Poverty												
All Races	257	77.1	2.9	87	89.4	3.6	120	74.7	4.4	29	53.1	11.7
Non-Hispanic White	212	75.9	3.3	69	88.6	4.1	102	73.5	5.0	23	54.5	13.2
Hispanic	35	82.4	7.2	13	90.5	9.1	14	76.6	11.9	5	66.7	27.2
Black	7	84.6	14.2	4	100.0	0.0	2	100.0	0.0	1	0.0	0.0
20+% Poverty												
All Races	115	64.5	5.4	39	90.6	5.2	54	56.1	8.2	15	*	*
Non-Hispanic White	80	64.9	6.3	31	92.0	5.5	36	53.8	9.8	8	*	*
Hispanic	23	65.1	13.2	6	100.0	0.0	10	60.0	18.2	5	0.0	0.0
Black	11	60.6	15.4	2	50.0	35.4	7	68.6	18.6	2	*	*

Source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment, May 2008. * = not displayed due to insufficient numbers.

Table 33A: Distribution of Colorado prostate cancer cases by stage of disease at diagnosis, race/ethnicity, and area poverty level, 1995-2000.

Poverty Level & Race	Total Count	% of Total	Stage of Disease					"Early" % ¹
			In-Situ %	Localized %	Regional %	Distant %	Unknown %	
< 10% Poverty								
All Races	9523	100%	0.0	69.3	10.9	3.6	16.3	82.8
Non-Hispanic White	8778	92%	0.0	69.3	10.6	3.5	16.5	83.0
Hispanic	424	4%	0.0	67.0	11.8	5.2	16.0	79.8
Black	256	3%	0.0	73.8	14.8	2.0	9.4	81.5
Asian/Pacific Islander	49	1%	0.0	67.3	14.3	2.0	16.3	80.5
American Indian	9	0%	0.0	44.4	55.6	0.0	0.0	44.4
10-19% Poverty								
All Races	3258	100%	0.0	65.2	8.1	6.6	20.1	81.6
Non-Hispanic White	2744	84%	0.0	65.2	8.2	6.0	20.7	82.2
Hispanic	335	10%	0.0	65.7	5.4	9.3	19.7	81.8
Black	149	5%	0.0	64.4	12.8	11.4	11.4	72.7
Asian/Pacific Islander	19	1%	0.0	73.7	5.3	5.3	15.8	87.5
American Indian	6	0%	0.0	33.3	16.7	16.7	33.3	50.0
20+% Poverty								
All Races	1210	100%	0.0	61.2	8.1	7.7	23.0	79.5
Non-Hispanic White	795	66%	0.0	61.3	6.8	7.2	24.8	81.4
Hispanic	281	23%	0.0	63.0	9.3	8.2	19.6	78.3
Black	124	10%	0.0	57.3	14.5	9.7	18.5	70.3
Asian/Pacific Islander	8	1%	0.0	50.0	0.0	12.5	37.5	80.0
American Indian	1	0%	0.0	100.0	0.0	0.0	0.0	100.0

Source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment, May 2008. ¹ "Early" = *in situ* + localized proportion of staged cancers

Table 33B: Distribution of Colorado prostate cancer cases by stage of disease at diagnosis, race/ethnicity, and area poverty level, 2001-2006.

Poverty Level & Race	Total Count	% of Total	Stage of Disease					"Early" % ¹
			In-Situ %	Localized %	Regional %	Distant %	Unknown %	
< 10% Poverty								
All Races	11816	100%	0.0	78.7	9.9	3.2	8.1	85.7
Non-Hispanic White	10748	91%	0.0	78.9	9.9	3.1	8.1	85.9
Hispanic	583	5%	0.2	75.5	10.1	4.6	9.6	83.7
Black	360	3%	0.0	80.8	11.7	3.3	4.2	84.3
Asian/Pacific Islander	76	1%	0.0	75.0	10.5	6.6	7.9	81.4
American Indian	14	0%	0.0	57.1	21.4	0.0	21.4	72.7
10-19% Poverty								
All Races	3374	100%	0.0	76.3	7.6	4.6	11.6	86.3
Non-Hispanic White	2799	83%	0.0	76.8	7.3	4.3	11.5	86.8
Hispanic	361	11%	0.0	73.4	6.9	6.1	13.6	84.9
Black	183	5%	0.0	74.3	11.5	4.9	9.3	81.9
Asian/Pacific Islander	18	1%	0.0	72.2	16.7	0.0	11.1	81.3
American Indian	4	0%	0.0	25.0	0.0	50.0	25.0	33.3
20+% Poverty								
All Races	1134	100%	0.0	70.7	7.1	7.2	15.0	83.2
Non-Hispanic White	700	62%	0.0	71.3	6.9	6.3	15.6	84.4
Hispanic	279	25%	0.0	69.9	6.1	8.6	15.4	82.6
Black	137	12%	0.0	70.1	8.8	10.2	10.9	78.7
Asian/Pacific Islander	14	1%	0.0	78.6	14.3	0.0	7.1	84.6
American Indian	1	0%	0.0	0.0	0.0	0.0	100.0	*

Source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment, May 2008.

¹ "Early" = *in situ* + localized proportion of staged cancers. * = not displayed due to insufficient numbers.

Table 34: Five-year cause-specific Colorado prostate cancer survival rates (%) and standard errors (SE) by stage of disease, race/ethnicity, and area poverty level, 1999-2002.

Poverty Level & Race	Total Count	%	SE	Stage of Disease								
				Localized (Count)	%	SE	Regional (Count)	%	SE	Distant (Count)	%	SE
< 10% Poverty												
All Races	6487	95.0	0.3	4948	98.6	0.2	605	95.9	0.9	197	31.7	3.8
Non-Hispanic White	5921	95.1	0.3	4532	98.7	0.2	531	95.5	1.0	177	31.8	4.0
Hispanic	319	91.6	1.7	230	97.4	1.2	37	100.0	0.0	15	14.4	12.2
Black	194	96.1	1.8	147	96.6	1.9	30	100.0	0.0	3	100.0	0.0
10-19% Poverty												
All Races	1986	91.1	0.7	1450	97.2	0.5	144	95.2	2.1	102	23.5	4.8
Non-Hispanic White	1672	91.3	0.8	1221	97.1	0.5	123	95.5	2.2	81	21.5	5.1
Hispanic	204	90.4	2.4	149	97.3	1.5	14	100.0	0.0	13	32.4	15.6
Black	86	89.7	3.8	62	97.4	2.5	6	75.0	21.7	6	44.4	22.2
20+% Poverty												
All Races	702	88.1	1.4	478	96.1	1.0	45	91.9	4.5	44	22.5	7.6
Non-Hispanic White	455	91.1	1.6	315	97.2	1.1	24	100.0	0.0	21	14.5	8.7
Hispanic	159	86.5	3.1	109	98.0	1.4	12	82.5	11.3	13	41.5	17.8
Black	82	77.7	5.3	50	87.6	5.2	8	100.0	0.0	10	18.3	16.0

Source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment, May 2008. * = not displayed due to insufficient numbers.