

**Table 4B**  
**2010 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Colorado**

**Comparison of Racial and Ethnic Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution</b>								
<b>County</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaska Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Adams	13,714	22.0	1.6	72.6	0.7	1.8	1.3	0.0
Alamosa	1,309	24.9	0.6	73.0	0.7	0.2	0.5	0.0
Arapahoe	17,901	18.4	15.9	57.2	1.0	3.2	4.2	0.1
Archuleta	297	41.1	0.3	55.2	0.0	0.0	3.4	0.0
Baca	115	64.3	0.0	30.4	0.0	0.0	5.2	0.0
Bent	178	57.3	0.6	38.8	0.0	0.6	2.8	0.0
Boulder	4,580	25.2	0.9	68.0	0.7	2.3	2.8	0.0
Broomfield	574	45.3	1.6	45.5	0.5	3.1	3.7	0.3
Chaffee	287	57.1	0.7	25.8	2.4	0.7	13.2	0.0
Cheyenne	199	34.2	1.5	58.8	1.0	0.0	4.5	0.0
Clear Crk	136	83.8	0.0	9.6	0.7	0.7	5.1	0.0
Crowley	41	*	*	*	*	*	*	*
Custer	42	*	*	*	*	*	*	*
Delta	597	49.9	1.2	44.6	0.7	0.8	2.7	0.2
Denver	18,009	9.0	14.8	70.9	1.1	2.0	2.2	0.0
Dolores	43	*	*	*	*	*	*	*
Douglas	1,815	61.0	2.0	28.9	0.5	1.8	5.8	0.0
Eagle	1,106	5.7	0.6	93.7	0.0	0.0	0.0	0.0
El Paso	17,188	43.4	8.4	38.6	0.7	1.4	7.4	0.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 4B**  
**2010 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Colorado**

**Comparison of Racial and Ethnic Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution</b>								
<b>County</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaska Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Elbert	85	*	*	*	*	*	*	*
Fremont	1,135	77.6	0.5	18.9	0.3	0.4	2.2	0.0
Garfield	1,609	19.0	0.6	78.9	0.3	0.1	1.0	0.1
Gilpin	33	*	*	*	*	*	*	*
Grand	189	55.0	0.0	39.7	0.5	0.5	4.2	0.0
Gunnison	278	55.8	0.4	41.4	0.4	0.0	2.2	0.0
Huerfano	163	22.7	1.2	71.2	1.2	0.0	3.7	0.0
Jackson	25	*	*	*	*	*	*	*
Jefferson	7,468	46.7	2.5	46.1	0.9	2.0	1.9	0.0
Kiowa	25	*	*	*	*	*	*	*
Kit Carson	198	48.5	1.0	47.0	0.5	0.0	3.0	0.0
La Plata	942	36.3	0.3	46.0	8.4	0.4	8.6	0.0
Lake	293	17.1	0.0	81.2	1.0	0.0	0.7	0.0
Larimer	4,565	50.4	1.1	44.4	0.5	0.9	2.6	0.0
Las Animas	425	25.6	0.5	72.7	0.2	0.0	0.9	0.0
Lincoln	177	78.5	1.1	19.2	0.0	0.0	1.1	0.0
Logan	622	60.5	2.4	36.0	0.2	0.5	0.5	0.0
Mesa	3,645	55.8	0.4	39.5	0.4	0.4	3.4	0.0
Moffat	464	56.3	0.9	39.7	0.4	0.2	2.6	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 4B**  
**2010 Pediatric Nutrition Surveillance (1)**  
**Colorado**

**Comparison of Racial and Ethnic Distribution by County**  
**Children Aged < 5 Years (2)**

<b>Comparison of Racial and Ethnic Distribution</b>								
<b>County</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaska Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Montezuma	744	55.2	0.0	31.0	9.4	0.7	3.6	0.0
Montrose	1,581	42.5	0.3	51.3	0.6	0.3	5.0	0.0
Morgan	1,442	24.4	6.0	68.1	0.2	0.2	1.0	0.0
Otero	984	28.6	0.0	69.6	0.1	0.2	1.5	0.0
Ouray	41	*	*	*	*	*	*	*
Park	208	76.4	1.0	16.3	0.0	1.4	4.8	0.0
Phillips	180	36.7	0.0	61.1	1.1	0.0	1.1	0.0
Pitkin	76	*	*	*	*	*	*	*
Prowers	618	31.7	0.2	65.0	1.3	0.0	1.5	0.3
Pueblo	5,938	25.1	1.1	66.7	0.7	0.4	5.9	0.1
Rio Blanco	151	66.2	0.0	27.8	2.0	0.7	3.3	0.0
Rio Grande	451	18.4	0.4	80.0	0.4	0.0	0.4	0.2
Routt	214	51.4	0.5	44.4	0.0	0.5	3.3	0.0
Saguache	298	11.7	0.0	86.6	1.3	0.0	0.0	0.3
San Miguel	109	32.1	0.0	63.3	2.8	0.0	1.8	0.0
Sedgwick	61	*	*	*	*	*	*	*
Summit	521	21.7	0.8	75.8	0.4	0.6	0.8	0.0
Teller	372	87.9	1.1	6.5	0.0	0.8	3.8	0.0
Washinton	78	*	*	*	*	*	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 4B**  
**2010 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Colorado**

**Comparison of Racial and Ethnic Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution</b>								
<b>County</b>	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Weld	5,299	25.6	2.2	69.1	0.5	1.4	1.1	0.0
Yuma	422	45.7	0.0	52.4	0.2	0.2	1.4	0.0
Unknown Counties	33	*	*	*	*	*	*	*
<b>Colorado</b>	<b>120,293</b>	<b>30.2</b>	<b>6.6</b>	<b>57.3</b>	<b>0.9</b>	<b>1.6</b>	<b>3.4</b>	<b>0.0</b>
<b>Nation (Prior Year)</b>	<b>8,938,527</b>	<b>31.8</b>	<b>18.7</b>	<b>40.6</b>	<b>0.9</b>	<b>2.6</b>	<b>2.5</b>	<b>3.0</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 5B**  
**2010 Pediatric Nutrition Surveillance** (1)  
**Colorado**  
**Comparison of Age Distribution by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Age Distribution</b>				
<b>County</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
Adams	13,714	38.1	17.7	44.2
Alamosa	1,309	35.3	19.9	44.8
Arapahoe	17,901	38.5	17.5	44.0
Archuleta	297	40.1	15.2	44.8
Baca	115	33.0	20.0	47.0
Bent	178	34.8	20.2	44.9
Boulder	4,580	34.9	17.7	47.5
Broomfield	574	38.3	17.8	43.9
Chaffee	287	44.9	18.8	36.2
Cheyenne	199	32.2	16.6	51.3
Clear Crk	136	39.7	22.1	38.2
Crowley	41	*	*	*
Custer	42	*	*	*
Delta	597	36.9	17.8	45.4
Denver	18,009	39.3	18.5	42.3
Dolores	43	*	*	*
Douglas	1,815	41.7	18.7	39.6
Eagle	1,106	39.3	20.2	40.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 5B**  
**2010 Pediatric Nutrition Surveillance** (1)  
**Colorado**  
**Comparison of Age Distribution by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Age Distribution</b>				
<b>County</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
El Paso	17,188	37.1	18.4	44.6
Elbert	85	*	*	*
Fremont	1,135	34.9	17.4	47.7
Garfield	1,609	39.7	17.8	42.5
Gilpin	33	*	*	*
Grand	189	37.0	22.2	40.7
Gunnison	278	33.1	18.3	48.6
Huerfano	163	49.7	12.9	37.4
Jackson	25	*	*	*
Jefferson	7,468	36.9	20.4	42.6
Kiowa	25	*	*	*
Kit Carson	198	27.8	16.2	56.1
La Plata	942	42.9	18.4	38.7
Lake	293	34.5	21.8	43.7
Larimer	4,565	36.5	19.8	43.7
Las Animas	425	37.2	18.6	44.2
Lincoln	177	39.5	15.8	44.6
Logan	622	37.6	17.8	44.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 5B**  
**2010 Pediatric Nutrition Surveillance** (1)  
**Colorado**  
**Comparison of Age Distribution by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Age Distribution</b>				
<b>County</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
Mesa	3,645	41.0	19.1	39.9
Moffat	464	40.7	19.6	39.7
Montezuma	744	36.6	16.5	46.9
Montrose	1,581	32.3	16.3	51.4
Morgan	1,442	37.5	17.4	45.1
Otero	984	32.9	15.8	51.3
Ouray	41	*	*	*
Park	208	39.4	12.5	48.1
Phillips	180	32.2	17.2	50.6
Pitkin	76	*	*	*
Prowers	618	31.4	20.2	48.4
Pueblo	5,938	33.6	19.5	46.9
Rio Blanco	151	39.7	17.9	42.4
Rio Grande	451	36.6	17.3	46.1
Routt	214	43.9	17.3	38.8
Saguache	298	26.8	18.5	54.7
San Miguel	109	29.4	21.1	49.5
Sedgwick	61	*	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 5B**  
**2010 Pediatric Nutrition Surveillance** (1)  
**Colorado**  
**Comparison of Age Distribution by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Age Distribution</b>				
<b>County</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
Summit	521	33.4	18.4	48.2
Teller	372	40.3	17.7	41.9
Washinton	78	*	*	*
Weld	5,299	41.3	19.9	38.8
Yuma	422	33.4	17.1	49.5
Unknown Counties	33	*	*	*
<b>Colorado</b>	<b>120,293</b>	<b>37.7</b>	<b>18.4</b>	<b>43.9</b>
<b>Nation (Prior Year)</b>	<b>8,938,527</b>	<b>34.5</b>	<b>22.6</b>	<b>42.9</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2010 Pediatric Nutrition Surveillance** (1)  
**Colorado**

**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Adams	3,140	8.7 (11)	4.9 (17)	13,604	7.4 (22)	2.7 (9)	8.9 (29)	5,998	15.6 (27)	9.3 (23)	8,225	12.6 (29)
Alamosa	303	10.2 (22)	1.7 (2)	1,292	13.6 (48)	3.7 (22)	8.6 (27)	588	18.4 (34)	11.7 (29)	842	16.0 (36)
Arapahoe	4,075	9.6 (16)	4.9 (17)	17,739	7.0 (17)	4.5 (26)	9.0 (30)	7,815	12.2 (9)	9.0 (21)	11,271	15.1 (34)
Archuleta	75	* *	* *	296	12.2 (46)	2.7 (9)	4.4 (5)	133	6.0 (1)	2.3 (3)	72	* *
Baca	26	* *	* *	112	10.7 (42)	7.1 (43)	7.1 (19)	50	* *	* *	58	* *
Bent	36	* *	* *	176	9.7 (38)	1.7 (3)	10.8 (43)	79	* *	* *	109	6.4 (6)
Boulder	957	8.4 (10)	5.7 (23)	4,537	6.1 (7)	3.4 (17)	9.7 (38)	2,135	15.3 (25)	12.8 (34)	2,814	10.1 (19)
Broomfield	126	5.6 (2)	5.6 (22)	568	9.0 (30)	5.1 (33)	7.0 (18)	242	12.0 (8)	7.4 (10)	328	13.7 (31)
Chaffee	75	* *	* *	284	10.6 (41)	6.0 (37)	2.5 (3)	106	8.5 (2)	1.9 (1)	178	6.2 (5)
Cheyenne	35	* *	* *	198	10.1 (40)	4.5 (26)	11.6 (46)	105	12.4 (10)	15.2 (35)	136	8.1 (13)
Clear Crk	35	* *	* *	133	6.8 (14)	7.5 (45)	1.5 (1)	51	* *	* *	62	* *

- (1) Reporting period is January 1 through December 31.
  - (2) Analyses based on one record per child.
  - (3) Excludes records with unknown data or errors.
  - (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
  - (5) Infants born during the reporting period included in the analysis.
  - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
  - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
  - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2010 Pediatric Nutrition Surveillance** (1)  
**Colorado**

**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Crowley	11	* *	* *	41	* *	* *	* *	17	* *	* *	29	* *
Custer	6	* *	* *	42	* *	* *	* *	21	* *	* *	19	* *
Delta	141	15.6 (26)	2.8 (7)	594	6.2 (8)	4.7 (30)	7.4 (21)	274	13.1 (14)	8.4 (17)	343	12.0 (28)
Denver	4,363	9.7 (17)	4.5 (16)	17,888	7.3 (20)	3.4 (17)	9.1 (31)	7,553	14.3 (21)	10.2 (26)	11,091	10.8 (23)
Dolores	7	* *	* *	43	* *	* *	* *	18	* *	* *	24	* *
Douglas	456	15.1 (25)	6.6 (25)	1,796	7.8 (25)	5.2 (34)	6.3 (12)	726	11.6 (7)	5.6 (7)	987	9.5 (16)
Eagle	286	6.6 (4)	3.8 (9)	1,102	7.4 (22)	1.8 (4)	9.8 (39)	444	15.8 (30)	11.7 (29)	663	21.0 (41)
El Paso	4,044	10.7 (24)	3.8 (9)	17,080	9.1 (32)	2.8 (12)	6.3 (12)	7,652	13.9 (18)	5.5 (5)	10,320	14.8 (32)
Elbert	20	* *	* *	83	* *	* *	* *	38	* *	* *	50	* *
Fremont	231	9.5 (15)	1.3 (1)	1,128	6.6 (11)	2.7 (9)	5.6 (10)	545	14.1 (19)	6.4 (8)	668	9.0 (15)
Garfield	406	7.6 (6)	5.4 (20)	1,599	6.9 (16)	2.4 (7)	9.5 (35)	692	15.3 (25)	9.0 (21)	910	7.5 (8)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2010 Pediatric Nutrition Surveillance** (1)  
**Colorado**

**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Gilpin	9	* *	* *	32	* *	* *	* *	10	* *	* *	15	* *
Grand	41	* *	* *	187	9.6 (37)	7.0 (42)	5.3 (8)	74	* *	* *	126	10.3 (20)
Gunnison	61	* *	* *	276	6.2 (8)	6.2 (38)	6.9 (16)	136	13.2 (15)	8.8 (18)	181	16.6 (37)
Huerfano	42	* *	* *	160	9.4 (34)	2.5 (8)	10.0 (41)	60	* *	* *	80	* *
Jackson	5	* *	* *	24	* *	* *	* *	14	* *	* *	12	* *
Jefferson	1,719	10.2 (22)	3.8 (9)	7,401	7.8 (25)	3.8 (24)	7.5 (22)	3,150	14.3 (21)	9.4 (24)	4,349	10.3 (20)
Kiowa	6	* *	* *	25	* *	* *	* *	8	* *	* *	14	* *
Kit Carson	30	* *	* *	195	5.1 (4)	3.6 (21)	8.7 (28)	103	16.5 (33)	12.6 (32)	149	4.0 (3)
La Plata	233	9.9 (19)	3.9 (12)	935	6.7 (13)	4.5 (26)	6.5 (14)	362	13.0 (13)	8.3 (15)	494	11.9 (26)
Lake	68	* *	* *	292	11.0 (43)	6.2 (38)	4.1 (4)	126	8.7 (3)	4.0 (4)	152	7.9 (11)
Larimer	1,067	9.9 (19)	4.2 (13)	4,511	7.2 (19)	3.7 (22)	7.9 (23)	1,972	13.5 (17)	10.0 (25)	2,720	11.9 (26)

- (1) Reporting period is January 1 through December 31.
  - (2) Analyses based on one record per child.
  - (3) Excludes records with unknown data or errors.
  - (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
  - (5) Infants born during the reporting period included in the analysis.
  - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
  - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
  - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2010 Pediatric Nutrition Surveillance** (1)  
**Colorado**

**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Las Animas	88	* *	* *	422	7.3 (20)	3.3 (16)	9.2 (33)	189	12.7 (12)	12.7 (33)	267	15.0 (33)
Lincoln	44	* *	* *	177	9.0 (30)	4.5 (26)	8.5 (26)	78	* *	* *	115	2.6 (1)
Logan	131	7.6 (6)	5.3 (19)	617	6.6 (11)	3.4 (17)	11.5 (45)	276	21.7 (37)	15.6 (36)	397	12.6 (29)
Mesa	862	7.0 (5)	4.3 (14)	3,618	6.8 (14)	3.5 (20)	9.1 (31)	1,428	12.5 (11)	10.9 (27)	1,939	15.8 (35)
Moffat	100	8.0 (8)	2.0 (4)	462	7.1 (18)	5.4 (36)	8.2 (24)	187	14.4 (23)	8.0 (14)	274	17.5 (38)
Montezuma	175	9.1 (14)	6.9 (26)	742	9.4 (34)	5.0 (32)	6.6 (15)	336	10.4 (4)	7.4 (10)	428	11.0 (25)
Montrose	287	9.8 (18)	2.4 (5)	1,553	7.7 (24)	2.1 (6)	9.5 (35)	802	13.3 (16)	7.9 (13)	197	5.6 (4)
Morgan	326	6.4 (3)	4.3 (14)	1,432	5.7 (5)	1.0 (1)	9.6 (37)	653	14.1 (19)	8.3 (15)	861	8.0 (12)
Otero	190	8.9 (13)	2.6 (6)	981	8.3 (28)	2.0 (5)	6.9 (16)	502	19.1 (36)	6.6 (9)	656	7.0 (7)
Ouray	7	* *	* *	41	* *	* *	* *	22	* *	* *	24	* *
Park	41	* *	* *	207	11.6 (44)	9.2 (48)	4.8 (7)	97	* *	* *	104	9.6 (17)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2010 Pediatric Nutrition Surveillance** (1)  
**Colorado**

**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Phillips	36	* *	* *	180	4.4 (3)	2.8 (12)	12.8 (47)	90	* *	* *	117	7.7 (10)
Pitkin	22	* *	* *	76	* *	* *	* *	27	* *	* *	39	* *
Prowers	122	2.5 (1)	5.7 (23)	616	5.7 (5)	4.4 (25)	13.5 (48)	286	15.7 (29)	17.8 (37)	411	8.3 (14)
Pueblo	1,306	10.1 (21)	3.1 (8)	5,879	8.5 (29)	2.9 (14)	10.1 (42)	2,750	14.9 (24)	11.2 (28)	3,869	10.0 (18)
Rio Blanco	35	* *	* *	150	4.0 (2)	7.3 (44)	11.3 (44)	63	* *	* *	90	* *
Rio Grande	96	* *	* *	448	10.0 (39)	6.5 (40)	5.4 (9)	201	11.4 (6)	5.5 (5)	278	2.9 (2)
Routt	46	* *	* *	213	12.7 (47)	8.5 (47)	4.7 (6)	76	* *	* *	108	19.4 (40)
Saguache	58	* *	* *	297	9.4 (34)	6.7 (41)	6.1 (11)	160	15.6 (27)	8.8 (18)	195	17.9 (39)
San Miguel	21	* *	* *	107	6.5 (10)	4.7 (30)	9.3 (34)	57	* *	* *	66	* *
Sedgwick	9	* *	* *	61	* *	* *	* *	28	* *	* *	37	* *
Summit	104	8.7 (11)	1.9 (3)	519	9.1 (32)	8.3 (46)	7.3 (20)	251	16.3 (32)	7.6 (12)	385	22.6 (42)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2010 Pediatric Nutrition Surveillance** (1)  
**Colorado**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)		Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number
Teller	98	* *	* *	367	12.0 (45)	5.2 (34)	1.9 (2)	149	10.7 (5)	2.0 (2)	212	10.8 (23)
Washinton	14	* *	* *	78	* *	* *	* *	41	* *	* *	58	* *
Weld	1,430	8.3 (9)	5.5 (21)	5,244	8.0 (27)	3.0 (15)	9.8 (39)	2,030	16.1 (31)	12.1 (31)	3,054	10.3 (20)
Yuma	86	* *	* *	417	3.1 (1)	1.2 (2)	8.4 (25)	203	18.7 (35)	8.9 (20)	289	7.6 (9)
Unknown Counties	16	* *	* *	32	* *	* *	* *	13	* *	* *	17	* *
<b>Colorado</b>	<b>27,885</b>	<b>9.7</b>	<b>4.3</b>	<b>119,309</b>	<b>7.7</b>	<b>3.5</b>	<b>8.4</b>	<b>52,292</b>	<b>14.1</b>	<b>9.1</b>	<b>71,978</b>	<b>12.4</b>
<b>Nation (Prior Year)</b>	<b>1,961,342</b>	<b>8.9</b>	<b>6.4</b>	<b>8,451,215</b>	<b>6.0</b>	<b>4.3</b>	<b>14.0</b>	<b>3,678,355</b>	<b>16.4</b>	<b>14.7</b>	<b>5,524,196</b>	<b>14.9</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2010 Pediatric Nutrition Surveillance** (1)  
**Colorado**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
**Children Aged < 5 Years** (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)										
County	Breastfeeding (6)			Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Adams	3,142	75.0 (19)	2,834	25.2 (17)	1,949	15.2 (16)	0	* *	0	* *
Alamosa	303	62.7 (24)	231	32.0 (8)	195	22.6 (6)	0	* *	0	* *
Arapahoe	4,078	81.7 (9)	3,768	30.3 (11)	2,399	21.6 (8)	0	* *	0	* *
Archuleta	75	* *	55	* *	45	* *	0	* *	0	* *
Baca	26	* *	21	* *	15	* *	0	* *	0	* *
Bent	36	* *	23	* *	25	* *	0	* *	0	* *
Boulder	959	89.2 (5)	838	37.4 (6)	599	26.9 (2)	0	* *	0	* *
Broomfield	126	79.4 (14)	109	38.5 (4)	69	* *	0	* *	0	* *
Chaffee	75	* *	68	* *	57	* *	0	* *	0	* *
Cheyenne	35	* *	33	* *	29	* *	0	* *	0	* *
Clear Crk	35	* *	29	* *	22	* *	0	* *	0	* *
Crowley	11	* *	6	* *	7	* *	0	* *	0	* *
Custer	6	* *	9	* *	8	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2010 Pediatric Nutrition Surveillance** (1)  
**Colorado**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
**Children Aged < 5 Years** (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)										
County	Breastfeeding (6)			Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number
Delta	141	83.0 (8)	98 * *	82 * *	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Denver	4,365	79.7 (13)	3,451 27.9 (16)	2,401 18.2 (14)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Dolores	7	* *	6 * *	12 * *	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Douglas	457	81.2 (11)	395 30.4 (10)	242 21.5 (9)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Eagle	286	92.7 (2)	223 46.2 (2)	161 21.7 (7)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
El Paso	4,046	71.2 (22)	3,135 29.7 (13)	2,285 21.1 (10)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Elbert	20	* *	18 * *	10 * *	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Fremont	231	77.9 (16)	214 29.4 (14)	160 20.6 (11)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Garfield	406	93.3 (1)	294 47.3 (1)	214 23.8 (3)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Gilpin	9	* *	4 * *	4 * *	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Grand	42	* *	39 * *	32 * *	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Gunnison	61	* *	53 * *	41 * *	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Huerfano	42	* *	42 * *	23 * *	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B  
2010 Pediatric Nutrition Surveillance (1)  
Colorado**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County  
Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)												
County	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Jackson	5	* *	2	* *	2	* *	0	* *	0	* *	0	* *
Jefferson	1,722	75.6 (17)	1,604	28.1 (15)	1,238	17.0 (15)	0	* *	0	* *	0	* *
Kiowa	6	* *	3	* *	4	* *	0	* *	0	* *	0	* *
Kit Carson	31	* *	33	* *	27	* *	0	* *	0	* *	0	* *
La Plata	233	87.1 (6)	202	37.6 (5)	125	20.0 (12)	0	* *	0	* *	0	* *
Lake	68	* *	53	* *	44	* *	0	* *	0	* *	0	* *
Larimer	1,067	81.5 (10)	854	33.1 (7)	683	19.3 (13)	0	* *	0	* *	0	* *
Las Animas	88	* *	89	* *	67	* *	0	* *	0	* *	0	* *
Lincoln	44	* *	30	* *	23	* *	0	* *	0	* *	0	* *
Logan	131	74.0 (21)	118	16.1 (20)	84	* *	0	* *	0	* *	0	* *
Mesa	864	80.8 (12)	828	25.1 (18)	571	15.1 (17)	0	* *	0	* *	0	* *
Moffat	100	90.0 (3)	92	* *	70	* *	0	* *	0	* *	0	* *
Montezuma	175	86.9 (7)	123	44.7 (3)	105	28.6 (1)	0	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B  
2010 Pediatric Nutrition Surveillance (1)  
Colorado**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County  
Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)										
County	Breastfeeding (6)			Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Montrose	287	78.4 (15)	248	29.8 (12)	211	22.7 (5)	0	* *	0	* *
Morgan	326	60.4 (25)	283	15.2 (21)	189	7.4 (19)	0	* *	0	* *
Otero	190	56.8 (26)	158	14.6 (22)	135	7.4 (19)	0	* *	0	* *
Ouray	7	* *	10	* *	7	* *	0	* *	0	* *
Park	41	* *	42	* *	34	* *	0	* *	0	* *
Phillips	36	* *	28	* *	23	* *	0	* *	0	* *
Pitkin	22	* *	16	* *	14	* *	0	* *	0	* *
Prowers	122	75.4 (18)	116	13.8 (23)	90	* *	0	* *	0	* *
Pueblo	1,306	69.8 (23)	1,205	20.0 (19)	961	13.4 (18)	0	* *	0	* *
Rio Blanco	35	* *	33	* *	17	* *	0	* *	0	* *
Rio Grande	96	* *	97	* *	55	* *	0	* *	0	* *
Routt	46	* *	49	* *	36	* *	0	* *	0	* *
Saguache	58	* *	50	* *	42	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2010 Pediatric Nutrition Surveillance** (1)  
**Colorado**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
County	Breastfeeding (6)			Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)		Smoking in Household					
	Number	% Ever Breastfed (Rank)	Number Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)			
San Miguel	21	* *	21	* *	16	* *	0	* *	0	* *	0	* *		
Sedgwick	9	* *	11	* *	9	* *	0	* *	0	* *	0	* *		
Summit	104	89.4 (4)	77	* *	62	* *	0	* *	0	* *	0	* *		
Teller	98	* *	67	* *	44	* *	0	* *	0	* *	0	* *		
Washinton	14	* *	14	* *	8	* *	0	* *	0	* *	0	* *		
Weld	1,430	74.7 (20)	1,125	30.6 (9)	818	23.5 (4)	0	* *	0	* *	0	* *		
Yuma	86	* *	62	* *	57	* *	0	* *	0	* *	0	* *		
Unknown Counties	16	* *	4	* *	3	* *	0	* *	0	* *	0	* *		
<b>Colorado</b>	<b>27,904</b>	<b>77.5</b>	<b>23,743</b>	<b>29.1</b>	<b>16,960</b>	<b>19.2</b>	<b>0</b>	<b>*</b>	<b>0</b>	<b>*</b>	<b>0</b>	<b>*</b>		
<b>Nation (Prior Year)</b>	<b>1,769,160</b>	<b>61.7</b>	<b>911,779</b>	<b>27.0</b>	<b>1,092,573</b>	<b>18.5</b>	<b>317,037</b>	<b>9.9</b>	<b>420,655</b>	<b>5.3</b>	<b>1,022,933</b>	<b>77.3</b>	<b>4,355,723</b>	<b>10.2</b>

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- (8) Children aged 2 years and older included in the analyses.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2008 - 2010 Pediatric Nutrition Surveillance** (1)  
**Colorado**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)													
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Adams	9,757	9.2 (17)	4.8 (36)	39,864	7.2 (15)	3.1 (20)	8.6 (34)	17,226	15.7 (35)	9.1 (26)		23,340	13.7 (33)
Alamosa	863	12.9 (37)	2.2 (12)	3,569	11.8 (52)	4.5 (37)	8.1 (28)	1,604	15.7 (35)	11.2 (38)		2,237	15.8 (42)
Arapahoe	12,267	9.8 (21)	4.7 (34)	50,496	7.1 (14)	4.4 (36)	9.1 (40)	21,637	12.8 (16)	9.3 (27)		31,349	14.6 (37)
Archuleta	195	8.2 (13)	2.1 (10)	795	11.7 (51)	3.6 (28)	5.0 (8)	344	8.4 (2)	3.8 (4)		189	19.6 (47)
Baca	68	* *	* *	324	9.0 (39)	5.2 (43)	9.9 (44)	151	17.9 (46)	14.6 (48)		186	15.6 (41)
Bent	127	13.4 (38)	0.8 (4)	522	10.2 (47)	3.4 (24)	12.6 (53)	229	18.8 (48)	14.0 (46)		323	9.6 (18)
Boulder	3,083	7.9 (12)	5.8 (42)	13,880	5.9 (10)	2.9 (15)	9.9 (44)	6,446	15.9 (40)	12.4 (42)		8,622	11.1 (24)
Broomfield	421	6.2 (3)	5.0 (40)	1,750	8.6 (34)	4.3 (33)	7.1 (23)	763	12.1 (13)	8.7 (22)		1,005	14.0 (35)
Chaffee	203	13.8 (39)	3.4 (20)	780	10.1 (46)	4.0 (31)	2.9 (2)	305	8.2 (1)	2.0 (2)		460	2.4 (1)
Cheyenne	114	8.8 (15)	6.1 (44)	580	10.3 (48)	4.8 (40)	11.0 (51)	294	12.6 (14)	13.9 (45)		387	8.5 (12)
Clear Crk	104	12.5 (36)	1.9 (8)	408	9.8 (44)	5.9 (48)	2.7 (1)	172	12.8 (16)	1.7 (1)		164	3.0 (3)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2008 - 2010 Pediatric Nutrition Surveillance** (1)  
**Colorado**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators</b> (3,4)													
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)			
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Costilla	3	* *	* *	17	* *	* *	* *	9	* *	* *		13	* *
Crowley	17	* *	* *	84	* *	* *	* *	43	* *	* *		60	* *
Custer	23	* *	* *	108	4.6 (5)	2.8 (13)	3.7 (4)	49	* *	* *		62	* *
Delta	414	12.3 (34)	3.6 (21)	1,748	5.9 (10)	4.3 (33)	8.6 (34)	791	12.8 (16)	9.6 (30)		1,012	12.5 (26)
Denver	13,801	9.8 (21)	4.8 (36)	52,274	7.2 (15)	3.4 (24)	8.8 (36)	21,198	14.5 (31)	10.3 (34)		31,991	10.6 (22)
Dolores	29	* *	* *	122	13.9 (55)	1.6 (3)	4.1 (5)	55	* *	* *		64	* *
Douglas	1,305	12.1 (32)	4.8 (36)	4,847	7.3 (17)	4.6 (38)	6.2 (16)	1,856	13.3 (20)	5.8 (8)		2,542	7.2 (9)
Eagle	836	7.2 (5)	3.9 (27)	3,010	7.9 (27)	1.8 (5)	10.5 (48)	1,151	17.8 (45)	12.0 (41)		1,820	22.6 (49)
El Paso	11,710	10.5 (28)	3.6 (21)	49,346	8.9 (37)	3.0 (18)	6.2 (16)	21,812	13.7 (24)	5.7 (7)		27,550	15.5 (40)
Elbert	57	* *	* *	255	7.8 (26)	3.5 (26)	6.3 (19)	117	10.3 (6)	6.8 (12)		149	17.4 (45)
Fremont	727	9.8 (21)	3.3 (19)	3,362	8.0 (28)	2.3 (7)	6.9 (22)	1,542	14.1 (26)	6.7 (11)		1,976	10.6 (22)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2008 - 2010 Pediatric Nutrition Surveillance** (1)  
**Colorado**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number
Garfield	1,145	8.2 (13)	4.7 (34)	4,215	7.4 (19)	2.4 (9)	9.5 (41)	1,627	14.6 (32)	9.0 (24)	2,292	8.6 (13)
Gilpin	21	* *	* *	77	* *	* *	* *	24	* *	* *	29	* *
Grand	129	14.0 (40)	1.6 (6)	512	9.4 (40)	5.3 (44)	5.7 (12)	207	10.1 (4)	5.3 (6)	331	8.8 (15)
Gunnison	178	9.6 (20)	3.9 (27)	768	6.3 (12)	5.1 (41)	6.1 (14)	337	11.0 (8)	7.4 (14)	469	15.4 (39)
Huerfano	129	14.0 (40)	3.9 (27)	526	8.4 (31)	2.3 (7)	9.5 (41)	217	16.1 (41)	7.4 (14)	253	30.0 (51)
Jackson	14	* *	* *	85	* *	* *	* *	47	* *	* *	45	* *
Jefferson	5,427	10.0 (25)	4.3 (33)	22,040	7.7 (23)	3.7 (29)	7.5 (25)	9,175	14.9 (33)	9.7 (31)	13,108	10.4 (21)
Kiowa	16	* *	* *	70	* *	* *	* *	26	* *	* *	42	* *
Kit Carson	109	7.3 (6)	3.7 (23)	617	5.7 (7)	2.9 (15)	8.9 (38)	306	14.4 (28)	12.4 (42)	429	5.4 (7)
La Plata	719	9.5 (19)	3.1 (18)	2,678	7.5 (20)	4.1 (32)	6.2 (16)	1,004	15.3 (34)	8.4 (20)	1,451	12.9 (28)
Lake	204	15.7 (43)	0.5 (2)	850	9.9 (45)	7.2 (50)	4.8 (7)	371	10.2 (5)	6.5 (10)	416	13.2 (30)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2008 - 2010 Pediatric Nutrition Surveillance** (1)  
**Colorado**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Larimer	3,303	8.8 (15)	4.8 (36)	13,330	7.5 (20)	3.7 (29)	8.2 (29)	5,724	14.3 (27)	10.3 (34)	7,841	12.6 (27)
Las Animas	311	12.2 (33)	0.6 (3)	1,300	8.5 (32)	2.8 (13)	8.3 (32)	565	13.8 (25)	11.2 (38)	795	17.0 (44)
Lincoln	125	12.0 (31)	1.6 (6)	513	9.6 (42)	4.7 (39)	6.8 (21)	226	9.7 (3)	10.2 (32)	311	4.8 (6)
Logan	428	7.5 (8)	4.2 (32)	1,899	7.7 (23)	3.2 (21)	10.8 (50)	866	18.7 (47)	14.4 (47)	1,203	13.1 (29)
Mesa	2,641	7.6 (10)	4.1 (30)	10,075	7.0 (13)	3.3 (22)	9.0 (39)	3,867	13.2 (19)	11.1 (37)	5,281	14.3 (36)
Moffat	361	10.2 (26)	3.0 (17)	1,377	8.0 (28)	5.7 (46)	6.5 (20)	533	14.4 (28)	8.6 (21)	793	14.8 (38)
Montezuma	491	7.3 (6)	3.7 (23)	2,143	8.9 (37)	3.5 (26)	7.4 (24)	990	11.5 (11)	7.5 (16)	1,295	9.2 (17)
Montrose	968	10.2 (26)	4.1 (30)	4,712	7.6 (22)	2.5 (11)	8.5 (33)	2,324	13.5 (22)	6.4 (9)	773	11.9 (25)
Morgan	961	6.3 (4)	3.7 (23)	3,987	5.8 (8)	1.2 (1)	10.7 (49)	1,777	16.5 (44)	9.5 (29)	2,376	9.1 (16)
Otero	612	10.6 (29)	2.9 (16)	2,993	7.7 (23)	2.4 (9)	8.2 (29)	1,493	16.2 (43)	9.3 (27)	1,990	8.3 (11)
Ouray	22	* *	* *	124	7.3 (17)	7.3 (51)	5.6 (11)	58	* *	* *	77	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2008 - 2010 Pediatric Nutrition Surveillance** (1)  
**Colorado**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators</b> (3,4)													
<b>County</b>	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Park	108	16.7 (44)	1.9 (8)	549	12.0 (53)	7.7 (54)	4.2 (6)	261	12.6 (14)	4.6 (5)		245	13.5 (31)
Phillips	96	* *	* *	517	5.8 (8)	2.9 (15)	13.0 (54)	261	16.1 (41)	13.4 (44)		350	6.6 (8)
Pitkin	56	* *	* *	204	1.5 (1)	8.8 (55)	5.4 (10)	78	* *	* *		117	32.5 (52)
Prowers	414	7.5 (8)	6.0 (43)	1,857	5.6 (6)	3.3 (22)	11.9 (52)	861	15.7 (35)	17.5 (49)		1,193	10.1 (19)
Pueblo	4,042	9.3 (18)	3.7 (23)	17,567	8.7 (36)	2.6 (12)	10.1 (47)	8,047	14.4 (28)	10.6 (36)		11,398	8.7 (14)
Rio Blanco	112	5.4 (2)	2.7 (15)	455	3.7 (3)	5.7 (46)	8.8 (36)	196	11.2 (10)	10.2 (32)		282	16.3 (43)
Rio Grande	282	9.9 (24)	2.1 (10)	1,315	9.7 (43)	5.4 (45)	6.1 (14)	615	13.5 (22)	7.6 (17)		827	3.4 (4)
Routt	159	11.3 (30)	2.5 (14)	575	10.3 (48)	7.5 (52)	5.2 (9)	200	11.0 (8)	8.0 (18)		280	13.9 (34)
Saguache	154	15.6 (42)	0.0 (1)	830	8.6 (34)	5.9 (48)	5.8 (13)	430	15.8 (39)	7.0 (13)		578	20.9 (48)
San Miguel	75	* *	* *	305	8.5 (32)	4.3 (33)	7.9 (27)	133	12.0 (12)	9.0 (24)		170	18.2 (46)
Sedgwick	31	* *	* *	185	3.8 (4)	2.2 (6)	13.5 (55)	95	* *	* *		131	7.6 (10)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2008 - 2010 Pediatric Nutrition Surveillance** (1)  
**Colorado**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number
Summit	381	12.3 (34)	2.4 (13)	1,594	10.8 (50)	7.5 (52)	7.7 (26)	651	13.4 (21)	8.8 (23)	1,119	23.7 (50)
Teller	270	18.1 (45)	1.5 (5)	1,048	12.6 (54)	5.1 (41)	3.1 (3)	429	10.7 (7)	2.3 (3)	631	13.5 (31)
Washinton	36	* *	* *	191	9.4 (40)	1.6 (3)	9.9 (44)	97	* *	* *	120	2.5 (2)
Weld	4,185	7.8 (11)	5.2 (41)	14,119	8.0 (28)	3.0 (18)	9.8 (43)	4,914	15.7 (35)	11.3 (40)	8,148	10.2 (20)
Yuma	261	4.2 (1)	6.1 (44)	1,239	2.8 (2)	1.2 (1)	8.2 (29)	588	19.9 (49)	8.2 (19)	831	4.5 (5)
Unknown Counties	16	* *	* *	32	* *	* *	* *	13	* *	* *	17	* *
<b>Colorado</b>	<b>85,116</b>	<b>9.6</b>	<b>4.3</b>	<b>345,614</b>	<b>7.7</b>	<b>3.4</b>	<b>8.3</b>	<b>147,427</b>	<b>14.3</b>	<b>9.2</b>	<b>203,538</b>	<b>12.5</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2008 - 2010 Pediatric Nutrition Surveillance (1)**  
**Colorado**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
**Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)												
County	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Adams	11,210	72.3 (30)	10,283	24.5 (34)	8,088	14.2 (33)	0	* *	0	* *	0	* *
Alamosa	975	67.7 (38)	866	27.4 (26)	760	18.2 (15)	0	* *	0	* *	0	* *
Arapahoe	14,405	79.1 (19)	13,414	28.6 (23)	10,351	16.6 (22)	0	* *	0	* *	0	* *
Archuleta	234	85.5 (11)	201	32.3 (16)	175	17.7 (18)	0	* *	0	* *	0	* *
Baca	86	* *	82	* *	72	* *	0	* *	0	* *	0	* *
Bent	136	71.3 (31)	114	13.2 (46)	104	5.8 (44)	0	* *	0	* *	0	* *
Boulder	3,535	87.5 (8)	3,204	39.6 (7)	2,720	24.3 (5)	0	* *	0	* *	0	* *
Broomfield	534	77.5 (22)	458	30.6 (19)	357	15.7 (26)	0	* *	0	* *	0	* *
Chaffee	253	83.4 (13)	221	36.7 (9)	172	20.3 (10)	0	* *	0	* *	0	* *
Cheyenne	128	64.1 (41)	128	23.4 (37)	110	14.5 (31)	0	* *	0	* *	0	* *
Clear Crk	131	77.9 (21)	112	34.8 (12)	90	* *	0	* *	0	* *	0	* *
Costilla	2	* *	2	* *	2	* *	0	* *	0	* *	0	* *
Crowley	22	* *	16	* *	13	* *	0	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2008 - 2010 Pediatric Nutrition Surveillance (1)**  
**Colorado**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
**Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)										
County	Breastfeeding (6)			Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Custer	28	* *	26	* *	23	* *	0	* *	0	* *
Delta	513	84.0 (12)	427	29.3 (22)	371	18.6 (14)	0	* *	0	* *
Denver	15,402	76.7 (23)	13,419	25.9 (28)	10,666	14.6 (30)	0	* *	0	* *
Dolores	33	* *	37	* *	34	* *	0	* *	0	* *
Douglas	1,706	75.3 (25)	1,446	33.8 (14)	1,104	22.3 (7)	0	* *	0	* *
Eagle	1,005	91.6 (1)	862	43.3 (3)	697	17.1 (21)	0	* *	0	* *
El Paso	14,527	70.4 (35)	12,707	27.4 (26)	10,374	16.1 (24)	0	* *	0	* *
Elbert	69	* *	61	* *	55	* *	0	* *	0	* *
Fremont	878	71.1 (32)	855	25.1 (31)	728	16.5 (23)	0	* *	0	* *
Garfield	1,436	90.5 (2)	1,178	42.1 (5)	952	21.2 (8)	0	* *	0	* *
Gilpin	35	* *	25	* *	19	* *	0	* *	0	* *
Grand	174	81.6 (15)	150	32.7 (15)	123	15.4 (28)	0	* *	0	* *
Gunnison	221	88.7 (4)	205	50.7 (1)	186	26.9 (4)	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2008 - 2010 Pediatric Nutrition Surveillance (1)**  
**Colorado**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
**Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)												
County	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Huerfano	144	73.6 (27)	138	15.9 (43)	110	10.0 (39)	0	* *	0	* *	0	* *
Jackson	17	* *	16	* *	18	* *	0	* *	0	* *	0	* *
Jefferson	6,368	73.5 (28)	5,994	25.8 (29)	4,979	15.6 (27)	0	* *	0	* *	0	* *
Kiowa	25	* *	20	* *	15	* *	0	* *	0	* *	0	* *
Kit Carson	137	68.6 (37)	131	23.7 (36)	123	15.4 (28)	0	* *	0	* *	0	* *
La Plata	845	87.8 (6)	743	35.5 (11)	570	20.2 (11)	0	* *	0	* *	0	* *
Lake	261	54.8 (46)	245	41.2 (6)	202	40.1 (1)	0	* *	0	* *	0	* *
Larimer	3,912	79.3 (18)	3,494	29.6 (21)	2,864	17.3 (20)	0	* *	0	* *	0	* *
Las Animas	363	61.4 (42)	337	25.8 (29)	274	17.9 (16)	0	* *	0	* *	0	* *
Lincoln	146	78.1 (20)	122	32.0 (18)	104	11.5 (36)	0	* *	0	* *	0	* *
Logan	495	68.9 (36)	468	18.8 (40)	371	8.6 (43)	0	* *	0	* *	0	* *
Mesa	3,188	81.1 (17)	2,892	24.9 (32)	2,267	13.5 (35)	0	* *	0	* *	0	* *
Moffat	409	82.9 (14)	375	29.9 (20)	279	14.3 (32)	0	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2008 - 2010 Pediatric Nutrition Surveillance (1)**  
**Colorado**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
**Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)												
County	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Montezuma	620	85.8 (10)	534	39.1 (8)	483	24.0 (6)	0	* *	0	* *	0	* *
Montrose	1,166	74.5 (26)	1,083	28.4 (24)	951	15.9 (25)	0	* *	0	* *	0	* *
Morgan	1,120	60.5 (43)	1,035	13.7 (45)	823	5.7 (45)	0	* *	0	* *	0	* *
Otero	684	57.7 (44)	657	16.6 (42)	587	9.9 (40)	0	* *	0	* *	0	* *
Ouray	31	* *	35	* *	35	* *	0	* *	0	* *	0	* *
Park	163	75.5 (24)	161	36.6 (10)	138	19.6 (12)	0	* *	0	* *	0	* *
Phillips	117	86.3 (9)	112	24.1 (35)	103	9.7 (42)	0	* *	0	* *	0	* *
Pitkin	73	* *	58	* *	46	* *	0	* *	0	* *	0	* *
Prowers	487	70.8 (33)	464	18.1 (41)	383	10.4 (38)	0	* *	0	* *	0	* *
Pueblo	4,486	66.4 (40)	4,223	19.7 (39)	3,753	11.0 (37)	0	* *	0	* *	0	* *
Rio Blanco	147	81.6 (15)	118	32.2 (17)	103	17.5 (19)	0	* *	0	* *	0	* *
Rio Grande	320	56.6 (45)	314	15.9 (43)	242	9.9 (40)	0	* *	0	* *	0	* *
Routt	207	88.9 (3)	184	49.5 (2)	142	29.6 (2)	0	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2008 - 2010 Pediatric Nutrition Surveillance (1)**  
**Colorado**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
**Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)										
County	Breastfeeding (6)			Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Saguache	181	72.9 (29)	185	24.9 (32)	174	17.8 (17)	0	* *	0	* *
San Miguel	88	* *	87	* *	72	* *	0	* *	0	* *
Sedgwick	45	* *	47	* *	46	* *	0	* *	0	* *
Summit	446	87.7 (7)	410	43.2 (4)	349	28.1 (3)	0	* *	0	* *
Teller	333	88.6 (5)	279	34.1 (13)	232	21.1 (9)	0	* *	0	* *
Washinton	53	* *	53	* *	38	* *	0	* *	0	* *
Weld	4,856	70.6 (34)	4,228	28.0 (25)	3,327	18.8 (13)	0	* *	0	* *
Yuma	319	66.8 (39)	293	22.9 (38)	253	14.2 (33)	0	* *	0	* *
Unknown Counties	24	* *	15	* *	10	* *	0	* *	0	* *
<b>Colorado</b>	<b>99,954</b>	<b>75.3</b>	<b>90,049</b>	<b>27.5</b>	<b>72,812</b>	<b>16.0</b>	<b>0</b>	<b>*</b>	<b>0</b>	<b>*</b>

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

