

Table 1C
2010 Pediatric Nutrition Surveillance (1)
Colorado
Summary of Demographic Indicators
Children Aged < 5 Years (2,3)

Total Records	Number
Individual Children	120,293
Total Records (All Visits)	224,349

Source of Data	Number	%
WIC	120,293	100.0
EPSDT	0	0.0
Child Health-MCH	0	0.0
Child Health-HMO	0	0.0
Headstart	0	0.0
School Health	0	0.0
Other	0	0.0
Total	120,293	100.0
<i>Excluded Unknown:</i> 0 0.0 %		

Race/Ethnic Distribution	Number	%
White, Not Hispanic	36,289	30.2
Black, Not Hispanic	7,886	6.6
Hispanic	68,954	57.3
American Indian/Alaska Native	1,058	0.9
Asian/Pacific Islander	1,940	1.6
Multiple Races	4,127	3.4
All Other	0	0.0
Total	120,254	100.0
<i>Excluded Unknown:</i> 39 * %		

Age Distribution (4)	Number	%
0 - 5 Months	27,194	22.6
6 - 11 Months	18,195	15.1
12 - 23 Months	22,154	18.4
24 - 35 Months	19,391	16.1
3 - 4 Years	33,359	27.7
Total	120,293	100.0

% of Poverty Level	Number	%
0-50	0	0.0
51-100	0	0.0
101-130	0	0.0
131-150	0	0.0
151-185	0	0.0
186-200	0	0.0
Over 200	0	0.0
Adjunctive Eligibility	0	0.0
Total	0	0.0
<i>Excluded Unknown:</i> 120,293 100.0 %		

Program Participation	Number	%
WIC	0	0.0
SNAP	0	0.0
Medicaid	0	0.0
TANF	0	0.0
<i>Excluded Unknown:</i>		
WIC	120,293	100.0
SNAP	120,293	100.0
Medicaid	120,293	100.0
TANF	120,293	100.0

Migrant Status	Number	%
Yes	0	0.0
No	0	0.0
Total	0	0.0
<i>Excluded Unknown:</i> 120,293 100.0 %		

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 2C
2010 Pediatric Nutrition Surveillance (1)
Colorado
Summary of Health Indicators
Children Aged < 5 Years (2)

Summary of Health Indicators (3)						
			Colorado Prevalence		National Prevalence (Prior Year)	
			Number	%	Number	%
Birthweight (4)						
Low	< 2500 g		27,885	9.7	1,961,342	8.9
High	> 4000 g		27,885	4.3	1,961,342	6.4
Height and Weight						
Short Stature (5)	< 5th		119,309	7.7	8,451,215	6.0
	< 10th		119,309	14.1	8,451,215	10.8
Underweight (6)	< 5th		119,309	3.5	8,451,215	4.3
	< 10th		119,309	7.2	8,451,215	7.5
Obese (6)	≥ 95th		119,309	8.4	8,451,215	14.0
	≥ 2 Yrs Overweight (6)	85th - < 95th	52,292	14.1	3,678,355	16.4
		≥ 95th	52,292	9.1	3,678,355	14.7
Anemia (7)						
Low Hb			71,942	12.4	5,201,886	15.1
Low Hct			36	*	538,293	11.6
Low Hb/Hct			71,978	12.4	5,524,196	14.9
Breastfeeding (8)						
Ever Breastfed			27,904	77.5	1,769,160	61.7
Breastfed At Least 6 Months			23,743	29.1	911,779	27.0
Breastfed At Least 12 Months			16,960	19.2	1,092,573	18.5
Smoking in Household						
≤ 2 Hours TV Viewing/ Day (9)			0	*	4,355,723	10.2
			0	*	1,022,933	77.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

(8) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(9) Children aged 2 years and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 3C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Summary of Breastfeeding Indicators
Children Aged < 5 Years ⁽²⁾

Summary of Breastfeeding Indicators ⁽³⁾				
	Colorado Prevalence		National Prevalence (Prior Year)	
	Number	%	Number	%
Breastfeeding Duration ^(4,5)				
Ever Breastfed	27,904	77.5	1,769,160	61.7
Breastfed 1+ Weeks	27,549	77.5	1,499,573	58.7
Breastfed 2+ Weeks	25,405	69.7	1,164,141	56.4
Breastfed 3+ Weeks	23,467	64.5	947,758	53.6
Breastfed 4+ Weeks	22,441	60.6	826,300	50.9
Breastfed 6+ Weeks	21,438	52.5	704,088	44.6
Breastfed 2+ Months	21,337	47.3	665,172	39.2
Breastfed 3+ Months	22,446	41.2	714,931	34.5
Breastfed 4+ Months	22,769	36.2	806,269	31.0
Breastfed 5+ Months	23,739	32.0	904,357	28.2
Breastfed 6+ Months	23,743	29.1	911,779	27.0
Breastfed 9+ Months	19,239	22.5	1,050,661	21.8
Breastfed 12+ Months	16,960	19.2	1,092,573	18.5
Breastfed 18+ Months	15,307	9.9	862,440	10.1
Exclusive Breastfeeding ⁽⁶⁾				
Exclusively Breastfed at Least 3 Months	0	*	317,037	9.9
Exclusively Breastfed at Least 6 Months	0	*	420,655	5.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. For each breastfeeding duration category, the analysis includes only children who turned that age during the reporting period by/on their date of visit. For example, infants who turned 9 months old during the reporting period by/on their date of visit are included in the 9+ months analysis.

(5) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.

(6) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado

Comparison of Racial and Ethnic Distribution by Contributor to Nation
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Contributor	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Colorado	120,293	30.2	6.6	57.3	0.9	1.6	3.4	0.0
Nation (Prior Year)	8,938,527	31.8	18.7	40.6	0.9	2.6	2.5	3.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Age Distribution by Contributor to Nation
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution				
Contributor	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Colorado	120,293	37.7	18.4	43.9
Nation (Prior Year)	8,938,527	34.5	22.6	42.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 6C
2010 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Growth and Anemia Indicators by Contributor to Nation
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3)												
Contributor	Birthweight (4)			Height and Weight						Anemia Low Hb/Hct (7)		
	Low	High		Short Stature (5)	Under- weight (6)	Obese (6)	\geq 2 Yrs Over- weight (6)					
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% _95th	Number	% 85th- _95th	% _95th	Number	%
Colorado	27,885	9.7	4.3	119,309	7.7	3.5	8.4	52,292	14.1	9.1	71,978	12.4
Nation (Prior Year)	1,961,342	8.9	6.4	8,451,215	6.0	4.3	14.0	3,678,355	16.4	14.7	5,524,196	14.9

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Infants born during the reporting period included in the analysis.
- (5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and \geq 95th percentile category identifies obese children..
- (7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7C
2010 Pediatric Nutrition Surveillance (1)
Colorado**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Contributor to Nation (2)
Children Aged < 5 Years (3)**

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4)										
Contributor	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)	Smoking in Household
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	%
Colorado	27,904	77.5	23,743	29.1	16,960	19.2	0	*	0	*
Nation (Prior Year)	1,769,160	61.7	911,779	27.0	1,092,573	18.5	317,037	9.9	420,655	5.3
	1,022,933	77.3	4,355,723	10.2						

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(6) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(7) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 8C
2010 Pediatric Nutrition Surveillance (1)
Colorado

Growth and Anemia Indicators by Race/Ethnicity or Age
Children Aged < 5 Years (2)

Growth and Anemia Indicators by Race/Ethnicity or Age (3)												
	Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
	Number	Low %	High %	Number	Short Stature (5)	Under- weight (6)	Obese (6)	≥ 2 Yrs Overweight (6)				
		<2500 g	>4000 g		<5th %	<5th %	≥95th %	Number	85th-<95th %	≥95th %	Number	%
Race/Ethnicity												
White, Not Hispanic	9,013	10.7	4.3	36,033	8.5	4.1	6.3	14,617	12.3	6.3	20,291	11.6
Black, Not Hispanic	2,062	14.1	3.3	7,786	8.0	5.2	7.9	3,155	11.2	7.1	4,564	18.4
Hispanic	15,264	8.3	4.5	68,389	7.2	2.8	9.6	31,231	15.5	10.7	42,795	12.0
American Indian/Alaska Native	202	11.4	4.5	1,045	5.3	4.3	10.0	508	15.6	11.4	690	12.9
Asian/Pacific Islander	483	10.1	2.7	1,932	10.0	6.4	6.0	795	9.6	5.2	1,149	15.8
Multiple Races	842	12.5	4.8	4,088	8.8	3.8	7.7	1,982	12.8	8.3	2,479	12.5
All Other	19	*	*	36	*	*	*	4	*	*	10	*
Total	27,885	9.7	4.3	119,309	7.7	3.5	8.4	52,292	14.1	9.1	71,978	12.4
Age												
0 - 11 Months	-	-	-	44,876	11.5	3.2	6.9	-	*	*	8,283	16.5
12 - 23 Months	-	-	-	22,141	7.9	4.3	9.7	-	*	*	23,797	14.9
24 - 35 Months	-	-	-	19,267	5.0	3.2	8.3	19,267	14.0	8.3	15,447	13.8
36 - 47 Months	-	-	-	17,355	4.4	3.6	9.3	17,355	14.0	9.3	13,875	8.8
48 - 59 Months	-	-	-	15,670	3.7	3.4	10.0	15,670	14.5	10.0	10,576	6.2
Total	-	-	-	119,309	7.7	3.5	8.4	52,292	14.1	9.1	71,978	12.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 9C
2010 Pediatric Nutrition Surveillance (1)
Colorado

Breastfeeding, TV Viewing, and Smoking in Household by Race/Ethnicity or Age (2)
Children Aged < 5 Years (3)

Breastfeeding, TV Viewing, and Smoking in Household by Race/Ethnicity or Age (4)										
	Breastfeeding (5)						<2 Hours TV/Video Viewing/Day (6)		Smoking in Household	
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	%	Number	%
Race/Ethnicity										
White, Not Hispanic	9,016	78.7	7,672	30.5	5,223	20.9	0	*	0	*
Black, Not Hispanic	2,063	73.2	1,689	25.2	1,064	16.9	0	*	0	*
Hispanic	15,278	77.7	13,086	28.7	9,701	18.4	0	*	0	*
American Indian/Alaska Native	202	85.6	170	31.2	162	23.5	0	*	0	*
Asian/Pacific Islander	483	74.3	409	32.0	271	22.9	0	*	0	*
Multiple Races	843	73.0	694	27.7	537	18.1	0	*	0	*
All Other	19	*	23	*	2	*	0	*	0	*
Total	27,904	77.5	23,743	29.1	16,960	19.2	0	*	0	*
Age										
0 - 11 Months	-	-	-	-	-	-	0	*	0	*
12 - 23 Months	-	-	-	-	-	-	0	*	0	*
24 - 35 Months	-	-	-	-	-	-	0	*	0	*
36 - 47 Months	-	-	-	-	-	-	0	*	0	*
48 - 59 Months	-	-	-	-	-	-	0	*	0	*
Total	27,904	77.5	23,743	29.1	16,960	19.2	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(6) Children aged 2 years and older included in the analysis

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 10C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Summary of Trends in Racial and Ethnic Distribution
Children Aged < 5 Years ⁽²⁾

Summary of Trends in Racial and Ethnic Distribution								
Year	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
2010	120,293	30.2	6.6	57.3	0.9	1.6	3.4	0.0
2009	121,025	29.4	6.5	58.3	0.9	1.5	3.3	0.0
2008	107,314	28.3	6.4	59.6	1.0	1.4	3.3	0.0
2007	103,306	28.8	6.3	59.1	1.1	1.3	3.4	0.0
2006	97,607	29.1	5.9	59.4	1.0	1.4	3.2	0.1
2005	94,142	27.7	4.9	49.8	0.7	1.2	1.8	13.9
2004	94,244	36.1	5.9	52.4	0.6	1.4	0.0	3.6
2003	120,249	36.7	5.7	52.9	0.6	1.4	0.0	2.7
2002	82,178	38.9	6.0	50.7	0.7	1.4	0.0	2.3
2001	77,024	40.8	6.4	48.6	0.8	1.5	0.0	2.0
2000	73,197	43.4	6.9	45.6	0.7	1.5	0.0	1.8
1999	22,628	46.0	6.9	44.8	0.6	1.6	0.0	0.0
1998	77,442	50.0	7.5	39.9	0.8	1.8	0.0	0.0
1997	69,306	51.3	8.0	37.9	0.9	1.8	0.0	0.0
1996	65,146	52.7	8.3	36.2	0.9	1.9	0.0	0.0
1995	72,545	54.4	8.6	34.1	0.8	2.0	0.0	0.0
1994	75,458	56.7	8.8	31.5	0.8	2.1	0.0	0.0
1993	67,445	57.8	8.6	30.8	0.8	2.1	0.0	0.0
1992	59,856	57.3	8.4	31.4	0.9	1.9	0.0	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 10C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Summary of Trends in Racial and Ethnic Distribution
Children Aged < 5 Years ⁽²⁾

Summary of Trends in Racial and Ethnic Distribution								
Year	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
1991	52,209	57.8	8.4	30.8	0.9	2.0	0.0	0.0
1990	51,166	57.9	8.4	30.8	0.9	1.9	0.0	0.0
1989	53,698	58.7	8.0	30.4	0.8	2.0	0.0	0.0
1988	47,847	59.4	6.8	30.8	0.8	2.2	0.0	0.0
1987	45,926	60.0	6.0	31.2	0.7	2.0	0.0	0.1
1986	41,244	59.2	5.1	32.8	0.6	2.2	0.0	0.1
1985	38,737	58.1	4.8	33.9	0.5	2.6	0.0	0.1
1984	35,850	56.5	4.4	35.4	0.5	3.1	0.0	0.1
1983	31,074	55.4	4.2	36.9	0.5	3.1	0.0	0.0
1982	27,860	52.0	4.1	40.0	0.5	3.3	0.0	0.0
1981	23,610	50.5	3.9	42.1	0.4	3.1	0.0	0.1
1980	23,983	51.6	4.0	42.0	0.4	2.0	0.0	0.1
1979	16,489	50.4	3.9	43.9	0.4	1.4	0.0	0.0
1978	3,106	57.6	1.7	38.4	0.3	1.4	0.0	0.5
1977	5	*	*	*	*	*	*	*
1976	1	*	*	*	*	*	*	*
1975	3	*	*	*	*	*	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 11C
2010 Pediatric Nutrition Surveillance (1)
Colorado
Summary of Trends in Age Distribution
Children Aged < 5 Years (2)

Summary of Trends in Age Distribution (3)				
Year	Number Included in Analysis (4)	0-11 Months %	12-23 Months %	24-59 Months %
2010	120,293	37.7	18.4	43.9
2009	121,025	38.0	19.0	43.0
2008	107,314	39.2	19.9	40.8
2007	103,306	42.0	18.6	39.4
2006	97,607	42.6	18.9	38.5
2005	94,142	42.2	19.4	38.4
2004	94,244	41.0	19.9	39.0
2003	120,249	36.2	21.1	42.7
2002	82,178	38.5	21.2	40.4
2001	77,024	38.0	21.7	40.3
2000	73,197	36.8	22.6	40.6
1999	22,628	31.7	22.6	45.7
1998	77,442	36.8	21.3	41.8
1997	69,306	37.8	20.5	41.7
1996	65,146	36.2	20.6	43.2
1995	72,545	31.4	23.3	45.3
1994	75,458	33.9	22.6	43.5
1993	67,445	35.0	23.4	41.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Records rejected if date of birth and date of visit unknown.

(4) Excludes records with unknown data or errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 11C
2010 Pediatric Nutrition Surveillance (1)
Colorado
Summary of Trends in Age Distribution
Children Aged < 5 Years (2)

Summary of Trends in Age Distribution (3)				
Year	Number Included in Analysis (4)	0-11 Months %	12-23 Months %	24-59 Months %
1992	59,856	38.3	24.6	37.1
1991	52,209	41.4	25.9	32.7
1990	51,166	36.4	23.4	40.2
1989	53,698	34.1	23.3	42.7
1988	47,847	35.3	25.0	39.7
1987	45,926	38.3	22.7	39.0
1986	41,244	39.7	21.6	38.8
1985	38,737	36.7	20.0	43.3
1984	35,850	36.0	21.8	42.3
1983	31,074	38.4	22.3	39.3
1982	27,860	36.9	20.8	42.3
1981	23,610	37.8	21.7	40.6
1980	23,983	36.8	20.8	42.4
1979	16,489	37.4	20.7	41.9
1978	3,106	34.7	21.9	43.4
1977	5	*	*	*
1976	1	*	*	*
1975	3	*	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Records rejected if date of birth and date of visit unknown.

(4) Excludes records with unknown data or errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 12C
2010 Pediatric Nutrition Surveillance (1)
Colorado

Summary of Trends in Growth and Anemia Indicators
Children Aged < 5 Years (2)

Summary of Trends in Growth and Anemia Indicators (3)												
Year	Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
	Low	High		Short Stature (5)	Under- weight (6)	Obese (6)	>_2 Yrs Overweight (6)					
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥ 95th	Number	% 85th-<95th	% ≥95th	Number	%
2010	27,885	9.7	4.3	119,309	7.7	3.5	8.4	52,292	14.1	9.1	71,978	12.4
2009	28,949	9.3	4.5	119,963	7.5	3.4	8.4	51,659	14.5	9.0	72,602	13.1
2008	28,282	9.8	4.2	106,342	7.9	3.5	8.2	43,476	14.4	9.4	58,958	11.9
2007	27,307	10.1	4.5	102,297	8.0	3.5	8.2	40,432	14.6	9.7	57,157	12.6
2006	26,634	10.1	4.6	96,600	8.1	3.7	8.2	37,111	14.7	9.6	51,974	12.1
2005	25,116	10.2	4.4	93,218	8.1	3.4	8.5	35,758	15.0	9.7	49,072	10.2
2004	24,576	10.0	4.7	92,708	7.9	3.5	8.7	36,113	14.6	9.6	50,135	7.5
2003	32,258	10.2	4.9	118,648	7.9	4.2	8.6	50,773	13.6	9.4	51,116	7.8
2002	23,891	9.8	5.0	81,231	8.4	4.5	8.0	32,878	13.3	8.7	45,253	7.4
2001	22,099	9.9	4.9	76,133	8.4	4.4	7.7	30,790	12.8	8.5	41,667	7.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 12C
2010 Pediatric Nutrition Surveillance (1)
Colorado

Summary of Trends in Growth and Anemia Indicators
Children Aged < 5 Years (2)

Summary of Trends in Growth and Anemia Indicators (3)												
Year	Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
	Low	High		Short Stature (5)	Under- weight (6)	Obese (6)		>_2 Yrs Overweight (6)				
	Number	%	%	Number	%	%	%	Number	%	%	Number	%
	<2500 g	>4000 g		<5th	<5th	≥ 95th		85th-<95th	≥95th			
2000	21,128	9.8	5.1	72,143	12.9	3.4	12.8	29,384	16.2	11.0	39,934	6.6
1999	5,964	9.4	4.8	22,379	12.7	3.2	12.7	10,258	15.8	11.8	10,612	6.5
1998	20,952	9.7	5.3	76,331	12.8	3.5	11.8	32,142	15.5	9.9	44,640	6.4
1997	16,185	10.3	5.1	68,172	12.4	3.6	11.8	28,622	15.0	9.7	44,668	7.0
1996	14,920	11.3	5.0	63,333	12.7	3.6	11.6	27,381	14.7	9.0	39,531	7.0
1995	15,629	10.5	5.1	69,454	14.0	4.3	9.4	32,220	13.7	7.6	43,982	7.2
1994	18,759	10.3	5.1	71,745	12.8	5.3	7.3	32,434	11.9	6.5	47,451	6.9
1993	17,482	10.1	5.0	65,384	9.7	5.7	6.7	27,612	10.7	5.9	41,506	7.3
1992	16,960	10.1	5.3	57,832	9.8	6.0	6.3	21,865	10.4	5.7	36,258	8.4
1991	15,729	10.2	5.0	50,243	10.3	7.4	6.1	16,839	9.8	5.4	30,838	8.6

- (1) Reporting period is January 1 through December 31.
 (2) Analyses based on one record per child.
 (3) Excludes records with unknown data or errors.
 (4) Infants born during the reporting period included in the analysis.
 (5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 (6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
 (7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
 * Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 12C
2010 Pediatric Nutrition Surveillance (1)
Colorado

Summary of Trends in Growth and Anemia Indicators
Children Aged < 5 Years (2)

Summary of Trends in Growth and Anemia Indicators (3)												
Year	Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
	Low		High	Short Stature (5)		Under- weight (6)	Obese (6)	>_2 Yrs Overweight (6)				
	Number	%	%	Number	%	%	%	Number	%	%	Number	%
	<2500 g	>4000 g		<5th	<5th	≥ 95th		85th-<95th	≥95th			
1990	12,845	9.6	5.2	49,116	10.0	7.5	5.5	20,181	9.3	4.5	31,275	7.8
1989	12,959	9.4	5.7	52,343	9.4	6.5	5.3	22,664	9.3	4.5	34,359	8.0
1988	12,230	9.4	5.6	46,744	9.4	7.0	5.1	18,871	9.2	4.4	31,031	8.0
1987	11,194	9.4	5.8	45,029	9.5	6.9	4.9	17,746	8.9	4.6	30,061	7.6
1986	10,245	9.3	5.4	40,551	9.3	6.8	4.8	15,884	10.2	4.3	27,801	8.3
1985	8,636	9.8	5.2	38,004	9.8	6.7	5.1	16,613	9.7	4.6	27,615	7.8
1984	8,024	9.8	5.5	35,228	10.4	6.7	5.4	15,019	10.1	4.9	26,327	9.3
1983	7,569	10.0	5.0	30,464	11.2	7.6	5.5	12,110	10.4	4.8	23,099	13.0
1982	6,628	10.0	5.2	27,320	11.0	7.4	5.3	11,703	10.7	5.1	21,657	13.2
1981	5,582	10.9	5.4	23,030	12.0	8.4	5.8	9,494	11.5	5.7	18,108	14.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 12C
2010 Pediatric Nutrition Surveillance (1)
Colorado

Summary of Trends in Growth and Anemia Indicators
Children Aged < 5 Years (2)

Summary of Trends in Growth and Anemia Indicators (3)												
Year	Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
	Low		High	Short Stature (5)		Under- weight (6)	Obese (6)	>_2 Yrs Overweight (6)				
	Number	%	%	Number	%	%	%	Number	%	%	Number	%
	<2500 g	>4000 g		<5th	<5th	≥ 95th		85th-<95th	≥95th			
1980	5,665	10.1	5.4	23,025	10.8	10.0	6.1	10,008	11.2	5.8	18,294	13.5
1979	4,194	10.9	6.0	15,622	11.5	9.0	6.5	6,795	11.6	6.3	12,251	14.9
1978	692	10.5	4.0	2,960	12.1	8.9	4.8	1,322	12.2	6.0	720	12.9
1977	0	*	*	0	*	*	*	0	*	*	1	*
1976	0	*	*	0	*	*	*	0	*	*	0	*
1975	0	*	*	0	*	*	*	0	*	*	1	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 13C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Summary of Trends in Breastfeeding
Children Aged < 5 Years ⁽²⁾

Summary of Trends in Breastfeeding ⁽³⁾						
Year	Breastfeeding ⁽⁴⁾					
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
2010	27,904	77.5	23,743	29.1	16,960	19.2
2009	28,980	76.4	24,290	29.6	18,051	18.9
2008	28,304	75.3	23,561	28.1	17,780	16.1
2007	27,324	74.3	22,242	26.8	15,444	16.6
2006	26,660	74.2	20,820	28.9	14,266	18.5
2005	25,138	73.5	20,393	28.5	14,346	19.0
2004	24,603	72.6	20,202	27.2	15,287	17.1
2003	32,308	70.1	17,517	26.9	15,565	15.4
2002	23,900	70.7	8,149	25.7	11,577	13.2
2001	22,109	69.7	7,922	25.6	11,320	12.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 13C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Summary of Trends in Breastfeeding
Children Aged < 5 Years ⁽²⁾

Summary of Trends in Breastfeeding ⁽³⁾						
Year	Breastfeeding ⁽⁴⁾					
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
2000	21,139	68.1	7,716	23.8	11,342	12.6
1999	5,967	67.6	3,688	22.6	4,709	14.6
1998	20,962	66.9	7,735	23.7	11,165	14.0
1997	16,204	66.4	15,120	24.9	10,873	15.1
1996	14,934	64.9	12,319	23.7	9,662	12.5
1995	16,039	66.1	9,086	22.2	9,645	10.6
1994	19,443	74.2	8,636	21.6	11,566	11.3
1993	18,320	65.0	6,630	16.7	9,147	9.0
1992	17,663	58.1	6,198	15.7	8,158	8.5
1991	16,204	49.6	6,233	13.5	8,687	6.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 13C
2010 Pediatric Nutrition Surveillance (1)
Colorado
Summary of Trends in Breastfeeding
Children Aged < 5 Years (2)

Summary of Trends in Breastfeeding (3)						
	Breastfeeding (4)					
Year	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
1990	600	63.8	117	4.3	143	0.0
1989	17	*	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 14C
2010 Pediatric Nutrition Surveillance
Colorado
Children Aged < 5 Years

Page: 21
Run Date: 3 / 25 / 11

This table is forthcoming. It may present changes over time in the prevalence of short stature, underweight, overweight, or anemia among cohorts of children participating in the PedNSS.

Table 15C
2010 Pediatric Nutrition Surveillance
Colorado
Children Aged < 5 Years

Page: 22
Run Date: 3 / 25 / 11

This table is forthcoming. It may present changes over time in the prevalence of short stature, underweight, overweight, or anemia among cohorts of children participating in the PedNSS.

Table 16C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	14,740	12.4	14,740	4.2	14,740	5.6	0	0.0	0.0
12 - 23 Months	6,676	8.1	6,676	5.2	6,676	7.8	0	0.0	0.0
24 - 59 Months	14,617	4.6	14,617	3.5	14,617	6.3	14,617	12.3	6.3
Total	36,033	8.5	36,033	4.1	36,033	6.3	14,617	12.3	6.3
Black, Not Hispanic									
0 - 11 Months	3,217	13.6	3,217	3.6	3,217	7.9	0	0.0	0.0
12 - 23 Months	1,414	7.1	1,414	5.1	1,414	9.6	0	0.0	0.0
24 - 59 Months	3,155	2.8	3,155	6.8	3,155	7.1	3,155	11.2	7.1
Total	7,786	8.0	7,786	5.2	7,786	7.9	3,155	11.2	7.1
Hispanic									
0 - 11 Months	24,390	10.6	24,390	2.6	24,390	7.5	0	0.0	0.0
12 - 23 Months	12,768	7.6	12,768	3.5	12,768	11.0	0	0.0	0.0
24 - 59 Months	31,231	4.3	31,231	2.8	31,231	10.7	31,231	15.5	10.7
Total	68,389	7.2	68,389	2.8	68,389	9.6	31,231	15.5	10.7
American Indian/Alaska Native									
0 - 11 Months	326	7.4	326	3.4	326	6.7	0	0.0	0.0
12 - 23 Months	211	9.5	211	5.2	211	11.8	0	0.0	0.0
24 - 59 Months	508	2.2	508	4.5	508	11.4	508	15.6	11.4
Total	1,045	5.3	1,045	4.3	1,045	10.0	508	15.6	11.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian/Pacific Islander									
0 - 11 Months	797	11.3	797	3.4	797	7.3	0	0.0	0.0
12 - 23 Months	340	12.4	340	9.7	340	5.0	0	0.0	0.0
24 - 59 Months	795	7.8	795	7.9	795	5.2	795	9.6	5.2
Total	1,932	10.0	1,932	6.4	1,932	6.0	795	9.6	5.2
Multiple Races									
0 - 11 Months	1,375	14.4	1,375	3.3	1,375	7.3	0	0.0	0.0
12 - 23 Months	731	8.3	731	4.4	731	6.8	0	0.0	0.0
24 - 59 Months	1,982	5.0	1,982	3.9	1,982	8.3	1,982	12.8	8.3
Total	4,088	8.8	4,088	3.8	4,088	7.7	1,982	12.8	8.3
All Other/Unknown									
0 - 11 Months	31	*	31	*	31	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	4	*	4	*	4	*	4	*	*
Total	36	*	36	*	36	*	4	*	*
Total All Race/Ethnic Groups									
0 - 11 Months	44,876	11.5	44,876	3.2	44,876	6.9	0	0.0	0.0
12 - 23 Months	22,141	7.9	22,141	4.3	22,141	9.7	0	0.0	0.0
24 - 59 Months	52,292	4.4	52,292	3.4	52,292	9.1	52,292	14.1	9.1
Total	119,309	7.7	119,309	3.5	119,309	8.4	52,292	14.1	9.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17C
2010 Pediatric Nutrition Surveillance (1)
Colorado
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct %			Anemia Low Hb/Hct %	
	Number		Number		
White, Not Hispanic			Asian/Pacific Islander		
6 - 11 Months	2,425	17.4	6 - 11 Months	150	22.7
12 - 17 Months	4,281	15.5	12 - 17 Months	223	13.5
18 - 23 Months	2,872	12.8	18 - 23 Months	152	17.1
24 - 35 Months	4,230	11.3	24 - 35 Months	280	19.6
36 - 59 Months	6,483	6.7	36 - 59 Months	344	10.8
Total	20,291	11.6	Total	1,149	15.8
Black, Not Hispanic			Multiple Races		
6 - 11 Months	572	17.7	6 - 11 Months	243	14.4
12 - 17 Months	905	21.0	12 - 17 Months	430	17.2
18 - 23 Months	640	22.7	18 - 23 Months	343	13.7
24 - 35 Months	960	19.6	24 - 35 Months	567	14.1
36 - 59 Months	1,487	14.5	36 - 59 Months	896	8.1
Total	4,564	18.4	Total	2,479	12.5
Hispanic			All Other/Unknown		
6 - 11 Months	4,824	15.9	6 - 11 Months	4	*
12 - 17 Months	7,970	15.5	12 - 17 Months	2	*
18 - 23 Months	5,765	12.7	18 - 23 Months	0	*
24 - 35 Months	9,263	14.2	24 - 35 Months	2	*
36 - 59 Months	14,973	7.4	36 - 59 Months	2	*
Total	42,795	12.0	Total	10	*
American Indian/Alaska Native			Total All Race/Ethnic Groups		
6 - 11 Months	65	*	6 - 11 Months	8,283	16.5
12 - 17 Months	134	17.9	12 - 17 Months	13,945	15.9
18 - 23 Months	80	*	18 - 23 Months	9,852	13.5
24 - 35 Months	145	13.8	24 - 35 Months	15,447	13.8
36 - 59 Months	266	6.8	36 - 59 Months	24,451	7.7
Total	690	12.9	Total	71,978	12.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 18C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity
Children Aged < 5 Years ⁽²⁾

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity ⁽³⁾													
Race/Ethnicity and Year		Birthweight ⁽⁴⁾			Height and Weight							Anemia Low Hb/Hct ⁽⁷⁾	
		Low		High	Short Stature ⁽⁵⁾		Under- weight ⁽⁶⁾	Obese ⁽⁶⁾	≥ 2 Yrs Overweight ⁽⁶⁾				
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥ 95th	Number	% 85th - <95th	% ≥ 95th		
White, Not Hispanic	2010	9,013	10.7	4.3	36,033	8.5	4.1	6.3	14,617	12.3	6.3	20,291	11.6
	2009	9,190	10.1	4.6	35,299	8.4	3.8	6.4	14,193	12.8	6.2	20,083	12.1
	2008	8,468	10.2	4.1	30,157	9.0	3.9	6.4	11,529	13.0	6.9	15,589	10.9
	2007	8,287	10.8	5.0	29,529	9.2	4.1	6.3	11,148	13.4	6.7	15,344	11.5
	2006	7,787	10.7	4.8	28,156	9.1	4.4	6.3	10,719	13.9	6.7	14,481	10.3
	2005	6,682	10.8	4.4	25,878	9.0	3.8	6.5	10,461	13.9	7.1	13,293	9.0
	2004	8,504	11.2	4.1	33,548	8.8	4.3	7.2	13,548	13.9	7.4	17,601	6.2
	2003	11,438	10.9	4.6	43,556	8.6	4.9	6.6	19,268	12.9	6.8	18,842	6.9
	2002	8,651	10.6	4.7	31,660	8.8	5.2	6.1	13,421	12.4	6.5	17,924	6.0
	2001	8,526	10.0	4.7	31,088	8.5	4.9	6.0	12,930	11.6	6.6	17,374	6.0
Black, Not Hispanic	2010	2,062	14.1	3.3	7,786	8.0	5.2	7.9	3,155	11.2	7.1	4,564	18.4
	2009	2,068	12.8	3.1	7,722	8.0	5.4	7.9	3,048	12.5	7.2	4,609	19.7
	2008	1,976	15.5	2.1	6,766	9.2	5.5	7.6	2,491	10.9	6.5	3,626	18.1
	2007	1,934	15.2	3.2	6,404	9.4	5.3	6.6	2,256	10.8	6.5	3,226	20.5
	2006	1,812	17.2	2.5	5,634	10.2	5.2	6.3	1,800	12.1	6.5	2,673	20.3
	2005	1,484	15.7	3.2	4,501	9.8	5.6	7.6	1,457	12.8	6.7	2,082	13.6
	2004	1,651	15.7	2.7	5,402	10.2	5.0	7.0	1,775	11.8	6.3	2,534	9.2
	2003	2,200	15.5	3.5	6,754	9.3	5.4	8.1	2,517	10.6	6.2	2,640	11.1
	2002	1,554	12.9	3.7	4,888	9.8	5.8	7.3	1,836	10.9	6.0	2,576	8.6
	2001	1,585	14.3	3.2	4,822	10.5	5.7	6.7	1,836	11.4	6.0	2,450	8.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 18C
2010 Pediatric Nutrition Surveillance (1)
Colorado

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity (3)													
Race/Ethnicity and Year		Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
		Low		High	Short Stature (5)		Under- weight (6)	Obese (6)	≥ 2 Yrs Overweight (6)				
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥ 95th	Number	% 85th - <95th	% ≥ 95th		
Hispanic	2010	15,264	8.3	4.5	68,389	7.2	2.8	9.6	31,231	15.5	10.7	42,795	12.0
	2009	16,183	8.2	4.6	69,952	6.9	2.9	9.5	31,269	15.6	10.6	43,586	12.7
	2008	16,435	8.8	4.7	63,366	7.2	2.9	9.3	26,866	15.3	10.8	36,415	11.7
	2007	15,656	8.9	4.6	60,464	7.2	2.9	9.3	24,640	15.5	11.4	35,361	12.3
	2006	15,630	8.8	4.8	57,414	7.4	3.1	9.2	22,459	15.5	11.2	31,956	12.2
	2005	12,831	9.0	4.5	46,400	7.4	2.7	9.5	18,384	16.2	11.0	25,657	10.1
	2004	12,865	8.5	5.3	48,513	7.1	2.7	10.0	19,015	15.3	11.5	27,419	8.0
	2003	16,807	9.1	5.2	62,677	7.3	3.4	10.0	26,847	14.6	11.4	27,383	8.2
	2002	12,556	8.9	5.5	41,105	7.9	3.8	9.5	16,321	14.4	10.7	22,851	8.2
	2001	10,993	8.9	5.4	36,973	8.0	3.8	9.2	14,749	14.2	10.3	20,080	7.9
American Indian/Alaska Native	2010	202	11.4	4.5	1,045	5.3	4.3	10.0	508	15.6	11.4	690	12.9
	2009	231	7.8	6.5	1,137	6.3	3.4	9.5	553	15.4	9.4	721	14.1
	2008	206	6.3	4.4	1,066	5.7	2.5	10.1	501	15.8	12.2	642	12.8
	2007	243	9.1	8.2	1,071	6.2	2.6	8.6	460	17.4	11.1	674	11.7
	2006	268	14.9	5.6	937	6.3	3.1	10.1	369	13.6	13.0	521	13.6
	2005	182	8.8	6.0	678	5.6	2.5	14.3	288	12.2	16.7	395	8.6
	2004	128	7.8	3.9	585	5.3	3.6	15.6	237	21.9	16.9	364	5.2
	2003	195	11.8	8.7	737	6.4	2.6	14.8	335	13.1	18.8	316	6.3
	2002	144	7.6	5.6	576	5.2	2.3	13.7	240	17.9	16.3	340	10.9
	2001	169	7.7	3.6	600	8.3	3.2	14.0	247	20.2	18.6	355	7.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 18C
2010 Pediatric Nutrition Surveillance (1)
Colorado

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity (3)													
Race/Ethnicity and Year		Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
		Low		High	Short Stature (5)		Under- weight (6)	Obese (6)	≥ 2 Yrs Overweight (6)				
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥ 95th	Number	% 85th - <95th	% ≥ 95th		
Asian/Pacific Islander	2010	483	10.1	2.7	1,932	10.0	6.4	6.0	795	9.6	5.2	1,149	15.8
	2009	482	9.8	3.1	1,811	10.0	5.8	6.0	704	10.7	6.1	1,076	16.2
	2008	398	11.6	2.5	1,475	9.8	4.9	5.5	571	11.9	7.5	817	13.6
	2007	380	10.5	2.9	1,350	9.3	5.4	6.1	485	10.3	7.8	731	11.9
	2006	408	11.0	3.2	1,341	9.2	5.3	7.2	456	10.1	10.3	669	12.0
	2005	358	14.0	3.6	1,143	9.3	5.0	8.0	385	14.0	11.4	553	11.2
	2004	341	10.0	3.2	1,290	8.3	5.5	6.9	435	13.3	9.0	693	8.2
	2003	564	9.0	3.9	1,707	9.8	7.4	6.7	607	10.5	7.4	694	6.9
	2002	382	8.9	1.0	1,130	9.7	6.6	6.9	384	12.0	8.9	566	9.4
	2001	338	13.0	4.1	1,120	9.3	5.2	6.4	442	10.9	8.1	591	5.8
Multiple Races	2010	842	12.5	4.8	4,088	8.8	3.8	7.7	1,982	12.8	8.3	2,479	12.5
	2009	776	11.0	3.5	3,990	7.6	3.6	7.8	1,887	13.1	7.6	2,512	13.5
	2008	781	11.8	3.2	3,485	8.5	4.4	6.7	1,517	14.4	8.0	1,866	12.2
	2007	793	13.9	2.3	3,439	9.2	4.4	7.4	1,435	14.4	8.2	1,808	14.2
	2006	707	12.0	3.3	3,077	8.0	4.5	7.9	1,305	12.1	7.9	1,661	12.2
	2005	573	11.5	4.5	1,675	10.2	4.4	7.6	624	13.6	8.7	831	10.8
	2004	0	*	*	0	*	*	*	0	*	*	0	*
	2003	0	*	*	0	*	*	*	0	*	*	0	*
	2002	0	*	*	0	*	*	*	0	*	*	0	*
	2001	0	*	*	0	*	*	*	0	*	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 18C
2010 Pediatric Nutrition Surveillance (1)
Colorado

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity (3)													
Race/Ethnicity and Year		Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
		Low		High	Short Stature (5)		Under- weight (6)	Obese (6)	≥ 2 Yrs Overweight (6)				
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥ 95th	Number	% 85th - <95th	% ≥ 95th		
All Other/Unknown	2010	19	*	*	36	*	*	*	4	*	*	10	*
	2009	19	*	*	52	*	*	*	5	*	*	15	*
	2008	18	*	*	27	*	*	*	1	*	*	3	*
	2007	14	*	*	40	*	*	*	8	*	*	13	*
	2006	22	*	*	41	*	*	*	3	*	*	13	*
	2005	3,006	10.1	5.0	12,943	8.1	3.7	8.9	4,159	13.8	10.6	6,261	12.2
	2004	1,087	10.9	5.3	3,370	8.2	4.0	7.5	1,103	14.0	8.4	1,524	9.0
	2003	1,054	8.7	4.6	3,217	7.9	5.3	7.8	1,199	13.8	9.3	1,241	8.8
	2002	604	10.8	6.6	1,872	10.0	6.5	7.6	676	12.0	7.8	996	7.6
	2001	488	14.3	4.5	1,530	9.3	5.0	6.5	586	9.9	9.0	817	6.0
Total All Race/Ethnic Groups	2010	27,885	9.7	4.3	119,309	7.7	3.5	8.4	52,292	14.1	9.1	71,978	12.4
	2009	28,949	9.3	4.5	119,963	7.5	3.4	8.4	51,659	14.5	9.0	72,602	13.1
	2008	28,282	9.8	4.2	106,342	7.9	3.5	8.2	43,476	14.4	9.4	58,958	11.9
	2007	27,307	10.1	4.5	102,297	8.0	3.5	8.2	40,432	14.6	9.7	57,157	12.6
	2006	26,634	10.1	4.6	96,600	8.1	3.7	8.2	37,111	14.7	9.6	51,974	12.1
	2005	25,116	10.2	4.4	93,218	8.1	3.4	8.5	35,758	15.0	9.7	49,072	10.2
	2004	24,576	10.0	4.7	92,708	7.9	3.5	8.7	36,113	14.6	9.6	50,135	7.5
	2003	32,258	10.2	4.9	118,648	7.9	4.2	8.6	50,773	13.6	9.4	51,116	7.8
	2002	23,891	9.8	5.0	81,231	8.4	4.5	8.0	32,878	13.3	8.7	45,253	7.4
	2001	22,099	9.9	4.9	76,133	8.4	4.4	7.7	30,790	12.8	8.5	41,667	7.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 19C
2010 Pediatric Nutrition Surveillance (1)**

**Colorado
Summary of Trends in Breastfeeding Indicators by Race/Ethnicity
Children Aged < 5 Years (2)**

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity (3)							
Race/Ethnicity and Year		Breastfeeding (4)					
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
White, Not Hispanic	2010	9,016	78.7	7,672	30.5	5,223	20.9
	2009	9,197	77.6	7,565	30.9	5,310	20.5
	2008	8,474	76.3	7,001	28.5	4,977	17.3
	2007	8,292	75.3	6,570	27.8	4,407	17.3
	2006	7,795	74.8	6,015	29.9	4,184	18.8
	2005	6,686	74.7	4,902	28.9	3,784	19.6
	2004	8,514	72.8	7,170	27.4	5,311	17.5
	2003	11,457	69.9	6,072	27.0	5,478	15.5
	2002	8,656	71.2	3,247	26.2	4,463	13.7
	2001	8,529	71.9	3,240	27.1	4,590	13.4
Black, Not Hispanic	2010	2,063	73.2	1,689	25.2	1,064	16.9
	2009	2,071	70.7	1,656	25.6	1,114	14.0
	2008	1,977	69.1	1,581	24.4	1,177	14.8
	2007	1,934	67.6	1,485	22.5	877	12.5
	2006	1,812	68.2	1,395	22.9	839	13.1
	2005	1,484	64.1	981	21.5	697	15.1
	2004	1,651	62.7	1,252	17.5	913	11.6
	2003	2,201	62.3	1,204	17.9	838	9.4
	2002	1,555	59.0	493	18.5	657	8.8
	2001	1,585	57.3	465	16.1	666	6.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 19C
2010 Pediatric Nutrition Surveillance (1)**

**Colorado
Summary of Trends in Breastfeeding Indicators by Race/Ethnicity
Children Aged < 5 Years (2)**

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity (3)							
Race/Ethnicity and Year		Breastfeeding (4)					
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
Hispanic	2010	15,278	77.7	13,086	28.7	9,701	18.4
	2009	16,199	76.4	13,808	29.5	10,608	18.4
	2008	16,448	75.7	13,656	28.3	10,620	15.8
	2007	15,666	74.9	12,946	27.1	9,270	16.6
	2006	15,645	75.1	12,312	29.4	8,431	19.0
	2005	12,843	74.4	9,033	29.0	7,215	18.9
	2004	12,872	74.0	10,529	28.4	8,124	17.5
	2003	16,836	71.7	9,324	28.2	8,499	15.7
	2002	12,558	72.2	4,040	26.4	5,917	13.0
	2001	10,999	70.1	3,844	25.5	5,578	12.8
American Indian/Alaska Native	2010	202	85.6	170	31.2	162	23.5
	2009	233	79.8	199	34.2	134	26.9
	2008	207	76.3	192	32.3	168	21.4
	2007	243	76.1	216	26.9	173	15.0
	2006	268	76.1	175	27.4	135	18.5
	2005	182	78.6	116	24.1	101	24.8
	2004	128	75.8	110	36.4	107	22.4
	2003	195	72.8	109	28.4	93	*
	2002	144	70.1	57	*	97	*
	2001	169	70.4	59	*	101	19.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 19C
2010 Pediatric Nutrition Surveillance (1)**

**Colorado
Summary of Trends in Breastfeeding Indicators by Race/Ethnicity
Children Aged < 5 Years (2)**

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity (3)							
Race/Ethnicity and Year		Breastfeeding (4)					
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
Asian/Pacific Islander	2010	483	74.3	409	32.0	271	22.9
	2009	482	71.2	392	29.6	256	24.6
	2008	398	72.1	383	31.3	238	18.9
	2007	380	70.0	327	21.7	212	16.5
	2006	408	58.1	295	23.1	185	17.3
	2005	358	59.8	240	23.8	168	17.3
	2004	341	60.1	309	18.4	262	12.2
	2003	564	57.6	292	19.5	243	14.0
	2002	383	51.4	105	18.1	151	8.6
	2001	338	53.6	123	18.7	163	12.3
Multiple Races	2010	843	73.0	694	27.7	537	18.1
	2009	776	76.7	639	27.4	623	18.3
	2008	782	72.0	735	25.4	599	13.2
	2007	795	70.8	678	23.5	497	16.7
	2006	708	71.5	611	26.0	482	15.8
	2005	574	72.5	331	25.4	260	14.6
	2004	0	*	0	*	0	*
	2003	0	*	0	*	0	*
	2002	0	*	0	*	0	*
	2001	0	*	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 19C
2010 Pediatric Nutrition Surveillance (1)**

**Colorado
Summary of Trends in Breastfeeding Indicators by Race/Ethnicity
Children Aged < 5 Years (2)**

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity (3)							
Race/Ethnicity and Year		Breastfeeding (4)					
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
All Other/Unknown	2010	19	*	23	*	2	*
	2009	22	*	31	*	6	*
	2008	18	*	13	*	1	*
	2007	14	*	20	*	8	*
	2006	24	*	17	*	10	*
	2005	3,011	72.8	4,790	29.1	2,121	19.8
	2004	1,097	73.7	832	27.4	570	18.1
	2003	1,055	69.9	516	28.1	414	15.9
	2002	604	73.7	207	23.7	292	16.8
	2001	489	73.2	191	29.3	222	17.6
Total All Race/Ethnic Groups	2010	27,904	77.5	23,743	29.1	16,960	19.2
	2009	28,980	76.4	24,290	29.6	18,051	18.9
	2008	28,304	75.3	23,561	28.1	17,780	16.1
	2007	27,324	74.3	22,242	26.8	15,444	16.6
	2006	26,660	74.2	20,820	28.9	14,266	18.5
	2005	25,138	73.5	20,393	28.5	14,346	19.0
	2004	24,603	72.6	20,202	27.2	15,287	17.1
	2003	32,308	70.1	17,517	26.9	15,565	15.4
	2002	23,900	70.7	8,149	25.7	11,577	13.2
	2001	22,109	69.7	7,922	25.6	11,320	12.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 20C
2010 Pediatric Nutrition Surveillance (1)
Colorado
Summary of Trends in Growth Indicators by Age
Children Aged < 5 Years (2)

Summary of Trends in Growth Indicators by Age (3)																		
Age and Year *	Height and Weight									Age and Year *	Height and Weight							
	Short Stature (4)		Under-weight (5)		Obese (5)		≥ 2 Yrs Overweight (5)				Short Stature (4)		Under-weight (5)		Obese (5)		≥ 2 Yrs Overweight (5)	
	Number	%	%	%	Number	%	%	%			Number	%	%	%	Number	%	%	%
	<5th	<5th	_>95th		85th-<95th	_>95th			<5th	<5th	≥ 95th		85th-<95th	_>95th				
0 - 11 Months									24 - 35 Months									
2010	44,876	11.5	3.2	6.9	0	*	*	2010	19,267	5.0	3.2	8.3	19,267	14.0	8.3			
2009	45,613	10.8	3.0	7.3	0	*	*	2009	19,848	4.7	3.2	8.2	19,848	13.9	8.2			
2008	41,701	11.2	3.1	6.8	0	*	*	2008	16,772	5.1	3.3	8.2	16,772	14.1	8.2			
2007	42,877	11.0	3.3	6.7	0	*	*	2007	15,612	5.2	3.0	8.7	15,612	14.1	8.7			
2006	41,182	11.0	3.4	6.7	0	*	*	2006	14,376	5.3	3.4	8.5	14,376	14.4	8.5			
2005	39,401	10.9	3.1	7.3	0	*	*	2005	13,598	5.3	3.1	8.3	13,598	14.6	8.3			
2004	38,074	10.7	3.3	7.7	0	*	*	2004	13,636	5.8	3.0	8.7	13,636	14.6	8.7			
2003	42,850	10.8	3.9	7.3	0	*	*	2003	20,041	5.8	3.8	8.9	20,041	13.6	8.9			
2002	31,046	11.7	4.4	6.6	0	*	*	2002	12,661	5.8	4.5	8.1	12,661	13.1	8.1			
2001	28,692	11.6	4.4	6.1	0	*	*	2001	11,889	6.2	4.2	7.7	11,889	12.6	7.7			
12 - 23 Months									36 - 47 Months									
2010	22,141	7.9	4.3	9.7	0	*	*	2010	17,355	4.4	3.6	9.3	17,355	14.0	9.3			
2009	22,691	8.0	4.2	9.2	0	*	*	2009	16,750	4.4	3.7	8.7	16,750	14.2	8.7			
2008	21,165	8.2	4.5	8.6	0	*	*	2008	14,130	4.7	3.3	9.6	14,130	14.3	9.6			
2007	18,988	8.0	5.0	8.2	0	*	*	2007	12,959	4.8	3.1	9.8	12,959	14.5	9.8			
2006	18,307	7.9	4.7	8.5	0	*	*	2006	12,041	5.1	3.8	9.6	12,041	14.4	9.6			
2005	18,059	8.3	4.6	8.8	0	*	*	2005	11,662	5.0	3.0	9.9	11,662	15.3	9.9			
2004	18,521	7.5	4.5	8.8	0	*	*	2004	11,762	5.2	3.4	10.1	11,762	14.3	10.1			
2003	25,025	8.0	5.0	9.2	0	*	*	2003	17,201	5.6	4.2	9.2	17,201	13.7	9.2			
2002	17,307	8.1	5.0	9.1	0	*	*	2002	10,836	5.6	4.4	8.7	10,836	13.1	8.7			
2001	16,651	8.1	4.5	8.7	0	*	*	2001	10,078	5.6	4.4	8.7	10,078	12.5	8.7			

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 20C
2010 Pediatric Nutrition Surveillance (1)
Colorado
Summary of Trends in Growth Indicators by Age
Children Aged < 5 Years (2)

Summary of Trends in Growth Indicators by Age (3)																			
Age and Year *	Height and Weight								Age and Year *	Height and Weight									
	Short Stature (4)		Under-weight (5)		Obese (5)		≥ 2 Yrs Overweight (5)			Short Stature (4)		Under-weight (5)		Obese (5)		≥ 2 Yrs Overweight (5)			
	Number	%	%	%	%	%	Number	%		%	%	Number	%	%	%	Number	%	%	%
	<5th	<5th	<5th	_>95th	85th-<95th	_>95th		<5th	<5th	_>95th	85th-<95th	_>95th		<5th	<5th	_>95th	85th-<95th	_>95th	
48 - 59 Months																			
2010	15,670	3.7	3.4	10.0	15,670	14.5	10.0												
2009	15,061	3.8	3.2	10.6	15,061	15.6	10.6												
2008	12,574	3.9	3.1	10.7	12,574	14.9	10.7												
2007	11,861	4.2	3.1	10.8	11,861	15.2	10.8												
2006	10,694	4.4	3.1	11.0	10,694	15.4	11.0												
2005	10,498	4.4	3.1	11.1	10,498	15.2	11.1												
2004	10,715	4.6	3.4	10.3	10,715	15.0	10.3												
2003	13,531	5.0	4.2	10.3	13,531	13.7	10.3												
2002	9,381	4.9	4.6	9.6	9,381	13.9	9.6												
2001	8,823	5.1	4.3	9.5	8,823	13.5	9.5												
Total All Age Groups																			
2010	119,309	7.7	3.5	8.4	52,292	14.1	9.1												
2009	119,963	7.5	3.4	8.4	51,659	14.5	9.0												
2008	106,342	7.9	3.5	8.2	43,476	14.4	9.4												
2007	102,297	8.0	3.5	8.2	40,432	14.6	9.7												
2006	96,600	8.1	3.7	8.2	37,111	14.7	9.6												
2005	93,218	8.1	3.4	8.5	35,758	15.0	9.7												
2004	92,708	7.9	3.5	8.7	36,113	14.6	9.6												
2003	118,648	7.9	4.2	8.6	50,773	13.6	9.4												
2002	81,231	8.4	4.5	8.0	32,878	13.3	8.7												
2001	76,133	8.4	4.4	7.7	30,790	12.8	8.5												

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 21C
2010 Pediatric Nutrition Surveillance (1)
Colorado

Summary of Trends in Anemia by Age
Children Aged < 5 Years (2)

Summary of Trends in Anemia by Age (3)							
Age and Year		Anemia Low Hb/Hct (4)		Age and Year		Anemia Low Hb/Hct (4)	
		Number	%			Number	%
6 - 11 Months				18 - 23 Months			
	2010	8,283	16.5		2010	9,852	13.5
	2009	8,029	17.0		2009	10,299	12.8
	2008	5,708	16.1		2008	8,695	11.5
	2007	7,015	15.4		2007	7,811	13.4
	2006	6,451	14.8		2006	7,447	12.4
	2005	5,954	12.1		2005	7,253	10.8
	2004	4,941	10.5		2004	7,306	7.2
	2003	5,751	11.0		2003	7,847	7.9
	2002	4,748	10.2		2002	6,488	7.5
	2001	4,385	10.8		2001	6,156	6.9
12 - 17 Months				24 - 35 Months			
	2010	13,945	15.9		2010	15,447	13.8
	2009	14,621	16.4		2009	15,880	15.0
	2008	13,434	14.7		2008	12,421	13.8
	2007	12,272	15.0		2007	12,097	14.8
	2006	11,278	14.0		2006	10,709	14.0
	2005	10,929	11.7		2005	9,862	11.8
	2004	11,846	9.0		2004	10,283	8.1
	2003	11,056	9.5		2003	10,630	8.7
	2002	9,294	9.7		2002	9,871	8.1
	2001	8,794	9.0		2001	9,011	7.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 21C
2010 Pediatric Nutrition Surveillance (1)
Colorado

Summary of Trends in Anemia by Age
Children Aged < 5 Years (2)

Summary of Trends in Anemia by Age (3)							
Age and Year		Anemia Low Hb/Hct (4)		Age and Year		Anemia Low Hb/Hct (4)	
		Number	%			Number	%
36 - 59 Months				Total All Age Groups			
	2010	24,451	7.7		2010	71,978	12.4
	2009	23,773	8.7		2009	72,602	13.1
	2008	18,700	7.6		2008	58,958	11.9
	2007	17,962	8.1		2007	57,157	12.6
	2006	16,089	8.4		2006	51,974	12.1
	2005	15,074	7.1		2005	49,072	10.2
	2004	15,759	5.0		2004	50,135	7.5
	2003	15,832	4.9		2003	51,116	7.8
	2002	14,852	4.5		2002	45,253	7.4
	2001	13,321	4.2		2001	41,667	7.1
All Other/Unknown							
	2010	0	*				
	2009	0	*				
	2008	0	*				
	2007	0	*				
	2006	0	*				
	2005	0	*				
	2004	0	*				
	2003	0	*				
	2002	0	*				
	2001	0	*				

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

