

Table 4B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by County								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Adams	11,660	17.7	1.5	64.9	0.5	1.7	0.7	13.0
Alamosa	1,139	22.5	0.3	62.8	0.5	0.3	0.8	12.9
Arapahoe	14,389	15.9	11.5	53.3	0.7	2.0	1.6	15.1
Archuleta	265	43.0	0.4	35.8	1.1	0.8	0.8	18.1
Baca	131	61.1	0.8	22.9	0.8	0.0	2.3	12.2
Bent	187	43.3	2.1	42.8	0.5	0.0	1.6	9.6
Boulder	4,686	20.4	0.8	62.2	0.5	1.4	1.3	13.4
Broomfield	546	42.7	0.9	35.5	1.1	5.1	1.6	13.0
Chaffee	285	68.8	0.0	12.6	0.7	0.0	4.6	13.3
Cheyenne	173	45.1	1.7	37.0	0.6	0.0	0.6	15.0
Clear Crk	121	69.4	0.8	15.7	0.0	0.0	4.1	9.9
Costilla	14	*	*	*	*	*	*	*
Crowley	112	65.2	0.0	25.9	0.9	0.0	0.0	8.0
Custer	30	*	*	*	*	*	*	*
Delta	587	44.0	0.2	39.0	0.3	0.5	2.4	13.6
Denver	8,014	7.4	12.1	63.3	0.8	1.5	1.5	13.3
Dolores	56	*	*	*	*	*	*	*
Douglas	939	44.5	1.7	33.9	0.0	2.0	3.7	14.2
Eagle	741	5.3	0.5	81.0	0.3	0.0	0.4	12.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by County								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
El Paso	15,341	38.1	8.6	31.6	0.5	1.2	4.4	15.6
Fremont	1,152	75.1	1.0	9.0	0.1	0.1	0.8	13.9
Garfield	1,229	17.9	0.0	65.8	0.4	0.0	0.6	15.3
Grand	155	43.9	1.3	34.8	0.6	0.0	3.9	15.5
Gunnison	230	56.5	0.4	28.3	0.4	0.9	2.6	10.9
Huerfano	220	22.3	0.5	60.0	0.9	0.9	2.3	13.2
Jackson	30	*	*	*	*	*	*	*
Jefferson	7,210	37.6	2.1	42.6	0.9	2.1	0.8	13.9
Kiowa	25	*	*	*	*	*	*	*
Kit Carson	184	40.8	0.0	39.1	1.1	0.5	2.2	16.3
La Plata	725	38.5	0.1	32.3	11.0	0.0	2.8	15.3
Lake	298	16.4	0.7	66.4	1.0	0.3	3.4	11.7
Larimer	3,709	44.3	1.2	39.8	0.3	0.5	1.3	12.8
Las Animas	424	26.4	0.5	58.7	0.7	0.5	2.8	10.4
Lincoln	190	65.8	4.7	13.2	0.5	0.0	2.1	13.7
Logan	575	56.2	0.3	28.7	0.3	0.2	1.9	12.3
Mesa	2,645	53.6	0.9	31.5	0.6	1.1	1.0	11.3
Moffat	338	52.4	0.0	37.6	0.9	0.0	1.5	7.7
Montezuma	629	48.2	0.5	25.8	14.3	0.2	0.8	10.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by County								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Montrose	1,431	37.4	0.4	42.5	0.8	0.3	1.5	17.1
Morgan	1,237	21.4	0.2	64.3	0.2	0.1	0.5	13.4
Otero	1,082	27.4	0.4	56.7	0.1	0.0	1.0	14.4
Ouray	36	*	*	*	*	*	*	*
Park	147	59.9	1.4	17.7	2.0	0.0	8.8	10.2
Phillips	170	36.5	0.0	44.7	0.0	0.0	1.8	17.1
Pitkin	50	*	*	*	*	*	*	*
Prowers	741	25.0	0.8	63.6	0.0	0.0	0.7	10.0
Pueblo	5,560	22.1	1.2	62.6	0.4	0.2	1.4	12.1
Rio Blanco	126	73.8	0.0	15.9	0.0	0.0	0.0	10.3
Rio Grande	424	15.3	0.0	70.3	0.9	0.5	0.5	12.5
Routt	111	47.7	1.8	39.6	0.9	0.0	0.9	9.0
Saguache	377	12.2	0.0	73.2	1.1	0.0	0.3	13.3
San Miguel	71	*	*	*	*	*	*	*
Sedgwick	54	*	*	*	*	*	*	*
Summit	393	17.0	0.0	68.7	0.0	0.3	0.8	13.2
Teller	315	73.7	1.6	7.6	0.3	0.6	2.9	13.3
Washinton	76	*	*	*	*	*	*	*
Weld	1,910	17.4	0.4	64.9	0.2	0.3	1.2	15.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by County								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Yuma	431	37.4	0.2	53.4	0.0	0.2	0.2	8.6
Unknown Counties	16	*	*	*	*	*	*	*
Colorado	94,142	27.7	4.9	49.8	0.7	1.2	1.8	13.9
Nation (Prior Year)	6,948,667	35.6	20.3	37.1	1.2	2.9	0.1	2.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Age Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution by County				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Adams	11,660	39.2	19.0	41.8
Alamosa	1,139	38.5	19.8	41.6
Arapahoe	14,389	41.3	17.9	40.8
Archuleta	265	40.8	16.2	43.0
Baca	131	29.0	17.6	53.4
Bent	187	39.6	17.1	43.3
Boulder	4,686	36.0	18.7	45.3
Broomfield	546	37.0	16.8	46.2
Chaffee	285	35.1	18.6	46.3
Cheyenne	173	34.1	15.0	50.9
Clear Crk	121	40.5	26.4	33.1
Costilla	14	*	*	*
Crowley	112	33.0	17.9	49.1
Custer	30	*	*	*
Delta	587	31.5	19.9	48.6
Denver	8,014	72.1	25.7	2.2
Dolores	56	*	*	*
Douglas	939	41.1	18.4	40.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Age Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution by County				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Eagle	741	43.2	18.9	37.9
El Paso	15,341	38.4	18.6	43.0
Fremont	1,152	39.2	17.2	43.6
Garfield	1,229	47.3	16.3	36.5
Grand	155	34.8	20.6	44.5
Gunnison	230	37.0	21.3	41.7
Huerfano	220	33.2	20.0	46.8
Jackson	30	*	*	*
Jefferson	7,210	38.3	20.4	41.2
Kiowa	25	*	*	*
Kit Carson	184	33.2	19.0	47.8
La Plata	725	42.1	16.1	41.8
Lake	298	23.5	26.2	50.3
Larimer	3,709	40.6	19.5	40.0
Las Animas	424	40.8	16.5	42.7
Lincoln	190	37.9	16.8	45.3
Logan	575	36.9	16.3	46.8
Mesa	2,645	46.4	20.5	33.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Age Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution by County				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Moffat	338	43.5	21.6	34.9
Montezuma	629	34.0	21.6	44.4
Montrose	1,431	35.6	17.6	46.8
Morgan	1,237	37.3	17.4	45.3
Otero	1,082	31.1	18.4	50.6
Ouray	36	*	*	*
Park	147	35.4	21.8	42.9
Phillips	170	33.5	15.9	50.6
Pitkin	50	*	*	*
Prowers	741	32.7	18.4	49.0
Pueblo	5,560	33.5	20.8	45.6
Rio Blanco	126	42.9	19.0	38.1
Rio Grande	424	37.7	21.0	41.3
Routt	111	52.3	15.3	32.4
Saguache	377	26.5	14.9	58.6
San Miguel	71	*	*	*
Sedgwick	54	*	*	*
Summit	393	45.5	19.3	35.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Age Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution by County				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Teller	315	41.0	17.5	41.6
Washinton	76	*	*	*
Weld	1,910	68.5	17.2	14.3
Yuma	431	34.8	18.6	46.6
Unknown Counties	16	*	*	*
Colorado	94,142	42.2	19.4	38.4
Nation (Prior Year)	6,948,667	35.4	22.2	42.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by County ^(3,4)												
County	Birthweight ⁽⁵⁾			Height and Weight						Anemia Low Hb/Hct ⁽⁸⁾		
	Low	High		Short Stature ⁽⁶⁾	Under- weight ⁽⁷⁾	Over- weight ⁽⁷⁾	≥ 2 Yrs Over- weight ⁽⁷⁾					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Adams	2,875	8.6 (7)	5.1 (20)	11,550	6.9 (13)	3.0 (18)	9.6 (31)	4,840	14.8 (17)	10.1 (17)	6,467	10.3 (18)
Alamosa	271	17.0 (26)	1.8 (4)	1,130	11.3 (44)	4.2 (33)	6.1 (9)	469	16.4 (24)	6.6 (5)	724	10.1 (16)
Arapahoe	3,635	10.4 (18)	5.3 (21)	14,247	6.9 (13)	3.6 (24)	9.3 (28)	5,793	14.5 (15)	11.0 (24)	8,011	10.5 (20)
Archuleta	67	* *	* *	263	7.6 (21)	5.7 (43)	4.9 (4)	111	17.1 (26)	8.1 (11)	89	* *
Baca	25	* *	* *	130	3.8 (2)	3.8 (30)	9.2 (26)	69	* *	* *	67	* *
Bent	48	* *	* *	181	8.3 (26)	5.0 (38)	7.7 (19)	82	* *	* *	118	11.9 (28)
Boulder	1,041	7.3 (4)	5.5 (22)	4,659	6.6 (11)	2.9 (14)	10.0 (37)	2,087	14.6 (16)	10.9 (23)	2,705	11.5 (26)
Broomfield	118	7.6 (5)	3.4 (6)	540	10.2 (39)	4.4 (35)	7.4 (15)	255	17.3 (28)	10.2 (18)	292	20.5 (38)
Chaffee	57	* *	* *	284	12.0 (46)	2.5 (11)	5.3 (5)	132	11.4 (4)	2.3 (1)	168	1.8 (2)
Cheyenne	33	* *	* *	172	7.0 (16)	1.7 (1)	9.9 (34)	86	* *	* *	116	8.6 (11)
Clear Crk	31	* *	* *	118	11.9 (45)	6.8 (46)	1.7 (1)	40	* *	* *	60	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2005 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Costilla	3	* *	* *	14	* *	* *	* *	7	* *	* *	9	* *
Crowley	23	* *	* *	109	6.4 (10)	1.8 (3)	8.3 (23)	52	* *	* *	66	* *
Custer	5	* *	* *	30	* *	* *	* *	15	* *	* *	19	* *
Delta	105	12.4 (23)	4.8 (17)	583	10.1 (38)	3.4 (23)	10.5 (38)	282	16.3 (22)	11.3 (25)	289	9.3 (14)
Denver	3,762	10.8 (19)	4.0 (10)	7,931	10.4 (40)	3.6 (24)	7.2 (12)	176	10.8 (3)	3.4 (3)	3,502	6.4 (7)
Dolores	10	* *	* *	54	* *	* *	* *	25	* *	* *	33	* *
Douglas	244	7.0 (3)	3.7 (9)	926	8.9 (31)	2.9 (14)	10.7 (41)	369	16.3 (22)	8.1 (11)	436	10.1 (16)
Eagle	220	8.6 (7)	5.5 (22)	727	7.7 (23)	3.9 (32)	9.2 (26)	274	17.5 (29)	11.3 (25)	422	7.6 (9)
El Paso	3,803	10.8 (19)	4.2 (14)	15,220	9.1 (32)	3.3 (21)	6.6 (11)	6,550	13.0 (10)	6.9 (7)	5,791	11.2 (25)
Fremont	282	8.9 (10)	5.7 (26)	1,143	8.5 (29)	1.7 (1)	7.4 (15)	501	19.4 (32)	7.8 (9)	628	10.0 (15)
Garfield	343	7.9 (6)	4.1 (12)	1,217	7.1 (17)	2.0 (5)	7.8 (22)	434	12.9 (9)	6.2 (4)	672	10.6 (23)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by County ^(3,4)												
County	Birthweight ⁽⁵⁾			Height and Weight						Anemia Low Hb/Hct ⁽⁸⁾		
	Low	High		Short Stature ⁽⁶⁾	Under- weight ⁽⁷⁾	Over- weight ⁽⁷⁾		≥ 2 Yrs Over- weight ⁽⁷⁾		Number % (Rank)		
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)			% >95th (Rank)
Grand	38	* *	* *	152	7.9 (25)	5.3 (39)	8.6 (24)	67	* *	* *	102	17.6 (36)
Gunnison	52	* *	* *	229	10.9 (42)	4.4 (35)	8.7 (25)	97	* *	* *	146	14.4 (34)
Huerfano	50	* *	* *	216	11.1 (43)	5.6 (40)	10.6 (40)	100	12.0 (7)	10.0 (16)	79	* *
Jackson	3	* *	* *	29	* *	* *	* *	17	* *	* *	22	* *
Jefferson	1,769	10.3 (17)	4.2 (14)	7,147	7.8 (24)	3.8 (30)	7.6 (18)	2,967	15.8 (20)	10.6 (20)	4,278	10.5 (20)
Kiowa	4	* *	* *	24	* *	* *	* *	8	* *	* *	10	* *
Kit Carson	31	* *	* *	182	3.3 (1)	3.3 (21)	9.3 (28)	89	* *	* *	128	7.8 (10)
La Plata	185	9.7 (14)	4.3 (16)	722	6.0 (7)	3.2 (20)	7.3 (14)	303	17.2 (27)	9.2 (15)	399	11.5 (26)
Lake	60	* *	* *	293	9.2 (33)	7.5 (47)	9.9 (34)	146	11.6 (5)	14.4 (33)	162	10.5 (20)
Larimer	986	9.7 (14)	4.0 (10)	3,658	7.1 (17)	4.3 (34)	7.2 (12)	1,464	14.1 (13)	8.9 (13)	1,995	13.7 (33)
Las Animas	103	13.6 (24)	2.9 (5)	413	9.9 (36)	2.9 (14)	12.1 (46)	172	14.0 (12)	12.2 (28)	260	8.8 (12)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by County ^(3,4)												
County	Birthweight ⁽⁵⁾			Height and Weight						Anemia Low Hb/Hct ⁽⁸⁾		
	Low	High		Short Stature ⁽⁶⁾	Under- weight ⁽⁷⁾	Over- weight ⁽⁷⁾		≥ 2 Yrs Over- weight ⁽⁷⁾		Number % (Rank)		
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)			% >95th (Rank)
Lincoln	44	* *	* *	188	4.8 (3)	5.9 (44)	5.3 (5)	82	* *	* *	109	18.3 (37)
Logan	120	6.7 (2)	5.0 (19)	570	6.3 (9)	2.8 (12)	10.5 (38)	261	16.1 (21)	12.3 (29)	380	3.4 (4)
Mesa	778	9.9 (16)	4.1 (12)	2,623	7.6 (21)	3.6 (24)	7.7 (19)	863	17.0 (25)	8.9 (13)	1,335	12.4 (29)
Moffat	85	* *	* *	335	4.8 (3)	3.6 (24)	7.5 (17)	117	12.8 (8)	12.8 (30)	194	13.4 (31)
Montezuma	143	9.1 (12)	5.6 (25)	620	8.4 (28)	3.7 (28)	12.1 (46)	278	14.4 (14)	13.3 (31)	393	10.4 (19)
Montrose	311	9.0 (11)	3.5 (7)	1,412	7.4 (20)	2.8 (12)	9.3 (28)	658	15.2 (18)	10.5 (19)	394	16.2 (35)
Morgan	272	5.5 (1)	4.8 (17)	1,222	6.1 (8)	1.9 (4)	11.0 (44)	552	20.5 (34)	11.8 (27)	804	9.0 (13)
Otero	205	17.6 (27)	1.5 (3)	1,071	8.3 (26)	2.1 (7)	9.8 (33)	528	18.4 (31)	10.6 (20)	693	1.7 (1)
Ouray	8	* *	* *	36	* *	* *	* *	14	* *	* *	25	* *
Park	33	* *	* *	142	10.6 (41)	5.6 (40)	7.7 (19)	61	* *	* *	66	* *
Phillips	33	* *	* *	167	5.4 (6)	2.4 (9)	9.6 (31)	81	* *	* *	112	2.7 (3)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by County ^(3,4)												
County	Birthweight ⁽⁵⁾			Height and Weight						Anemia Low Hb/Hct ⁽⁸⁾		
	Low	High		Short Stature ⁽⁶⁾	Under- weight ⁽⁷⁾	Over- weight ⁽⁷⁾	≥ 2 Yrs Over- weight ⁽⁷⁾					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Pitkin	12	* *	* *	50	* *	* *	* *	17	* *	* *	31	* *
Prowers	145	11.7 (21)	5.5 (22)	728	6.7 (12)	3.0 (18)	12.2 (48)	357	22.7 (35)	15.1 (34)	453	13.0 (30)
Pueblo	1,270	9.2 (13)	3.6 (8)	5,526	8.8 (30)	2.0 (5)	10.7 (41)	2,519	17.8 (30)	10.6 (20)	3,654	6.7 (8)
Rio Blanco	37	* *	* *	125	7.2 (19)	2.4 (9)	4.0 (3)	48	* *	* *	72	* *
Rio Grande	101	14.9 (25)	0.0 (1)	419	12.2 (47)	4.8 (37)	5.7 (7)	174	13.8 (11)	6.9 (7)	271	4.4 (5)
Routt	34	* *	* *	109	9.2 (33)	3.7 (28)	6.4 (10)	34	* *	* *	54	* *
Saguache	63	* *	* *	375	6.9 (13)	5.6 (40)	9.9 (34)	216	8.8 (2)	13.9 (32)	269	10.8 (24)
San Miguel	23	* *	* *	71	* *	* *	* *	23	* *	* *	36	* *
Sedgwick	14	* *	* *	54	* *	* *	* *	20	* *	* *	36	* *
Summit	114	8.8 (9)	0.9 (2)	378	9.8 (35)	9.0 (48)	5.8 (8)	136	11.8 (6)	6.6 (5)	175	25.1 (39)
Teller	87	* *	* *	309	10.0 (37)	6.1 (45)	3.6 (2)	131	8.4 (1)	3.1 (2)	162	30.2 (40)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2005 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)		Under- weight (7)	Over- weight (7)	≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Washinton	15	* *	* *	75	* *	* *	* *	38	* *	* *	38	* *
Weld	782	12.1 (22)	6.1 (27)	1,874	13.7 (48)	2.9 (14)	11.3 (45)	267	15.7 (19)	15.7 (35)	779	13.6 (32)
Yuma	93	* *	* *	430	5.3 (5)	2.3 (8)	10.7 (41)	202	19.8 (33)	7.9 (10)	268	6.0 (6)
Unknown Counties	12	* *	* *	16	* *	* *	* *	2	* *	* *	4	* *
Colorado	25,116	10.2	4.4	93,218	8.1	3.4	8.5	35,758	15.0	9.7	49,072	10.2
Nation (Prior Year)	1,633,363	9.3	6.8	6,600,078	6.4	4.7	14.1	2,822,660	16.1	14.8	4,020,684	13.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7B
2005 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number Breastfed At Least 6 Months (Rank)	Number Breastfed At Least 12 Months (Rank)	Number Breastfed At Least 3 Months (Rank)	Number Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Adams	2,877	68.5 (20)	2,330	23.5 (17)	1,719	17.2 (10)	0	* * *	0	* * *
Alamosa	271	65.3 (22)	244	29.5 (11)	185	13.0 (16)	0	* * *	0	* * *
Arapahoe	3,640	76.8 (12)	3,002	26.9 (14)	2,021	17.3 (9)	0	* * *	0	* * *
Archuleta	67	* * *	48	* * *	37	* * *	0	* * *	0	* * *
Baca	25	* * *	21	* * *	18	* * *	0	* * *	0	* * *
Bent	48	* * *	41	* * *	29	* * *	0	* * *	0	* * *
Boulder	1,042	82.1 (8)	878	40.7 (5)	675	30.5 (3)	0	* * *	0	* * *
Broomfield	118	68.6 (19)	101	24.8 (16)	63	* * *	0	* * *	0	* * *
Chaffee	57	* * *	56	* * *	43	* * *	0	* * *	0	* * *
Cheyenne	33	* * *	39	* * *	22	* * *	0	* * *	0	* * *
Clear Crk	31	* * *	18	* * *	19	* * *	0	* * *	0	* * *
Costilla	3	* * *	2	* * *	1	* * *	0	* * *	0	* * *
Crowley	23	* * *	16	* * *	18	* * *	0	* * *	0	* * *
Custer	5	* * *	5	* * *	6	* * *	0	* * *	0	* * *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.



Table 7B
2005 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Delta	105	82.9 (7)	101 36.6 (8)	97 * *	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Denver	3,763	72.5 (13)	2,886 26.6 (15)	1,640 16.0 (12)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Dolores	10	* *	12 * *	9 * *	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Douglas	244	68.9 (18)	147 51.0 (2)	120 41.7 (1)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Eagle	222	86.0 (5)	134 38.1 (7)	96 * *	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
El Paso	3,807	69.9 (16)	3,047 28.9 (12)	2,041 19.9 (6)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Fremont	283	61.1 (25)	212 22.6 (19)	158 13.3 (15)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Garfield	343	95.3 (1)	263 45.6 (4)	163 29.4 (4)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Grand	38	* *	35 * *	22 * *	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Gunnison	52	* *	36 * *	33 * *	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Huerfano	50	* *	36 * *	31 * *	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Jackson	3	* *	1 * *	3 * *	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Jefferson	1,772	69.9 (16)	1,542 27.4 (13)	1,165 18.5 (7)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Kiowa	4	* *	6 * *	3 * *	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.



Table 7B
2005 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number Breastfed At Least 6 Months (Rank)	Number Breastfed At Least 12 Months (Rank)	Number Breastfed At Least 3 Months (Rank)	Number Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Kit Carson	31	* *	31	* *	34	* *	0	* *	0	* *
La Plata	185	85.4 (6)	137	39.4 (6)	90	* *	0	* *	0	* *
Lake	60	* *	37	* *	47	* *	0	* *	0	* *
Larimer	986	78.7 (10)	737	31.6 (10)	572	22.4 (5)	0	* *	0	* *
Las Animas	103	64.1 (23)	101	15.8 (24)	60	* *	0	* *	0	* *
Lincoln	44	* *	35	* *	20	* *	0	* *	0	* *
Logan	120	70.0 (15)	116	19.8 (21)	86	* *	0	* *	0	* *
Mesa	779	80.2 (9)	613	23.5 (17)	434	14.3 (14)	0	* *	0	* *
Moffat	85	* *	81	* *	55	* *	0	* *	0	* *
Montezuma	143	87.4 (4)	127	50.4 (3)	89	* *	0	* *	0	* *
Montrose	312	76.9 (11)	275	35.6 (9)	210	17.1 (11)	0	* *	0	* *
Morgan	272	58.1 (26)	238	14.3 (25)	182	4.9 (18)	0	* *	0	* *
Otero	205	62.9 (24)	197	18.3 (22)	170	14.7 (13)	0	* *	0	* *
Ouray	8	* *	8	* *	8	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.



Table 7B
2005 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Park	33	* *	23 * *	23 * *	0 * *	0 * *	0 * *	0 * *	0 * *	
Phillips	33	* *	25 * *	21 * *	0 * *	0 * *	0 * *	0 * *	0 * *	
Pitkin	12	* *	16 * *	7 * *	0 * *	0 * *	0 * *	0 * *	0 * *	
Prowers	145	70.3 (14)	154 21.4 (20)	117 17.9 (8)	0 * *	0 * *	0 * *	0 * *	0 * *	
Pueblo	1,270	65.7 (21)	1,157 18.2 (23)	1,006 9.6 (17)	0 * *	0 * *	0 * *	0 * *	0 * *	
Rio Blanco	37	* *	22 * *	18 * *	0 * *	0 * *	0 * *	0 * *	0 * *	
Rio Grande	101	55.4 (27)	99 * *	64 * *	0 * *	0 * *	0 * *	0 * *	0 * *	
Routt	35	* *	26 * *	14 * *	0 * *	0 * *	0 * *	0 * *	0 * *	
Saguache	63	* *	46 * *	56 * *	0 * *	0 * *	0 * *	0 * *	0 * *	
San Miguel	23	* *	18 * *	8 * *	0 * *	0 * *	0 * *	0 * *	0 * *	
Sedgwick	14	* *	11 * *	9 * *	0 * *	0 * *	0 * *	0 * *	0 * *	
Summit	114	87.7 (3)	65 * *	58 * *	0 * *	0 * *	0 * *	0 * *	0 * *	
Teller	87	* *	62 * *	39 * *	0 * *	0 * *	0 * *	0 * *	0 * *	
Washinton	15	* *	16 * *	8 * *	0 * *	0 * *	0 * *	0 * *	0 * *	

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.



Table 7B
2005 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)		Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number (Rank)	% Breastfed At Least 6 Months (Rank)	Number (Rank)	% Breastfed At Least 12 Months (Rank)	Number (Rank)	% (Rank)
Weld	782	88.4 (2)	586	54.8 (1)	344	37.5 (2)	0	* * *
Yuma	93	* * *	71	* * *	58	* * *	0	* * *
Unknown Counties	12	* * *	4	* * *	2	* * *	0	* * *
Colorado	25,138	73.5	20,393	28.5	14,346	19.0	0	*
Nation (Prior Year)	1,469,572	56.1	718,598	23.4	792,792	17.6	37,398	9.8
							39,388	6.7
							64,128	40.5
							389,446	20.1

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.



Table 6B
2003 - 2005 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by County ^(3,4)												
County	Birthweight ⁽⁵⁾			Height and Weight						Anemia Low Hb/Hct ⁽⁸⁾		
	Low	High		Short Stature ⁽⁶⁾	Under-weight ⁽⁷⁾	Over-weight ⁽⁷⁾	≥ 2 Yrs Over-weight ⁽⁷⁾					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Adams	9,259	9.5 (19)	5.3 (34)	37,660	6.9 (16)	3.5 (19)	9.4 (38)	16,426	14.1 (24)	9.8 (23)	19,841	9.6 (32)
Alamosa	931	15.1 (43)	2.9 (14)	3,646	12.7 (56)	4.3 (37)	7.8 (25)	1,561	16.2 (35)	10.8 (34)	2,086	12.8 (43)
Arapahoe	12,046	10.2 (24)	5.2 (32)	47,498	6.8 (15)	3.9 (27)	8.9 (32)	19,695	13.9 (21)	10.3 (29)	24,891	9.1 (27)
Archuleta	206	14.1 (39)	5.8 (37)	815	8.5 (34)	4.8 (39)	7.1 (17)	354	19.8 (46)	11.0 (39)	298	11.4 (40)
Baca	93	* *	* *	480	6.9 (16)	3.8 (25)	9.2 (37)	263	18.3 (44)	10.6 (31)	204	2.0 (5)
Bent	161	13.7 (37)	1.2 (3)	721	7.4 (23)	4.2 (36)	11.4 (51)	379	12.1 (13)	13.5 (45)	403	7.7 (20)
Boulder	3,411	8.1 (11)	6.1 (40)	15,549	6.5 (14)	3.1 (16)	9.5 (40)	7,252	14.7 (28)	10.2 (28)	8,071	8.0 (24)
Broomfield	369	8.9 (14)	3.8 (19)	1,529	8.5 (34)	3.9 (27)	7.7 (23)	680	15.6 (31)	9.6 (22)	733	10.0 (33)
Chaffee	210	9.5 (19)	1.9 (9)	954	10.7 (47)	2.8 (13)	5.7 (6)	452	13.9 (21)	3.1 (2)	501	0.8 (2)
Cheyenne	104	5.8 (3)	10.6 (45)	593	8.1 (30)	3.4 (18)	12.0 (53)	330	20.3 (48)	13.6 (46)	371	10.0 (33)
Clear Crk	112	17.0 (44)	1.8 (6)	394	10.7 (47)	7.9 (53)	4.3 (1)	132	8.3 (3)	4.5 (5)	192	3.6 (9)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2003 - 2005 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by County ^(3,4)												
County	Birthweight ⁽⁵⁾			Height and Weight						Anemia Low Hb/Hct ⁽⁸⁾		
	Low	High		Short Stature ⁽⁶⁾	Under- weight ⁽⁷⁾	Over- weight ⁽⁷⁾	≥ 2 Yrs Over- weight ⁽⁷⁾			Anemia Low Hb/Hct ⁽⁸⁾		
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Conejos	27	* *	* *	77	* *	* *	* *	20	* *	* *	34	* *
Costilla	8	* *	* *	48	* *	* *	* *	13	* *	* *	31	* *
Crowley	84	* *	* *	402	11.2 (52)	2.7 (10)	8.5 (30)	217	19.4 (45)	9.2 (20)	223	0.4 (1)
Custer	31	* *	* *	133	10.5 (43)	7.5 (51)	5.3 (4)	61	* *	* *	68	* *
Delta	457	12.3 (33)	3.9 (21)	2,096	7.2 (20)	3.7 (23)	9.0 (34)	1,018	15.6 (31)	9.5 (21)	901	4.1 (11)
Denver	11,347	10.5 (25)	4.5 (26)	21,145	11.0 (50)	4.0 (30)	8.0 (26)	380	7.6 (2)	3.2 (3)	7,173	7.7 (20)
Dolores	36	* *	* *	161	5.6 (7)	3.7 (23)	7.5 (20)	78	* *	* *	87	* *
Douglas	726	11.0 (30)	2.8 (13)	2,807	7.4 (23)	4.0 (30)	9.1 (35)	1,183	14.5 (27)	7.7 (14)	1,304	9.4 (29)
Eagle	720	7.5 (8)	4.6 (28)	2,516	7.9 (27)	4.9 (41)	8.7 (31)	953	15.5 (30)	10.6 (31)	1,301	4.2 (12)
El Paso	11,970	10.5 (25)	4.3 (25)	50,961	8.3 (33)	3.8 (25)	6.6 (15)	22,935	12.1 (13)	6.4 (12)	20,830	7.5 (18)
Fremont	912	9.1 (16)	4.5 (26)	3,943	9.0 (37)	2.7 (10)	8.9 (32)	1,842	15.9 (33)	9.9 (24)	2,091	5.7 (15)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2003 - 2005 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by County ^(3,4)												
County	Birthweight ⁽⁵⁾			Height and Weight							Anemia Low Hb/Hct ⁽⁸⁾	
	Low	High		Short Stature ⁽⁶⁾	Under- weight ⁽⁷⁾	Over- weight ⁽⁷⁾	≥ 2 Yrs Over- weight ⁽⁷⁾					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Garfield	1,091	8.6 (13)	5.2 (32)	4,072	6.3 (13)	2.2 (4)	8.0 (26)	1,501	10.9 (6)	6.9 (13)	2,137	7.7 (20)
Grand	129	14.7 (42)	3.1 (16)	503	11.1 (51)	6.2 (48)	6.0 (10)	211	10.9 (6)	3.8 (4)	320	23.4 (49)
Gunnison	189	9.0 (15)	1.6 (5)	831	12.5 (55)	3.5 (19)	6.4 (13)	371	16.7 (38)	7.8 (15)	462	9.5 (31)
Huerfano	169	3.0 (1)	0.6 (1)	761	10.5 (43)	4.1 (33)	10.2 (44)	348	10.1 (5)	10.9 (37)	301	9.0 (26)
Jackson	23	* *	* *	139	10.8 (49)	10.1 (55)	5.8 (7)	79	* *	* *	59	* *
Jefferson	6,066	10.7 (27)	4.6 (28)	23,915	7.6 (25)	4.1 (33)	7.7 (23)	10,206	15.9 (33)	10.8 (34)	13,373	9.3 (28)
Kiowa	20	* *	* *	104	2.9 (1)	14.4 (57)	5.8 (7)	36	* *	* *	46	* *
Kit Carson	111	6.3 (4)	7.2 (43)	664	3.8 (3)	3.9 (27)	13.0 (55)	361	13.9 (21)	16.6 (49)	418	7.7 (20)
La Plata	647	7.6 (9)	4.9 (30)	2,532	5.6 (7)	4.6 (38)	6.9 (16)	1,107	16.2 (35)	8.9 (19)	1,286	7.6 (19)
Lake	210	14.3 (40)	2.9 (14)	1,088	10.6 (45)	7.2 (50)	8.0 (26)	556	12.9 (18)	10.8 (34)	543	10.1 (35)
Larimer	3,114	9.2 (17)	5.5 (36)	11,961	7.1 (18)	5.5 (43)	7.3 (18)	5,123	12.7 (17)	8.4 (17)	6,080	9.4 (29)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2003 - 2005 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by County ^(3,4)												
County	Birthweight ⁽⁵⁾			Height and Weight						Anemia Low Hb/Hct ⁽⁸⁾		
	Low	High		Short Stature ⁽⁶⁾	Under- weight ⁽⁷⁾	Over- weight ⁽⁷⁾		≥ 2 Yrs Over- weight ⁽⁷⁾				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number
Las Animas	393	10.7 (27)	2.0 (10)	1,645	9.5 (39)	3.5 (19)	10.2 (44)	768	15.1 (29)	12.2 (41)	904	5.1 (13)
Lincoln	141	9.2 (17)	3.5 (17)	660	5.6 (7)	5.5 (43)	6.1 (12)	312	9.9 (4)	6.1 (9)	356	16.0 (45)
Logan	504	6.3 (4)	6.0 (39)	2,192	8.2 (31)	2.4 (6)	9.9 (41)	1,045	17.7 (43)	12.2 (41)	1,254	3.3 (8)
Mesa	2,540	9.9 (23)	4.1 (22)	6,187	8.0 (29)	4.1 (33)	7.3 (18)	1,495	16.7 (38)	9.9 (24)	2,594	10.6 (38)
Moffat	317	11.0 (30)	3.8 (19)	1,190	7.1 (18)	4.8 (39)	8.1 (29)	454	11.5 (10)	12.3 (43)	645	18.4 (47)
Montezuma	477	10.9 (29)	5.9 (38)	2,234	9.5 (39)	3.3 (17)	11.4 (51)	1,087	13.8 (20)	10.9 (37)	1,281	10.2 (36)
Montrose	1,035	7.7 (10)	4.1 (22)	4,672	7.3 (21)	4.0 (30)	10.0 (42)	2,257	14.3 (25)	10.1 (27)	1,407	15.5 (44)
Morgan	1,012	7.0 (7)	5.1 (31)	4,404	6.1 (11)	1.9 (2)	12.5 (54)	2,012	20.3 (48)	14.6 (48)	2,654	6.7 (17)
Otero	808	12.6 (34)	2.1 (11)	3,804	7.6 (25)	2.6 (8)	10.8 (47)	1,838	17.6 (42)	12.6 (44)	2,177	1.7 (3)
Ouray	25	* *	* *	103	2.9 (1)	2.9 (14)	10.7 (46)	46	* *	* *	62	* *
Park	109	18.3 (45)	1.8 (6)	518	9.5 (39)	6.6 (49)	5.0 (2)	241	11.2 (9)	5.4 (6)	233	6.0 (16)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2003 - 2005 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by County ^(3,4)												
County	Birthweight ⁽⁵⁾			Height and Weight						Anemia Low Hb/Hct ⁽⁸⁾		
	Low	High		Short Stature ⁽⁶⁾	Under- weight ⁽⁷⁾	Over- weight ⁽⁷⁾		≥ 2 Yrs Over- weight ⁽⁷⁾			Anemia Low Hb/Hct ⁽⁸⁾	
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Phillips	143	8.4 (12)	7.0 (42)	630	7.3 (21)	1.4 (1)	7.5 (20)	295	12.2 (15)	6.1 (9)	363	1.7 (3)
Pitkin	65	* *	* *	229	3.9 (4)	10.9 (56)	10.0 (42)	83	* *	* *	146	11.0 (39)
Prowers	529	9.5 (19)	5.3 (34)	2,375	6.2 (12)	2.6 (8)	10.9 (49)	1,119	20.7 (50)	14.1 (47)	1,329	12.3 (42)
Pueblo	4,414	9.6 (22)	3.5 (17)	19,582	8.8 (36)	2.0 (3)	10.8 (47)	9,363	16.6 (37)	10.6 (31)	11,595	5.3 (14)
Rio Blanco	122	6.6 (6)	4.1 (22)	415	4.6 (6)	6.0 (45)	5.3 (4)	168	13.1 (19)	2.4 (1)	255	16.5 (46)
Rio Grande	335	13.4 (36)	1.8 (6)	1,158	10.6 (45)	6.0 (45)	6.4 (13)	321	11.8 (12)	8.4 (17)	631	2.5 (6)
Routt	97	* *	* *	332	11.4 (53)	3.6 (22)	6.0 (10)	120	5.8 (1)	10.0 (26)	158	12.0 (41)
Saguache	240	14.6 (41)	2.5 (12)	1,381	7.9 (27)	5.3 (42)	9.4 (38)	751	12.6 (16)	11.2 (40)	973	8.9 (25)
San Juan	0	* *	* *	1	* *	* *	* *	1	* *	* *	1	* *
San Miguel	72	* *	* *	268	8.2 (31)	6.0 (45)	7.5 (20)	115	17.4 (41)	7.8 (15)	150	30.7 (51)
Sedgwick	38	* *	* *	166	6.0 (10)	2.4 (6)	14.5 (57)	68	* *	* *	99	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2003 - 2005 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by County ^(3,4)												
County	Birthweight ⁽⁵⁾			Height and Weight							Anemia Low Hb/Hct ⁽⁸⁾	
	Low	High		Short Stature ⁽⁶⁾	Under- weight ⁽⁷⁾	Over- weight ⁽⁷⁾		≥ 2 Yrs Over- weight ⁽⁷⁾				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Summit	363	12.1 (32)	1.4 (4)	1,242	9.2 (38)	7.8 (52)	5.9 (9)	450	10.9 (6)	6.0 (7)	653	29.4 (50)
Teller	273	13.9 (38)	0.7 (2)	1,107	11.7 (54)	8.7 (54)	5.1 (3)	497	11.7 (11)	6.2 (11)	547	19.0 (48)
Washinton	65	* *	* *	331	10.0 (42)	2.7 (10)	9.1 (35)	168	16.7 (38)	6.0 (7)	165	3.6 (9)
Weld	2,515	13.0 (35)	6.9 (41)	5,620	14.8 (57)	2.9 (14)	13.7 (56)	766	14.4 (26)	22.5 (50)	2,178	10.2 (36)
Yuma	317	4.7 (2)	8.8 (44)	1,414	4.2 (5)	2.3 (5)	11.0 (50)	679	20.0 (47)	10.5 (30)	850	3.2 (7)
Unknown Counties	12	* *	* *	16	* *	* *	* *	2	* *	* *	4	* *
Colorado	81,950	10.1	4.7	304,574	8.0	3.7	8.6	122,644	14.3	9.5	150,323	8.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7B
2003 - 2005 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Adams	11,087	65.9 (37)	8,591	23.4 (31)	7,445	13.0 (27)	0	* * *	0	* * *
Alamosa	1,036	66.6 (36)	843	24.0 (29)	703	12.1 (29)	0	* * *	0	* * *
Arapahoe	14,362	72.3 (23)	11,408	25.4 (25)	9,310	14.5 (22)	0	* * *	0	* * *
Archuleta	242	88.8 (2)	179	36.3 (12)	168	14.9 (21)	0	* * *	0	* * *
Baca	108	65.7 (38)	91	* * *	86	* * *	0	* * *	0	* * *
Bent	171	69.0 (29)	143	13.3 (43)	121	7.4 (42)	0	* * *	0	* * *
Boulder	4,148	77.7 (15)	3,306	36.7 (10)	3,005	25.5 (7)	0	* * *	0	* * *
Broomfield	468	69.2 (28)	424	24.8 (27)	341	16.4 (19)	0	* * *	0	* * *
Chaffee	258	79.1 (13)	213	28.2 (19)	173	17.9 (16)	0	* * *	0	* * *
Cheyenne	124	71.8 (25)	115	27.8 (21)	96	* * *	0	* * *	0	* * *
Clear Crk	131	77.1 (18)	97	* * *	85	* * *	0	* * *	0	* * *
Conejos	27	* * *	0	* * *	5	* * *	0	* * *	0	* * *
Costilla	9	* * *	9	* * *	16	* * *	0	* * *	0	* * *
Crowley	89	* * *	64	* * *	55	* * *	0	* * *	0	* * *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.



Table 7B
2003 - 2005 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number Breastfed At Least 6 Months (Rank)	Number Breastfed At Least 12 Months (Rank)	Number Breastfed At Least 3 Months (Rank)	Number Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Custer	36	* *	26 * *	25 * *	0 * *	0 * *	0	* *	0	* *
Delta	569	75.4 (19)	445 33.3 (14)	413 21.3 (13)	0 * *	0 * *	0	* *	0	* *
Denver	12,905	72.1 (24)	8,762 25.7 (23)	5,096 14.0 (25)	0 * *	0 * *	0	* *	0	* *
Dolores	43	* *	38 * *	33 * *	0 * *	0 * *	0	* *	0	* *
Douglas	937	73.4 (21)	652 38.5 (8)	529 25.3 (8)	0 * *	0 * *	0	* *	0	* *
Eagle	907	82.6 (10)	620 35.2 (13)	531 23.0 (12)	0 * *	0 * *	0	* *	0	* *
El Paso	14,820	67.7 (33)	11,509 24.7 (28)	9,918 13.8 (26)	0 * *	0 * *	0	* *	0	* *
Fremont	1,072	60.2 (43)	825 20.5 (33)	740 11.9 (30)	0 * *	0 * *	0	* *	0	* *
Garfield	1,322	87.0 (4)	1,019 43.6 (4)	796 25.0 (10)	0 * *	0 * *	0	* *	0	* *
Grand	165	85.5 (8)	121 30.6 (17)	110 16.4 (19)	0 * *	0 * *	0	* *	0	* *
Gunnison	232	91.4 (1)	176 52.3 (2)	162 34.0 (2)	0 * *	0 * *	0	* *	0	* *
Huerfano	184	69.6 (27)	156 19.2 (36)	146 11.0 (34)	0 * *	0 * *	0	* *	0	* *
Jackson	31	* *	20 * *	20 * *	0 * *	0 * *	0	* *	0	* *
Jefferson	7,233	68.0 (32)	5,739 25.2 (26)	4,861 14.3 (24)	0 * *	0 * *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.



Table 7B
2003 - 2005 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number Breastfed At Least 6 Months (Rank)	Number Breastfed At Least 12 Months (Rank)	Number Breastfed At Least 3 Months (Rank)	Number Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Kiowa	31	* *	31 * *	20 * *	0 * *	0 * *	0	* *	0	* *
Kit Carson	134	68.7 (31)	118 17.8 (38)	122 9.0 (37)	0 * *	0 * *	0	* *	0	* *
La Plata	750	86.7 (5)	564 37.6 (9)	472 23.1 (11)	0 * *	0 * *	0	* *	0	* *
Lake	289	55.4 (47)	196 54.1 (1)	233 50.2 (1)	0 * *	0 * *	0	* *	0	* *
Larimer	3,768	74.4 (20)	2,831 29.5 (18)	2,355 18.8 (15)	0 * *	0 * *	0	* *	0	* *
Las Animas	445	63.4 (42)	339 18.6 (37)	307 11.4 (33)	0 * *	0 * *	0	* *	0	* *
Lincoln	171	69.0 (29)	137 31.4 (16)	118 26.3 (6)	0 * *	0 * *	0	* *	0	* *
Logan	581	64.2 (40)	455 13.0 (44)	394 7.6 (41)	0 * *	0 * *	0	* *	0	* *
Mesa	3,047	77.5 (17)	2,258 25.6 (24)	1,484 14.4 (23)	0 * *	0 * *	0	* *	0	* *
Moffat	401	79.6 (12)	301 26.6 (22)	243 16.5 (17)	0 * *	0 * *	0	* *	0	* *
Montezuma	601	85.7 (7)	485 42.1 (6)	442 27.8 (5)	0 * *	0 * *	0	* *	0	* *
Montrose	1,217	77.6 (16)	947 31.6 (15)	836 16.5 (17)	0 * *	0 * *	0	* *	0	* *
Morgan	1,168	60.2 (43)	932 14.9 (41)	811 8.4 (40)	0 * *	0 * *	0	* *	0	* *
Otero	898	57.7 (45)	724 16.3 (40)	733 8.6 (39)	0 * *	0 * *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.



Table 7B
2003 - 2005 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
 (4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Ouray	31	* *	25 * *	23 * *	0 * *	0 * *	0 * *	* *	0 * *	* *
Park	142	73.2 (22)	120 36.7 (10)	107 20.6 (14)	0 * *	0 * *	0 * *	* *	0 * *	* *
Phillips	166	84.3 (9)	133 22.6 (32)	119 10.9 (35)	0 * *	0 * *	0 * *	* *	0 * *	* *
Pitkin	74	* *	55 * *	37 * *	0 * *	0 * *	0 * *	* *	0 * *	* *
Prowers	625	64.5 (39)	523 19.5 (35)	462 11.5 (31)	0 * *	0 * *	0 * *	* *	0 * *	* *
Pueblo	4,867	63.9 (41)	3,983 17.5 (39)	3,908 9.5 (36)	0 * *	0 * *	0 * *	* *	0 * *	* *
Rio Blanco	151	70.9 (26)	107 28.0 (20)	79 * *	0 * *	0 * *	0 * *	* *	0 * *	* *
Rio Grande	382	57.6 (46)	329 13.7 (42)	292 8.9 (38)	0 * *	0 * *	0 * *	* *	0 * *	* *
Routt	126	78.6 (14)	91 * *	62 * *	0 * *	0 * *	0 * *	* *	0 * *	* *
Saguache	292	67.5 (34)	231 19.9 (34)	255 12.5 (28)	0 * *	0 * *	0 * *	* *	0 * *	* *
San Miguel	88	* *	62 * *	50 * *	0 * *	0 * *	0 * *	* *	0 * *	* *
Sedgwick	49	* *	36 * *	36 * *	0 * *	0 * *	0 * *	* *	0 * *	* *
Summit	437	86.7 (5)	280 43.2 (5)	235 25.1 (9)	0 * *	0 * *	0 * *	* *	0 * *	* *
Teller	334	80.8 (11)	243 39.9 (7)	202 30.2 (4)	0 * *	0 * *	0 * *	* *	0 * *	* *

(1) Reporting period is January 1 through December 31.
 (2) TV Viewing and Smoking in Household data are not reported by all contributors.
 (3) Analyses based on one record per child.
 (4) Excludes records with unknown data or errors.
 (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
 Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
 (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
 (7) Children ages 2 years and older included in the analyses.



Table 7B
2003 - 2005 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Washinton	75	* *	61 * *	49 * *	0 * *	0 * *	0 * *	0 * *	0 * *	
Weld	2,835	87.5 (3)	1,993 49.6 (3)	1,154 31.0 (3)	0 * *	0 * *	0 * *	0 * *	0 * *	
Yuma	381	66.9 (35)	311 23.8 (30)	262 11.5 (31)	0 * *	0 * *	0 * *	0 * *	0 * *	
Unknown Counties	10	* *	3 * *	1 * *	0 * *	0 * *	0 * *	0 * *	0 * *	
Colorado	97,282	71.1	74,495 26.6	60,892 15.4	0 *	0 *	0 *	0 *	0 *	

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

