

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

REGION: 13	Desig	Classifications	NUMERIC STANDARDS						TEMPORARY MODIFICATIONS AND QUALIFIERS
BASIN: UPPER ARKANSAS RIVER			PHYSICAL and BIOLOGICAL	INORGANIC mg/l	METALS ug/l				
Stream Segment Description									
1a. All streams, wetlands, lakes and reservoirs within Mount Massive and Collegiate Peaks Wilderness areas.	OW	Aq Life Cold 1 Recreation E Water Supply Agriculture	D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011 CN=0.005 S=0.002	B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis)	Hg(ch)=0.01(tot) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
1b. Mainstem of the East Fork of the Arkansas River from its source to a point immediately above the confluence with Birdseye Gulch.		Aq Life Cold 1 Recreation E Water Supply	D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011 CN=0.005	S=0.002 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis)	Hg(ch)=0.01(tot) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ch)=TVS Zn(ac)=150	
2a. Mainstem of the East Fork of the Arkansas River and the Arkansas River from a point immediately above the confluence with Birdseye Gulch to a point immediately above the confluence with the California Gulch.		Aq Life Cold 1 Recreation E Water Supply Agriculture	D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011	CN=0.005 S=0.002 B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Fe(ch)=WS(dis) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis)	Hg(ch)=0.01(tot) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
2b. Mainstem of the Arkansas River from a point immediately above California Gulch to a point immediately above the confluence with Lake Fork.	9/30/00 Base-line does not apply	Aq Life Cold 1 Recreation E Agriculture	D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011	CN=0.005 S=0.002 B=0.75 NO ₂ =0.05	As(ac)=340 As(ch)=7.6(Trec) Cd(ac)=1.136672- (ln(hardness) ^{0.0418} 38) ^{*e} ^{(0.9151*ln(hardness)-3.6236)} Cd(ch)=(1.101672- [ln(hardness)*0.04183 8]) ^{*e} ^{(0.7998[ln(hardness)-3.1725])} CrIII(ch)=100(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(tot) Ni(ac/ch)=TVS Se(ac/ch)=TVS	Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac)= 0.978 ^{*e} ^{(0.8537[ln(hardness)]+2.2178)} Zn(ch)= 0.986 ^{*e} ^{(0.8537[ln(hardness)]+2.0469)}	Seasonal (April –May) Temporary Modifications type (i): no Cd(ac) Cd(ch)=1.34 no Zn(ac) Zn(ch)=649 Expiration date of 12/31/13.
2c. Mainstem of the Arkansas River from a point immediately above the confluence with the Lake Fork to a point immediately above the confluence with Lake Creek.	9/30/00 Base-line does not apply	Aq Life Cold 1 Recreation E Agriculture	D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011	CN=0.005 S=0.002 B=0.75 NO ₂ =0.05	As(ac)=340 As(ch)=7.6(Trec) Cd(ac)=1.136672- (ln(hardness) ^{0.0418} 38) ^{*e} ^{(0.9151*ln(hardness)-3.6236)} Cd(ch)=(1.101672- [ln(hardness)*0.04183 8]) ^{*e} ^{(0.7998[ln(hardness)-3.1725])} CrIII(ch)=100(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(tot) Ni(ac/ch)=TVS Se(ac/ch)=TVS	Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac)= 0.978 ^{*e} ^{(0.8537[ln(hardness)]+2.2178)} Zn(ch)= 0.986 ^{*e} ^{(0.8537[ln(hardness)]+2.0469)}	Seasonal (April –May) Temporary Modifications type (i): no Cd(ac) Cd(ch)=0.79 no Zn(ac) Zn(ch)=225 Expiration date of 12/31/13.
3. Mainstem of the Arkansas River from a point immediately above the confluence with the Lake Creek to the inlet to Pueblo Reservoir.		Aq Life Cold 1 Recreation E Water Supply Agriculture	D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011 CN=0.005 S=0.002	B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis)	Hg(ch)=0.01(tot) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	Temporary modifications: Type (iii) Cd(ch)=0.48 Expiration date of 12/31/13.

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

REGION: 13	Desig	Classifications	NUMERIC STANDARDS						TEMPORARY MODIFICATIONS AND QUALIFIERS	
BASIN: UPPER ARKANSAS RIVER			PHYSICAL and BIOLOGICAL	INORGANIC mg/l		METALS ug/l				
Stream Segment Description										
4. Deleted.										
5. All tributaries to the Arkansas River, including wetlands, lakes and reservoirs, from the source to immediately below the confluence with Browns Creeks, except for specific listings in segments 6 through 12.		Aq Life Cold 1 Recreation E Water Supply Agriculture	D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011 CN=0.005 S=0.002	B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis)	Hg(ch)=0.01(tot) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS		
6. Mainstem of California Gulch, including all tributaries, from the source to the confluence with the Arkansas River. Mainstem of St. Kevin's Gulch from the source to the confluence with Tennessee Creek.		Recreation N Agriculture	E.Coli=630/100ml							
7. Mainstem of Evans Gulch from the source to the confluence with the Arkansas River.		Aq Life Cold 1 Recreation E Water Supply Agriculture	D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011 CN=0.005 S=0.002	B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis)	Hg(ch)=0.01(tot) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS		
8a. Mainstem of Iowa Gulch from the source to the ASARCO water supply intake.		Aq Life Cold 2 Recreation E Water Supply Agriculture	D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011 CN=0.005 S=0.002	B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=340 As(ch)=0.02-10(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis)	Hg(ch)=0.01 (tot) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	Temporary modification (type i): Cd(ch)=0.84 Expiration date of 12/31/2013.	
8b. Mainstem of Iowa Gulch from a point immediately below the ASARCO water supply intake to a point immediately below the headgate of the Paddock #1 Ditch (Iowa Ditch).	UP	Aq Life Cold 2 Recreation E Agriculture	D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011	S=0.002 NO ₂ =0.05	As(ac)=340 As(ch)=100(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ch)=100(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)-TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(tot) Ni(ac/ch)=TVS Se(ac/ch)=TVS	Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	Temporary modifications (type i): Cd(ch)=1.3 Pb(ch)=6 Zn(ch)=295 Expiration date of 12/31/2013.	
9. Mainstem of Iowa Gulch from a point immediately below the headgate of the Paddock #1 Ditch (Iowa Ditch) to the confluence with the Arkansas River.		Aq Life Cold 1 Recreation E Agriculture	D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO ₂ =0.05	As(ac)=340 As(ch)=7.6(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ch)=100(Trec) CrVI(ac/ch)=TVS	Cu(ac/ch)=TVS Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS		
10. Mainstem of Lake Creek, including all tributaries, wetlands, lakes and reservoirs, from the source to the confluence with the Arkansas River, except for the specific listing in segment 11.		Aq Life Cold 1 Recreation E Water Supply Agriculture	D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011 CN=0.005 S=0.002	B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=340 As(ch)=0.02 Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac)=TVS	Cu(ch)=8 Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis)	Hg(ch)=0.01 (tot) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS		
11. Mainstem of South Fork of Lake Creek, including all tributaries, wetlands, lakes and reservoirs, from the source to the confluence with Lake Creek.		Aq Life Cold 1 Recreation E Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=5.0-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO ₂ =0.05	Al(ac)=750 As(ac)=340 As(ch)=7.6(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ch)=100(Trec) CrVI(ac/ch)=TVS	Cu(ac)=TVS Fe(ch)=2000(Trec) Mn(ac/ch)=TVS Pb(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS		

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Region: 13 BASIN: UPPER ARKANSAS RIVER	Desig	Classifications	NUMERIC STANDARDS						TEMPORARY MODIFICATIONS AND QUALIFIERS
			PHYSICAL and BIOLOGICAL	INORGANIC mg/l		METALS ug/l			
Stream Segment Description									
12a Mainstem of Chalk Creek from the source to the confluence with the Arkansas River.		Aq Life Cold 1 Recreation E Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011 CN=0.005 S=0.002	B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS(dis) Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	Temporary modification (type i): Zn(ch)=120 Expiration date of 12/31/2013.
12b. Mainstem of Cottonwood Creek (Chaffee County), from the source to the confluence with the Arkansas River; South Fork of the Arkansas including all tributaries, wetlands, lakes and reservoirs, from the source to the confluence with the Arkansas River.		Aq Life Cold 1 Recreation E Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011 CN=0.005 S=0.002 B=0.75	NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis)	Hg(ch)=0.01(tot) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
13. All tributaries to the Arkansas River, including wetlands, lakes and reservoirs, which are on National Forest lands, from the confluence with Brown's Creek to the inlet to Pueblo Reservoir, except for specific listings in segments 12 and 15-27.		Aq Life Cold 1 Recreation E Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011 CN=0.005 S=0.002	B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis)	Hg(ch)=0.01(tot) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
14a. Mainstem of Big Red Creek, Little Red Creek, Rush Creek and Hardscrabble Creek from their sources to their confluence with the Arkansas River.		Aq Life Warm 2 Recreation E Agriculture	D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011 CN=0.005 S=0.002	B=0.75 NO ₂ =0.05	As(ch)=100(Trec) As(ac)=340 Cd(ac/ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(tot) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac/ch)=TVS Zn(ac/ch)=TVS	
14b. All tributaries to the Arkansas River, including wetlands, lakes and reservoirs, which are not on National Forest lands, from the confluence with Brown's Creek to the inlet to Pueblo Reservoir, except for specific listings in segments 12a, 12b, 14a and 15-27.		Aq Life Cold 2 Recreation E Agriculture	D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	CN=0.2 NO ₂ =10 NO ₃ =100	B=0.75	As(ch)=100(Trec) Be(ch)=100(Trec) Cd(ch)=10(Trec) CrIII(ch)=100(Trec)	CrVI(ch)=100(Trec) Cu(ch)=200(Trec) Pb(ch)=100(Trec)	Ni(ch)=200(Trec) Se(ch)=20(Trec) Zn(ch)=2000(Trec)	
15. Mainstem of Grape Creek from the source to the outlet of De Weese Reservoir; mainstems of Texas, Badger, Hayden, Hamilton, Stout, and Big Cottonwood Creeks, including all tributaries, wetlands, lakes and reservoirs, from their sources to their confluences with the Arkansas River. Mainstem of Newlin Creek from the National Forest boundary to the City of Florence water diversion.		Aq Life Cold 1 Recreation E Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011 CN=0.005 S=0.002	B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis)	Hg(ch)=0.01(tot) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
16a. Mainstem of Middle Tallahassee Creek, including all tributaries, wetlands, lakes and reservoirs, from the source to the intersection with Road 23.		Aq Life Cold 1 Recreation E Water Supply Agriculture	D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011 CN=0.005 S=0.002	B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

REGION: 13 BASIN: UPPER ARKANSAS RIVER Stream Segment Description	Desig	Classifications	NUMERIC STANDARDS						TEMPORARY MODIFICATIONS AND QUALIFIERS
			PHYSICAL and BIOLOGICAL	INORGANIC mg/l		METALS ug/l			
16b. Mainstem of North Tallahassee Creek, South Tallahassee Creek, Middle Tallahassee Creek, and Tallahassee Creek from their sources to a point immediately below their confluence with South Tallahassee Creek, except for the specific listing in segment 16a.		Aq Life Cold 2 Recreation E Water Supply Agriculture	D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011 CN=0.005 S=0.002	B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=340 As(ch)=0.02-10(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
16c. Mainstem of Tallahassee Creek from a point immediately below the confluence with South Tallahassee Creek to the confluence with the Arkansas River.		Aq Life Cold 1 Recreation E Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011 CN=0.005 S=0.002	B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
17a. Mainstem of Cottonwood Creek (Fremont County) including all tributaries, wetlands, lakes and reservoirs, from the source to a point immediately below the confluence with North Waugh Creek.		Aq Life Cold 1 Recreation E Water Supply Agriculture	D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011 CN=0.005	S=0.002 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis)	Hg(ch)=0.01(tot) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
17b. Mainstem of Cottonwood Creek (Fremont county), including all tributaries, wetlands, lakes and reservoirs, from a point immediately below the confluence with North Waugh Creek to the intersection with F6 Road.		Aq Life Cold 2 Recreation E Agriculture	D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011	CN=0.005 S=0.002 B=0.75 NO ₂ =0.05	As(ch)=100(Trec) As(ac)=340 Cd(ac/ch)=TVS Cd(ch)=TVS CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(tot) Ni(ac/ch)=TVS	Se(ac/ch)-TVS Pb(ac/ch)=TVS Zn(ac/ch)=TVS	
17c. Mainstem of Cottonwood Creek F6 Road. to the confluence with Currant Creek.		Aq Life Cold 1 Recreation E Water Supply Agriculture	D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011 CN=0.005 S=0.002	B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis)	Hg(ch)=0.01(tot) Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
18. Mainstem of Currant Creek (Park County), including all tributaries, wetlands, lakes and reservoirs, from the source to the confluence with Tallahassee Creek, except for the specific listings in 17a, 17b, and 17c.		Aq Life Cold 1 Recreation E Water Supply Agriculture	D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011 CN=0.005 S=0.002	B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis)	Hg(ch)=0.01(tot) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
19. Mainstem of Fourmile Creek, including all tributaries, wetlands, lakes and reservoirs, from the source to immediately above the confluence with Cripple Creek.		Aq Life Cold 1 Recreation E Water Supply Agriculture	D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011 CN=0.005 S=0.002	B=0.75 NO ₂ =0.5 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS	Hg(ch)=0.01(tot) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
20. Mainstem of Fourmile Creek, including all tributaries, wetlands, lakes and reservoirs, from immediately above the confluence with Cripple Creek to the confluence with the Arkansas River, except for the specific listing to segment 23.		Aq Life Cold 1 Recreation E Agriculture Water Supply	D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011	CN=0.005 S=0.002 B=0.75 NO ₂ =.05 SO ₄ =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ch)=100(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis)*	Hg(ch)=0.01(tot) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	

*Dissolved Mn and SO₄ standards applicable at the point of withdraw.

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

REGION: 13 BASIN: UPPER ARKANSAS RIVER	Desig	Classifications	NUMERIC STANDARDS						TEMPORARY MODIFICATIONS AND QUALIFIERS
			PHYSICAL and BIOLOGICAL	INORGANIC mg/l		METALS ug/l			
Stream Segment Description									
21a.	Mainstem of Cripple Creek from the source to a point 1.5 miles upstream of the confluence with Fourmile Creek.	Aq Life Cold 2 Recreation E Agriculture	D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH ₃ (ac)=TVS(sa) NH ₃ (ch)=TVS(ela) CL ₂ (ac)=0.019 CL ₂ (ch)=0.011	CN=0.005 S=0.002 B=0.75 NO ₂ =0.05	As(ac)=340 As(ch)=100(Trec) Cd(ac)=TVS Cd(ch)=TVS CrIII(ch)=100(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(tot) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac/ch)=TVS Zn(ac/ch)=TVS	
21b.	Mainstem of Cripple Creek from a point 1.5 miles upstream to the confluence with Fourmile Creek.	Aq Life Cold 2 Recreation E Agriculture	D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH ₃ (ac)=TVS(sp) NH ₃ (ch)=TVS(elp) CL ₂ (ac)=0.019 CL ₂ (ch)=0.011	CN=0.005 S=0.002 B=0.75 NO ₂ =0.05	As(ac)=340 As(ch)=100(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ch)=100(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(tot) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac/ch)=TVS Zn(ac/ch)=TVS	
22a.	Mainstem of Arequa Gulch from the source to the confluence with Cripple Creek.	UP Aq Life Cold 2 Recreation N Agriculture	D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH=6.0-9.0 E.Coli=630/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011	CN=0.005 S=0.002 B=0.75 NO ₂ =0.05	Al(ac/ch)=11,000 As(ch)=100(Trec) As(ac)=340 Cd(ac/ch)=TVS CrIII(ch)=100(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac)=5903 Mn(ch)=3674 Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Zn(ac)=3500 Zn(ch)=600	
22b.	Squaw Gulch from the source to the confluence with Cripple Creek.	UP Aq Life Cold 2 Recreation N Agriculture	D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 E.Coli=630/100ml	CN=0.2 NO ₂ =10 NO ₃ =100	B=5.0	As(ch)=200(Trec) Cd(ch)=50(Trec) CrIII(ch)=1000(Trec) CrVI(ch)=1000(Trec)	Cu(ch)=500(Trec) Pb(ch)=100(Trec) Hg(ch)=10(Trec) Se(ch)=50(Trec)	Zn(ch)=25000(Trec)	
23.	Mainstem of Wilson Creek (Teller County) from the source to the confluence with Fourmile Creek.	Aq Life Cold 2 Recreation E Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011 CN=0.005 S=0.002	B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=340 As(ch)=0.02-10(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS	Cu(ac/ch)=TVS Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis)	Hg(ch)=0.01(tot) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
24.	Mainstem of East and West Beaver Creeks, including all tributaries, wetlands, lakes and reservoirs, from the source to the confluence with Beaver Creek; mainstem of Beaver Creek from the source to the point of diversion to Brush Hollow Reservoir.	Aq Life Cold 1 Recreation E Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011 CN=0.005 S=0.002	B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis)	Hg(ch)=0.01(tot) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
25.	Mainstem of Cottonwood Creek (Custer County) from the headwaters to Section 23, T20S, R65W.	Aq Life Cold 1 Recreation E Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011 CN=.005 S=0.002	B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS	Cu(ac/ch)=TVS Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis)	Hg(ch)=0.01(tot) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

REGION: 13 BASIN: UPPER ARKANSAS RIVER	Desig	Classifications	NUMERIC STANDARDS						TEMPORARY MODIFICATIONS AND QUALIFIERS
			PHYSICAL and BIOLOGICAL	INORGANIC mg/l		METALS ug/l			
Stream Segment Description									
26. Mainstem of Beaver Creek from the point of diversion for Brush Hollow Reservoir to the confluence with the Arkansas River.		Aq Life Warm 2 Recreation E Agriculture	D.O.=5.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011 CN=0.005 S=0.002	B=0.75 NO ₂ =0.05	As(ch)=100(Trec) As(ac)=340 Cd(ac/ch)=TVS CrIII(ac/ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac/ch)=TVS Zn(ac/ch)=TVS	
27. Mainstem of Eightmile Creek, including all tributaries, wetlands, lakes and reservoirs, from the source to the mouth of Phantom Canyon; Brush Hollow Reservoir.		Aq Life Cold 1 Recreation E Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011 CN=0.005 S=0.002	B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS	Cu(ac/ch)=TVS Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis)	Hg(ch)=0.01(tot) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

REGION: 7 BASIN: MIDDLE ARKANSAS RIVER Stream Segment Description	Desig	Classifications	NUMERIC STANDARDS						TEMPORARY MODIFICATIONS AND QUALIFIERS
			PHYSICAL and BIOLOGICAL	INORGANIC mg/l			METALS ug/l		
1. Pueblo Reservoir.		Aq Life Cold 1 Recreation E Water Supply Agriculture	D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011 CN=0.005 S=0.002	B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis)	Hg(ch)=0.01(tot) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
2. Mainstem of the Arkansas River from the outlet of Pueblo Reservoir to a point immediately above the confluence with Wildhorse/Dry Creek Arroyo.		Aq Life Cold 1 Water Supply Agriculture	D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011 CN=0.005 S=0.002	B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis)	Hg(ch)=0.01(tot) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
3. Mainstem of the Arkansas River from a point immediately above the confluence with Wildhorse/Dry Creek Arroyo to a point immediately above the confluence with Fountain Creek, Valco Ponds and Fountain Lake.		Aq Life Warm 1 Recreation E Water Supply Agriculture	D.O. = 5.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011 CN=0.005 S=0.002	B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac/ch)=TVS CrIII(ac)=TVS(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis)	Hg(ch)=0.01(tot) Ni(ac/ch)=TVS Se(ac)=50.9 Se(ch)=17.4 Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
4a. Mainstem of Wildhorse Creek from the source to the confluence with the Arkansas River.	UP	Aq Life Warm 2 Recreation E Agriculture	D.O.=5.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011 CN=0.005 S=0.002	B=0.75 NO ₂ =0.05	As(ch)=100(Trec) As(ac)=340 Cd(ac/ch)=TVS CrIII(ac/ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ch)=597 Se(ac)=708 Ag(ac/ch)=TVS Zn(ac/ch)=TVS	
4b. Mainstem of Rock Creek, Salt Creek and Peck Creek from their sources to the confluence with the Arkansas River.	UP	Aq Life Warm 2 Recreation E Agriculture	D.O.=5.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011 CN=0.005 S=0.002	B=0.75 NO ₂ =0.05	As(ch)=100(Trec) As(ac)=340 Cd(ac/ch)=TVS CrIII(ac/ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac/ch)=TVS Zn(ac/ch)=TVS	Temporary modification: type (iii) Se(ch)=5.6 Expiration date of 12/31/2013.
4c. Mainstem of Chico Creek, including all tributaries, wetlands, lakes and reservoirs, from the source to the confluence with the Arkansas River.		Aq Life Warm 1 Recreation E Agriculture	D.O. = 5.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011	CN=0.005 S=0.002 B=0.75 NO ₂ =0.5	As(ac)=340 As(ch)=7.6(Trec) Cd(ac/ch)=TVS CrIII(ac/ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(tot) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac/ch)=TVS Zn(ac/ch)=TVS	Temporary modification type (iii): NH ₃ (ac/ch)=Existing Quality Expiration date of 12/31/2013
4d. All tributaries, including wetlands, to the Arkansas River and Pueblo Reservoir from the inlet to Pueblo Reservoir to the Colorado Canal headgate, except for specific listings in the Fountain Creek Subbasin and in segments 4a, 4b, 4c, 5 through 18.	UP	Aq Life Warm 2 Recreation E Agriculture	D.O. = 5.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	CN=0.2 NO ₂ =10 NO ₃ =100	B=0.75	As(ch)=100(Trec) As(ac)=340 Be(ch)=100(Trec) Cd(ch)=10(Trec) CrIII(ch)=100(Trec)	CrVI(ch)=100(Trec) Cu(ch)=200(Trec) Pb(ch)=100(Trec)	Ni(ch)=200(Trec) Se(ch)=20(Trec) Zn(ch)=2000(Trec)	

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

REGION: 7 BASIN: MIDDLE ARKANSAS RIVER Stream Segment Description	Desig	Classifications	NUMERIC STANDARDS						TEMPORARY MODIFICATIONS AND QUALIFIERS
			PHYSICAL and BIOLOGICAL	INORGANIC mg/l		METALS ug/l			
4e. Golf Course Wash	UP	Aq Life Warm 2 Recreation E Agriculture	D.O. = 5.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CN=0.2 NO ₂ =10 NO ₃ =100	B=0.75	As(ac)=340 As(ch)=100(Trec) Be(ch)=100(Trec) Cd(ch)=10(Trec) CrIII(ch)=100(Trec)	CrVI(ch)=100(Trec) Cu(ch)=200(Trec) Pb(ch)=100(Trec)	Ni(ch)=200(Trec) Se(ch)=20(Trec) Zn(ch)=2000(Trec)	
5. Mainstem of the Saint Charles River, including all tributaries, wetlands, lakes and reservoirs, from the source to a point immediately above the CF&I diversion canal near Burnt Mill.	UP	Aq Life Cold 1 Recreation E Water Supply Agriculture	D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011 CN=0.005 S=0.002	B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis)	Hg(ch)=0.01(tot) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	Temporary modification type (iii): Se(ch)=18.7, Expiration date of 12/31/2013.
6. Mainstem of the Saint Charles River from a point immediately above the CF&I diversion canal near Burnt Mill to the confluence with the Arkansas River.	UP	Aq Life Warm 2 Recreation E Water Supply Agriculture	D.O. = 5.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011 CN=0.005 S=0.002	B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=340 As(ch)=0.02-10(Trec) Cd(ac/ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis)	Hg(ch)=0.01(tot) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	Temporary modification type (iii): Se(ch)=39.0, Expiration date of 12/31/2013.
7. Mainstem of the Greenhorn Creek, including all tributaries, wetlands, lakes and reservoirs from the source to a point immediately below the Greenhorn Highline (Hayden Supply Ditch) diversion dam, except for specific listings in segment 8; mainstem of Graneros Creek; mainstem of North Muddy Creek.		Aq Life Cold 1 Recreation E Water Supply Agriculture	D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011 CN=0.005 S=0.002	B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis)	Hg(ch)=0.01(tot) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
8. Beckwith Reservoir.		Aq Life Cold 1 Recreation E Water Supply Agriculture	D.O. = 6.0 mg/l D.O.(sp)=7.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011 CN=0.005 S=0.002	B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis)	Hg(ch)=0.01(tot) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
9. Mainstem of Greenhorn Creek, from a point immediately below the Greenhorn Highline (Hayden Supply Ditch) diversion dam, to the confluence with the Saint Charles River.	UP	Aq Life Warm 2 Recreation E Water Supply Agriculture	D.O. = 5.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011 CN=0.005 S=0.002	B=0.75 NO ₂ =0.5 NO ₃ =10 Cl=250 SO ₄ =700	As(ac)=340 As(ch)=0.02(Trec) Cd(ac/ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis)	Hg(ch)=0.01(tot) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	Temporary modifications: type (iii) Se(ch)=8.6. Expiration date of 12/31/2013.
10. Mainstem of Sixmile Creek from the source to the confluence with the Arkansas River.	UP	Aq Life Warm 2 Recreation E Agriculture	D.O. = 5.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011	CN=0.005 S=0.002 B=0.75 NO ₂ =0.5	As(ch)=100(Trec) As(ac)=340 Cd(ac/ch)=TVS CrIII(ac/ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(tot) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac/ch)=TVS Zn(ac/ch)=TVS	Temporary modification: type (iii): Se(ch)=15, Expiration date of 12/31/2013.

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

REGION: 7 BASIN: MIDDLE ARKANSAS RIVER Stream Segment Description	Desig	Classifications	NUMERIC STANDARDS						TEMPORARY MODIFICATIONS AND QUALIFIERS
			PHYSICAL and BIOLOGICAL	INORGANIC mg/l	METALS ug/l				
11. Mainstem of the Huerfano River including all tributaries, wetlands, lakes and reservoirs from the source to the confluence with Muddy Creek near Gardner; mainstem of Turkey Creek (in Huerfano County) from the source to confluence with the Huerfano River.		Aq Life Cold 1 Recreation E Water Supply Agriculture	D.O. = 6.0 mg/l D.O.(sp)=7.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011 CN=0.005 S=0.002	B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis)	Hg(ch)=0.01(tot) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
12. Mainstem of Huerfano River from the confluence with Muddy Creek near Gardner to the confluence with the Arkansas River.	UP	Aq Life Warm 2 Recreation E Agriculture	D.O. = 5.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011	CN=0.005 S=0.002 B=0.75 NO ₂ =0.5	As(ch)=100(Trec) As(ac)=340 Cd(ac/ch)=TVS CrIII(ac/ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac/ch)=TVS Zn(ac/ch)=TVS	Temporary modification type (iii): Se(ch)= 29.5 Expiration date of 12/31/2013.
13. Mainstem of the Cucharas River, including all tributaries, wetlands, lakes and reservoirs, from the source to the point of diversion for the Walsenburg public water supply		Aq Life Cold 1 Recreation E Water Supply Agriculture	D.O. = 6.0 mg/l D.O.(sp)=7.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011 CN=0.005 S=0.002	B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis)	Hg(ch)=0.01(tot) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
14. Mainstem of the Cucharas River from the point of diversion for the Walsenburg public water supply to the outlet of Cucharas Reservoir.		Aq Life Warm 1 Recreation E Agriculture	D.O. = 5.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011	CN=0.005 S=0.002 B=0.75 NO ₂ =0.5	As(ac)=340 As(ch)=7.6(Trec) Cd(ac/ch)=TVS CrIII(ac/ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(tot) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac/ch)=TVS Zn(ac/ch)=TVS	Temporary modifications: type (iii) Se(ch)=6.0 Expiration date of 12/31/2013.
15. Mainstem of Cucharas River from the outlet of Cucharas Reservoir to the confluence with the Huerfano River.	UP	Aq Life Warm 2 Recreation E Agriculture	D.O. = 5.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	CN=0.2 NO ₂ =10 NO ₃ =100	B=0.75	As(ch)=100(Trec) Be(ch)=100(Trec) Cd(ch)=10(Trec) CrIII(ch)=100(Trec)	CrVI(ch)=100(Trec) Cu(ch)=200(Trec) Pb(ch)=100(Trec)	Ni(ch)=200(Trec) Se(ch)=20(Trec) Zn(ch)=2000(Trec)	
16. Huajatolla Reservoirs, Diagre Reservoir, Walsenburg Lower Town Lake, Horseshoe Lake, and Martin Lake (Ohem Lake).		Aq Life Cold 1 Recreation E Water Supply Agriculture	D.O. = 6.0 mg/l D.O.(sp)=7.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TV S CL ₂ (ac)=0.019 CL ₂ (ch)=0.011 CN=0.005 S=0.002	B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis)	Hg(ch)=0.01(tot) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
17. Mainstem of the South Apache Creek from the source to the boundary of BLM lands, in Section 25, T25S, R68W; mainstem of North Apache Creek from the source to the southern boundary of Section 24, T25S, R68W.		Aq Life Cold 1 Recreation E Water Supply Agriculture	D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TV S CL ₂ (ac)=0.019 CL ₂ (ch)=0.011 CN=0.005 S=0.002	B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis)	Hg(ch)=0.01(tot) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

REGION: 7 BASIN: MIDDLE ARKANSAS RIVER	Desig	Classifications	NUMERIC STANDARDS						TEMPORARY MODIFICATIONS AND QUALIFIERS
			PHYSICAL and BIOLOGICAL	INORGANIC mg/l			METALS ug/l		
Stream Segment Description									
18a Mainstem of Boggs Creek from the source to Pueblo Reservoir.		Aq Life Warm 1 Recreation E Water Supply Agriculture	D.O.=5.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TV S CL ₂ (ac)=0.019 CL ₂ (ch)=0.011 CN=0.005 S=0.002	B=0.75 NO ₂ =0.5 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac/ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis)	Hg(ch)=0.01(tot) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	Temporary modification type (iii): Se(ch)=179 Expiration date of 12/31/2013.
18b. Turkey Creek (Pueblo County) from U.S. Highway 50 to Pueblo Reservoir; unnamed tributary to Arkansas River, located in Section 33, Township 20 South, Range 65 West; mainstem of Rush Creek (Pueblo County) from the source to the confluence with the Arkansas River.		Aq Life Warm 1 Recreation E Water Supply Agriculture	D.O.=5.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TV S CL ₂ (ac)=0.019 CL ₂ (ch)=0.011 CN=0.005 S=0.002	B=0.75 NO ₂ =0.5 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac/ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis)	Hg(ch)=0.01(tot) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

REGION: 4 & 7	Desig	Classifications	NUMERIC STANDARDS						TEMPORARY MODIFICATIONS AND QUALIFIERS
BASIN: FOUNTAIN CREEK			PHYSICAL and BIOLOGICAL	INORGANIC mg/l		METALS ug/l			
Stream Segment Description									
1a. Mainstem of Fountain Creek, including all tributaries, lakes, wetlands and reservoirs, from the source to a point immediately above the confluence with Monument Creek, except for specific listings in segment 1b.		Aq Life Cold 1 Recreation E Water Supply Agriculture	D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011 CN=0.005 S=0.002	B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis)	Hg(ch)=0.01(tot) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	Temporary modification type (iii): Se(ch)=8.7 Expiration date 12/31/2013.
1b. Severy Creek and all tributaries from the source to a point just upstream of where US Forest Service Road 330 crosses the stream.	OW	Aq Life Cold 1 Recreation E Water Supply Agriculture	D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011 CN=0.005 S=0.002	B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis)	Hg(ch)=0.01(tot) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
2a. Mainstem of Fountain Creek from a point immediately above the confluence with Monument Creek to a point immediately above the State Highway 47 Bridge.		Aq Life Warm 2 Recreation E Water Supply Agriculture	D.O. = 5.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011 CN=0.005 S=0.002	B=0.75 NO ₂ =1.0 NO ₃ =10 Cl=250 SO ₄ =330	As(ac)=340 As(ch)=0.02-10(Trec) Cd(ac/ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)= 1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis)**	Hg(ch)=0.01(tot) Ni(ac/ch)=TVS Se(ac)=TVS Se(ch)=8 Ag(ac/ch)=TVS Zn(ac/ch)=TVS	Temporary modifications: NH ₃ (ac/ch)=TVS (old). Expiration date of 12/31/2013. Type (iii): Cu(ac/ch)=current condition, Expiration date of 12/31/2013.
2b. Mainstem of Fountain Creek from a point immediately above the State Highway 47 Bridge to the confluence with the Arkansas River.		Aq Life Warm 2 Recreation E Water Supply Agriculture	D.O. = 5.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011 CN=0.005 S=0.002	B=0.75 NO ₂ =1.0 NO ₃ =10 Cl=250 SO ₄ =485	As(ac)=340 As(ch)=0.02-10(Trec) Cd(ac/ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=5280(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis)	Hg(ch)=0.01(tot) Ni(ac/ch)=TVS Se(ac)=42.3 Se(ch)=28.1 Ag(ac/ch)=TVS Zn(ac/ch)=TVS	
3a. All tributaries to Fountain Creek which are within the boundaries of National Forest or Air Force Academy lands, including all wetlands, lakes and reservoirs, from a point immediately above the confluence with Monument Creek to the confluence with the Arkansas River, except for the mainstem of Monument Creek in the Air Force Academy lands, lands, except for specific listings in segment 3b.		Aq Life Cold 1 Recreation E Water Supply Agriculture	D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011 CN=0.005 S=0.002	B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis)	Hg(ch)=0.01(tot) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
3b. Bear Creek , and all tributaries, from the source to a point upstream of GPS coordinates N3847682, W 10454917 (this location is at elevation 8,200 feet above sea level at a 250° angle and 3,000 feet from the trailhead of the Mount Buckhorn Trail off High Drive).	OW	Aq Life Cold 1 Recreation E Water Supply Agriculture	D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011 CN=0.005 S=0.002	B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis)	Hg(ch)=0.01(tot) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
4. All tributaries to Fountain Creek which are not within the boundaries of National Forest or Air Force Academy lands, including all wetlands, lakes and reservoirs, from a point immediately above the confluence with Monument Creek to the confluence with the Arkansas River, except for the specific listings in segments 5, 6 and 7a and 7b.	UP	Aq Life Warm 2 Recreation E Agriculture	D.O. = 5.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	CN=0.2 NO ₂ =10 NO ₃ =100	B=0.75	As(ch)=100(Trec) Be(ch)=100(Trec) Cd(ch)=10(Trec) CrIII(ch)=100(Trec)	CrVI(ch)=100(Trec) Cu(ch)=200(Trec) Pb(ch)=100(Trec)	Ni(ch)=200(Trec) Se(ch)=20(Trec) Zn(ch)=2000(Trec)	Temporary modification type (i): NH ₃ (ac/ch)=TVS (old). Expiration date of 12/31/2013.
5. Marshland on Nash Property (60 acres at 13030 Old Pueblo Road, El Paso County) located in Section 28 T16S R65W; Jimmy Camp Creek from the irrigation diversion east of Old Pueblo Road to its confluence with Fountain Creek; unnamed tributary from the boundary of Fort Carson to the confluence with Fountain Creek; located in S1/2, SW1/4, Section 6 and N1/2, NW1/4, Section 7, T16S, R65W.		Aq Life Cold 2 Recreation N Agriculture	D.O. = 5.0 mg/l pH = 6.5-9.0 E.Coli=630/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011	CN=0.005 S=0.002 B=0.75 NO ₂ =0.5	As(ch)=100(Trec) As(ac)=340 Cd(ac/ch)=TVS CrIII(ac/ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac/ch)=TVS Zn(ac/ch)=TVS	

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

REGION: 4 & 7 BASIN: FOUNTAIN CREEK	Desig	Classifications	NUMERIC STANDARDS						TEMPORARY MODIFICATIONS AND QUALIFIERS
			PHYSICAL and BIOLOGICAL	INORGANIC mg/l			METALS ug/l		
Stream Segment Description									
6. Mainstem of Monument Creek, from the boundary of National Forest lands to the confluence with Fountain Creek.		Aq Life Warm 2 Recreation E Water Supply Agriculture	D.O. = 5.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011 CN=0.005	B=0.75 NO ₂ =0.5 NO ₃ =10 Cl=250 SO ₄ =329	As(ac)=340 As(ch)=0.02-10(Trec) Cd(ac/ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1430(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis)	Hg(ch)=0.01(tot) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac/ch)=TVS Zn(ac/ch)=TVS	Temporary modification: type (iii): Cu(ac/ch)=current condition, Expiration date of 12/31/2013
7a. Pikeview Reservoir, Willow Springs Pond #1, and Willow Springs Pond #2.	UP	Aq Life Warm 2 Recreation P Water Supply Agriculture	D.O. = 5.0 mg/l pH = 6.5-9.0 E.Coli=205/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011 CN=0.005 S=0.002	B=0.75 NO ₂ =0.05 NO ₃ =10 SO ₄ =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac/ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis)	Hg(ch)=0.01(tot) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac/ch)=TVS Zn(ac/ch)=TVS	Water + Fish Standards Apply
7b. Prospect Lake, Quail Lake, Monument Lake	UP	Aq Life Warm 2 Recreation E Agriculture	D.O. = 5.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011 CN=0.005 S=0.002	B=0.75 NO ₂ =1.0	As(ac)=340 As(ch)=7.6(Trec) Cd(ac/ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS(dis) Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac/ch)=TVS Zn(ac/ch)=TVS	Fish Ingestion Standards Apply

**Dissolved Mn point of compliance at Pinello Ranch Clear Well in NW ¼ of SW ¼ of sec. 11, T15S, R66W.

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

REGION: 7 BASIN: LOWER ARKANSAS RIVER	Desig	Classifications	NUMERIC STANDARDS						TEMPORARY MODIFICATIONS AND QUALIFIERS
			PHYSICAL and BIOLOGICAL	INORGANIC mg/l		METALS ug/l			
Stream Segment Description									
1a. Mainstem of the Arkansas River from a point immediately above the confluence with Fountain Creek to immediately above the Colorado Canal headgate near Avondale.	UP	Aq Life Warm 2 Recreation E Water Supply Agriculture	D.O. = 5.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011 CN=0.005 S=0.002	B=0.75 NO ₂ =0.5 NO ₃ =10 Cl=250 SO ₄ =329	As(ac)=340 As(ch)=0.02-10(Trec) Cd(ac/ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=2765(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac)=19.1 Se(ch)=14.1 Ag(ac/ch)=TVS Zn(ac/ch)=TVS	Temporary modifications: type (i) Se(ac/ch) = existing quality; SO ₄ = existing quality. Expiration date of 12/31/2013.
1b. Mainstem of the Arkansas River from the Colorado Canal headgate to the inlet to John Martin Reservoir.	UP	Aq Life Warm 2 Recreation E Water Supply Agriculture	D.O. = 5.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011 CN=0.005 S=0.002	B=0.75 NO ₂ =0.5 NO ₃ =10 Cl=250 SO ₄ =902	As(ac)=340 As(ch)=0.02(Trec) Cd(ac/ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)= 1950(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis)	Hg(ch)=0.01(tot) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac/ch)=TVS Zn(ac/ch)=TVS	Temporary modification type (iii): Se(ch)="current condition" Expiration date of 12/31/2013 Water + Fish Standards Apply.
1c. Mainstem of the Arkansas River from the outlet of John Martin Reservoir to the Colorado/Kansas border.	UP	Aq Life Warm 2 Recreation E Water Supply Agriculture	D.O. = 5.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011 CN=0.005 S=0.002	B=0.75 NO ₂ =0.5 NO ₃ =10 Cl=250 SO ₄ =1900	As(ac)=340 As(ch)=0.02 (Trec) Cd(ac/ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=642(dis) Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac/ch)=TVS Zn(ac/ch)=TVS	Temporary modification type (iii): Se(ch)=22.5, Expiration date of 12/31/2013 . Water + Fish Standards Apply.
2a. All tributaries to the Arkansas River, including wetlands, all lakes and reservoirs, from the Colorado Canal headgate to the Colorado/Kansas border except for specific listings in segments 2b, 2c, 3 through 13, and Middle Arkansas Basin listings.	UP	Aq Life Warm 2 Recreation N Agriculture	D.O. = 5.0 mg/l pH = 6.5-9.0 E.Coli=630/100ml	CN=0.2 NO ₂ =10 NO ₃ =100	B=0.75	As(ch)=100(Trec) Be(ch)=100(Trec) Cd(ch)=10(Trec) CrIII(ch)=100(Trec)	CrVI(ch)=100(Trec) Cu(ch)=200(Trec) Pb(ch)=100(Trec)	Ni(ch)=200(Trec) Se(ch)=20(Trec) Zn(ch)=2000(Trec)	
2b. King Arroyo.	UP	Aq Life Warm 2 Recreation E Agriculture	D.O. = 5.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	CN=0.2 NO ₂ =10 NO ₃ =100	B=5.0	As(ch)=200(Trec) Cd(ch)=50(Trec) CrIII(ch)=1000(Trec)	CrVI(ch)=1000(Trec) Cu(ch)=500(Trec) Pb(ch)=100(Trec)	Hg(ch)=10.0(tot) Se(ch)=50(Trec) Zn(ch)=25000(Trec)	Livestock Watering Only.
2c. Mainstem of Wildhorse Creek, including all tributaries, from a point immediately below US Highway 287 in Kit Carson to the confluence with Big Sandy Creek.	UP	Aq Life Warm 2 Recreation N Agriculture	D.O. = 5.0 mg/l pH = 6.5-9.0 E.Coli=630/100ml	CN=0.2 NO ₂ =10 NO ₃ =100	B=0.75	As(ch)=100(Trec) Be(ch)=100(Trec) Cd(ch)= 50(Trec) CrIII(ch)=100(Trec)	CrVI(ch)=100(Trec) Cu(ch)=200(Trec) Pb(ch)=100(Trec)	Ni(ch)=200(Trec) Se(ch)= 50(Trec) Zn(ch)=2000(Trec)	
3a. Mainstem of the Apishapa River, including all wetlands, tributaries, lakes and reservoirs, from the source to I-25, except for specific listings in segments 3b and 3c.		Aq Life Cold 1 Recreation E Water Supply Agriculture	D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011 CN=0.005 S=0.002	B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis)	Hg(ch)=0.01(tot) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

REGION: 7	Desig	Classifications	NUMERIC STANDARDS						TEMPORARY MODIFICATIONS AND QUALIFIERS
BASIN: LOWER ARKANSAS RIVER			PHYSICAL and BIOLOGICAL	INORGANIC mg/l		METALS ug/l			
Stream Segment Description									
3b. Mainstem of West Torino Canyon Creek, North Fork, Middle Fork and mainstem of Trujillo Creek, Mitotes Canyon Creek, Luis Canyon Creek, Wheeler Canyon Creek, Mauricio Canyon Creek, Daisy Canyon Creek, Adobe Canyon Creek, Gonzales Canyon Creek, Frio Canyon Creek, Borrego Canyon Creek, Munoz Canyon Creek, William Canyon Creek and Castro Canyon Creek, including all tributaries, from their sources to their confluences with the Apishapa River.	UP	Aq Life Warm 2 Recreation N Water Supply Agriculture	D.O. = 5.0 mg/l pH = 6.5-9.0 E.Coli=630/100ml	NH ₃ (ch)=0.5 CN=0.2 S=0.05	B=0.75 NO ₂ (ac)=1.0 NO ₃ (ac)=10 Cl=250 SO ₄ =WS	As(ac)=340 As(ch)=0.02-10(Trec) Cd(ac)=5.0(Trec) CrIII(ac)=50(Trec) CrVI(ac)=50(Trec) Cu(ac)=200(Trec)	Fe(ch)=WS(dis) Pb(ac)=50(Trec) Mn(ch)=WS(dis)	Hg(ac)=2.0(Trec) Ni(ch)=100(Trec) Se(ch)=20(Trec) Ag(ac)=100(Trec) Zn(ch)=2000(Trec)	
3c. The mainstem of Jarosa Canyon Creek including all tributaries from the source to the confluence with the Apishapa River.		Aq Life Cold 2 Recreation E Water Supply Agriculture	D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011 CN=0.005 S=0.002	B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=340 As(ch)=0.02-10(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
4. Mainstem of the Apishapa River from I-25 to the confluence with the Arkansas River; mainstem of Timpas Creek from the source to the Arkansas River; mainstem of Lorencito Canyon, from the source to the confluence with the Purgatoire River.	UP	Aq Life Warm 2 Recreation E Agriculture	D.O. = 5.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011	CN=0.005 S=0.002 B=0.75 NO ₂ =0.5	As(ch)=100(Trec) As(ac)=340 Cd(ac/ch)=TVS CrIII(ac/ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1805(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(tot) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac/ch)=TVS Zn(ac/ch)=TVS	Temporary modification type (iii): Se(ch)= 27, Expiration date of 12/31/2013.
5a. Mainstem of the North Fork of the Purgatoire River, including all tributaries, wetlands, lakes and reservoirs, from the source to the confluence with the Purgatoire River; mainstem of the Middle Fork of the Purgatoire River, including all tributaries, wetlands, lakes, and reservoirs, from the source to the USGS gage at Stonewall; the mainstem of the Middle Fork of the Purgatoire River from the USGS gage at Stonewall to the confluence with the North Fork of the Purgatoire River; mainstem of the South Fork of the Purgatoire River, including all tributaries, wetlands, lakes, and reservoirs, from the source to Tercio; the mainstem of the South Fork of the Purgatoire River from Tercio to the confluence with the Purgatoire River; mainstem of the Purgatoire River to Interstate 25, except for the specific listing in segment 5b; mainstem of Long Creek from the source to the confluence with Trinidad Reservoir; mainstem of Raton Creek from the source to the confluence with the Purgatoire River.		Aq Life Cold 1 Recreation E Water Supply Agriculture	D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011 CN=0.005 S=0.002	B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis)	Hg(ch)=0.01(tot) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	Temporary modification type (iii): Se(ch)=11.2, Expiration date of 12/31/2013.
5b. Trinidad Reservoir, Long Canyon Reservoir, and Lake Dorothea.		Aq Life Cold 1 Recreation E Water Supply Agriculture	D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011 CN=0.005 S=0.002	B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis)	Hg(ch)=0.01(tot) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
6. All tributaries to the Purgatoire River, including all wetlands, lakes and reservoirs, from the source to Interstate 25, except for specific listings in segments 4, 5a and 5b.	UP	Aq Life Cold 2 Recreation E Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	CN=0.2 NO ₂ =10 NO ₃ =100	B=0.75	As(ch)=100(Trec) Be(ch)=100(Trec) Cd(ch)=10(Trec) CrIII(ch)=100(Trec)	CrVI(ch)=100(Trec) Cu(ch)=200(Trec) Pb(ch)=100(Trec)	Ni(ch)=200(Trec) Se(ch)=20(Trec) Zn(ch)=2000(Trec)	Temporary modification type (iii): Se(ch)=21.3, Expiration date of 12/31/2013.

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

REGION: 7 BASIN: LOWER ARKANSAS RIVER	Desig	Classifications	NUMERIC STANDARDS						TEMPORARY MODIFICATIONS AND QUALIFIERS
			PHYSICAL and BIOLOGICAL	INORGANIC mg/l		METALS ug/l			
Stream Segment Description									
7. Mainstem of the Purgatoire River from Interstate 25 to the confluence with the Arkansas River.		Aq Life Warm 1 Recreation E Agriculture	D.O.=5.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011	CN=0.005 S=0.002 B=0.75 NO ₂ =0.5	As(ac)=340 As(ch)=7.6(Trec) Cd(ac/ch)=TVS CrIII(ac/ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(tot) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac/ch)=TVS Zn(ac/ch)=TVS	Temporary modification type (iii): Se(ch)=6.4, Expiration date of 12/31/2013.
8. Mainstem of Ricardo Creek, including all tributaries, wetlands, lakes and reservoirs, which are within Colorado (Costilla and Las Animas Counties), mainstem of the Canadian River, including all tributaries, wetlands, lakes and reservoirs.		Aq Life Cold 1 Recreation E Water Supply Agriculture	D.O.=6.0 mg/l D.O. (sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011 CN=0.005 S=0.002	B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis)	Hg(ch)=0.01(tot) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
9a. Mainstem of Adobe Creek and Gageby Creek from the source to the confluence with the Arkansas River; mainstem of Willow Creek from Highway 287 to the confluence with the Arkansas River; mainstem of Big Sandy Creek from the source to the El Paso/Elbert county line; mainstem of South Rush Creek from the source to the confluence with Rush Creek; mainstem of Middle Rush Creek from the source to the confluence with North Rush Creek, North Rush Creek from the source to the confluence with South Rush Creek; mainstem of Rush Creek to the Lincoln County Line, mainstem of Antelope Creek from the source to the confluence with Rush Creek; mainstems of Horse Creek, Buffalo Creek and Cheyenne Creek from their sources to their confluences with the Arkansas River; the West May Valley drain from the Fort Lyon Canal to the confluence with the Arkansas River.		Aq Life Warm 1 Recreation E Agriculture	D.O. = 5.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011	CN=0.005 S=0.002 B=0.75 NO ₂ =0.5	As(ac)=340 As(ch)=7.6(Trec) Cd(ac/ch)=TVS CrIII(ac/ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(tot) Ni(ac/ch)=TVS Se(ac/ch)=TVS	Ag(ac/ch)=TVS Zn(ac/ch)=TVS	Temporary modification type (iii): Se(ch)=17.8, Expiration date of 12/31/2013.
9b. Mainstem of Apache Creek from the source to the confluence with the North Rusk Creek; mainstem of Breckenridge Creek from the source to the confluence with Horse Creek; mainstem of Little Horse Creek from the source to the confluence with Horse Creek; mainstem of Bob Creek; from the source to Meredith Reservoir; mainstems of Wildhorse Creek and Wolf Creek from their sources to their confluences with the Arkansas River; mainstem of Big Sandy Creek within Prowers County.	UP	Aq Life Warm 2 Recreation E Agriculture	D.O. = 5.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011	CN=0.005 S=0.002 B=0.75 NO ₂ =0.5	As(ch)=100(Trec) As(ac)=340 Cd(ac/ch)=TVS CrIII(ac/ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(tot) Ni(ac/ch)=TVS Se(ac/ch)=TVS	Ag(ac/ch)=TVS Zn(ac/ch)=TVS	Temporary modification type (iii): Se(ch)=52.4 Expiration date of 12/31/2013.
9c. Mainstem of Rule Creek from the Bent/Las Animas county line to John Martin Reservoir; mainstem of Muddy Creek from the south boundary of the Setchfield State Wildlife Area to the confluence with Rule Creek; mainstem of Caddoa Creek from CC road to the confluence with the Arkansas River; mainstem Clay Creek from source to the confluence with the Arkansas; mainstem of Cat Creek to the confluence with Clay Creek; mainstem of Two Butte Creek from the source to the confluence with the Arkansas River, except for listings in segment 10; mainstem of Trinchera Creek from the source to the confluence with the Purgatoire River; mainstem of Mustang Creek from the source to the confluence with Apishapa River; mainstem of Chicosa Creek from the source to the Arkansas River; mainstem of Smith Canyon from the Otero/Las Animas county line to the confluence with the Purgatoire River.	UP	Aq Life Warm 2 Recreation E Agriculture	D.O.=5.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011	CN=0.005 S=0.002 B=0.75 NO ₂ =0.5	As(ch)=100(Trec) As(ac)=340 Cd(ac/ch)=TVS CrIII(ac/ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(tot) Ni(ac/ch)=TVS Se(ac/ch)=TVS	Ag(ac/ch)=TVS Zn(ac/ch)=TVS	Temporary modifications type (iii): Se(ch)=15 Expiration date of 12/31/2013.

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

REGION: 7 BASIN: LOWER ARKANSAS RIVER	Desig	Classifications	NUMERIC STANDARDS						TEMPORARY MODIFICATIONS AND QUALIFIERS
			PHYSICAL and BIOLOGICAL	INORGANIC mg/l		METALS ug/l			
Stream Segment Description									
10. Two Buttes Reservoir, Two Buttes Pond, Hasty Lake, Holbrook Reservoir, Burchfield Lake, Nee-Skah (Queens) Reservoir, Adobe Creek Reservoir, Neeso Pah Reservoir, Nee Noshe Reservoir; Nee Gronda Reservoir.		Aq Life Warm 1 Recreation E Water Supply Agriculture	D.O.=5.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011 CN=0.005 S=0.002	B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac/ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis)	Hg(ch)=0.01(tot) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
11. John Martin Reservoir.		Aq Life Warm 1 Recreation E Water Supply Agriculture	D.O. = 5.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011 CN=0.005 S=0.002	B=0.75 NO ₂ =0.5 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac/ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=90(dis) Mn(ac/ch)=TVS	Hg(ch)=0.01(tot) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac/ch)=TVS Zn(ac/ch)=TVS	Temporary modification type (iii): Se(ch)=17 Expiration date of 12/31/2013.
12. Lake Henry, Lake Meridith.		Aq Life Warm 1 Recreation E Agriculture	D.O. = 5.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011	CN=0.005 S=0.002 B=0.75 NO ₂ =0.5	As(ac)=340 As(ch)=7.6(Trec) Cd(ac/ch)=TVS CrIII(ac/ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
13. American Crystal Reservoir, Chancellor Ponds, Horse Creek Reservoir, Hugo Ponds, Jim Davis Pond, John Robertson Ponds, Karval Lake, Kinney Lake, Kissel Pond, La Junta Kid's Pond, Las Animas Kid's Pond, Mayhem Pond, Merit Lake, Olney Springs Pond, Otero Pond, Pursley Ponds, Ranch Reservoir, Reynolds Gravel Pit, Pyan Ponds, Thurston Reservoir, Turks Pond, Ramah Reservoir.		Aq Life Warm 1 Recreation E Agriculture	D.O. = 5.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011	CN=0.005 S=0.002 B=0.75 NO ₂ =0.5	As(ac)=340 As(ch)=7.6(Trec) Cd(ac/ch)=TVS CrIII(ac/ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(tot) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac/ch)=TVS Zn(ac/ch)=TVS	

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

REGION: 7 BASIN: CIMARRON RIVER Stream Segment Description	Desig	Classifications	NUMERIC STANDARDS						TEMPORARY MODIFICATIONS AND QUALIFIERS
			PHYSICAL and BIOLOGICAL	INORGANIC mg/l		METALS ug/l			
1. Mainstem of the Cimarron River, including all tributaries, lakes and reservoirs, in Las Animas, Baca, and Prowers Counties, except for the specific listing in segment 2.	UP	Aq Life Warm 2 Recreation N Agriculture	D.O. = 5.0 mg/l pH = 6.5-9.0 E.Coli=630/100ml	CN=0.2 NO ₂ =10 NO ₃ =100	B=0.75	As(ch)=100(Trec) Be(ch)=100(Trec) Cd(ch)=10(Trec) CrIII(ch)=100(Trec)	CrVI(ch)=100(Trec) Cu(ch)=200(Trec) Pb(ch)=100(Trec)	Ni(ch)=200(Trec) Se(ch)=20(Trec) Zn(ch)=2000(Trec)	
2. Mainstem of North Carrizo Creek from the source to the Colorado/Oklahoma state line; mainstems of East and West Carrizo Creek, to the confluence with North Carrizo Creek; mainstems of Cottonwood Creek and Tecolote Creek to the confluence with West Carrizo Creek, Fitzler Pond.	UP	Aq Life Warm 2 Recreation E Agriculture	D.O.=5.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH ₃ (ac/ch)=TVS CL ₂ (ac)=0.019 CL ₂ (ch)=0.011	CN=0.005 S=0.002 B=0.75 NO ₂ =0.5	As(ac)=340 As(ch)=7.6(Trec) Cd(ac/ch)=TVS CrIII(ac/ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac/ch)=TVS Zn(ac/ch)=TVS	Fish Ingestion Standards Apply.