

## Harvey Gap Reservoir – Summary of Hg Concentrations

57 Fish Sampled = 9 Black Crappie  
16 Yellow Perch  
9 Smallmouth Bass  
4 Bluegill  
12 Largemouth Bass  
7 Northern Pike

18 Composite Samples = 2 Black Crappie, composited 4 fish per sample  
4 Yellow Perch, composited 4 fish per sample  
4 Smallmouth Bass, composited 2 fish per sample  
1 Bluegill, composited 4 fish per sample  
3 Largemouth Bass, composited 4 fish per sample  
4 Northern Pike, composited 2 fish per sample

### Results:

For the Black Crappie samples = <0.1, <0.1 = all below 0.5 ppm.

For the Yellow Perch samples = <0.1, <0.1, <0.1, 0.1 = all below 0.5 ppm.

For the Smallmouth Bass samples = 0.24, <0.1, 0.18, 0.3 = all below 0.5 ppm.

For the Bluegill samples = 0.21 = all below 0.5 ppm.

For the Largemouth Bass samples = 0.1, 0.13, 0.23, = all below 0.5 ppm.

For the Northern Pike samples = <0.1, 0.16, 0.12, 0.24 = all below 0.5 ppm.

(1 ppm = 1 mg/Kg)